

24-0-18 with Fungicide VII



FEATURES & USE TIPS:

- Provides systemic prevention and control of turfgrass diseases including benzimidazole tolerant dollar spot
- This combination product allows for quick knock-down of dollar spot as well as providing outstanding greening response to the turf.
- Fast-acting sustained disease control through root and foliage uptake, resulting in less susceptibility of product to weather and maintenance conditions.
- Choice of application rates, depending upon disease, severity of infection and kind of protection desired.
- Provides controlled release nitrogen feeding from Methylene Urea.

PRODUCT CODE:

AGC8578.1

Date: 051605
Supersedes: 000000
Label: K4

PRODUCT CHARACTERISTICS:

Product Type:

Combination Fertilizer
Plus Fungicide VII

Nitrogen Type:

Methylene Urea

SGN:

100

Net Weight:

27.72 Lbs.

Coverage:

22,000 Square Feet
@ Recommended Rate

PRODUCT SPECIFICATIONS:

N - (24%):	9.72% Urea Nitrogen 8.40% Other Water Soluble Nitrogen* 5.88% Water Insoluble Nitrogen *8.40% Slowly Available Nitrogen From Methylene Urea
K - as K₂O (18%):	Potassium Sulfate
S - (6.12%):	Total Sulfur
Active Ingredient:	Triadimefon (0.62%)

Andersons Golf Products is a trademark of The Andersons Agriservices, Inc.

*To order, contact your local
Andersons Golf Products
distributor.*

*For more information, contact
Andersons at our website:
www.andersonsgolfproducts.com
or call 1-800-225-2639*

- Provides systemic prevention and control of turfgrass diseases including benzimidazole tolerant dollar spot
- Provides controlled release nitrogen feeding

KEEP OUT OF REACH OF CHILDREN
CAUTION
PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals: CAUTION. Avoid contact with skin, eyes, or clothing. In case of contact, immediately flush eyes or skin with plenty of water. Get medical attention if irritation persists. May be harmful if swallowed. Avoid inhalation. Do not contaminate feed or foodstuffs.

Environmental Hazards: Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water by cleaning of equipment or disposal of wastes. Do not apply when weather conditions favor drift from areas treated. Apply this product only as specified on this label.

FIRST AID

If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contacts, if present, after the first 5 minutes, then continue rinsing. Call a poison control center or doctor for treatment advice.

If swallowed: Call a poison control center or doctor for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

If on skin or clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

If inhaled: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for treatment advice.

Have the product container or label with you when calling a poison control center or doctor or going for treatment. You may also contact 1-800-757-8951 for emergency medical treatment information.

ACTIVE INGREDIENT:

Triadimefon† 0.62%
OTHER INGREDIENTS: 99.38%
Total 100.00%
†CAS No. 43121-43-3

EPA Reg. No. 9198-190
EPA Est. No. 9198-OH-1M, 9198-OH-2B, 9198-AL-001A
Underlined letter is first letter used in run code on bag.

GUARANTEED ANALYSIS

Total Nitrogen (N) 24.00%
9.72% Urea Nitrogen
8.40% Other Water Soluble Nitrogen*
5.88% Water Insoluble Nitrogen
Soluble Potash (K₂O) 18.00%
Sulfur (S) 6.12%
6.12% Combined Sulfur (S)
Derived from urea, methylene ureas and potassium sulfate.
*8.40% Slowly Available Nitrogen from methylene ureas.

F292

Information regarding the contents and levels of metals in this product is available on the internet at <http://www.regulatory-info-ap.com>

U.S. Patent Nos. 5,102,440 and 4,378,238
Product of U.S.A.

Attention: This product contains a chemical known to the State of California to cause birth defects or other reproductive harm.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Not for use on turf being grown for sale or other commercial use as sod, or for commercial seed production, or for research purposes.

For use on turfgrass areas consisting of Kentucky bluegrass, annual bluegrass, bentgrass, perennial ryegrass, fine fescue, bermudagrass or mixtures where these grasses predominate.

TO PREVENT DOLLAR SPOT, ANTHRACNOSE AND RUST (*Puccinia spp.*), apply to moist or dry foliage at the RECOMMENDED RATE when environmental conditions favor disease activity. Repeat the application at 2 week intervals throughout the expected disease period.

TO CONTROL ACTIVE DOLLAR SPOT, ANTHRACNOSE AND RUST (*Puccinia spp.*), apply at the DOUBLE RATE to moist or dry foliage at 2 week intervals. When the disease activity is under control, apply at the RECOMMENDED RATE at two week intervals.

TO PREVENT BROWN PATCH, apply to moist or dry foliage at the DOUBLE RATE when environmental conditions favor disease activity. Repeat at 2 week intervals throughout the expected disease period.

TO CONTROL ACTIVE BROWN PATCH, use a non-fertilizer fungicide such as Andersons Golf Products Fungicide VII to limit the amount of fertilizer applied since high levels of nitrogen applied to turf during or just prior to the onset of hot, humid weather may increase the severity of brown patch. Follow with the RECOMMENDED RATE of either product once the disease is controlled.

NOTE CAREFULLY

To avoid product pick-up, lightly irrigate treated areas soon after application. On short cut bentgrass (less than 1/2") when temperatures are above 80°F, apply only to dry foliage.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

STORAGE: Store in a clean, dry place. Reseal opened bag by folding top down and securing. PROTECT FROM WATER AND EXTREME HEAT.

PESTICIDE DISPOSAL: Do not contaminate water, food, or feed by storage or disposal. Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

IMPORTANT: READ BEFORE USE:

Read the entire Directions for Use and the Warranty Disclaimer and Limitation of Liability before using this product. If terms are not acceptable, return the unopened product container at once. By using this product, user or Buyer accepts the following Warranty Disclaimer and Limitation of Liability: **WARRANTY DISCLAIMER and LIMITATION of LIABILITY:** Manufacturer warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated on the label when used in strict accordance with the directions. Manufacturer makes NO OTHER EXPRESS OR IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Where permissible, it is Manufacturer's intent to LIMIT ANY LIABILITY FOR SPECIAL, CONSEQUENTIAL OR INCIDENTAL ECONOMIC DAMAGES to refund of purchase price or replacement of product, at Buyer's choice. Manufacturer DISCLAIMS ANY LIABILITY FOR COMPENSATORY OR OTHER DAMAGES ARISING OUT OF ANY USE CONTRARY TO LABEL DIRECTIONS. Use contrary to label directions is not permitted.

LEGAL RIGHTS:

THIS LIMITED WARRANTY GIVES YOU SPECIFIC LEGAL RIGHTS; YOU MAY HAVE OTHER RIGHTS THAT VARY FROM STATE/JURISDICTION TO STATE/JURISDICTION. (RVamd042302)

Suggested Spreader Settings

To provide proper distribution calibrate spreader before application.
Do not adjust rates of application in order to meet fertilizer requirements of your soil.
27.72 lbs. feeds 22,000 sq. ft. (0.50 acre) with 0.30 lbs. N/1,000 sq. ft. at the RECOMMENDED RATE
27.72 lbs. feeds 11,000 sq. ft. (0.25 acre) with 0.60 lbs. N/1,000 sq. ft. at the DOUBLE RATE

SPREADER	GROUND SPEED	WIDTH OF COVERAGE	SPREADER SETTINGS	
			RECOMMENDED RATE	DOUBLE RATE
Andersons Rotaries: AccuPro/SR-2000 (Cone 8)	3 mph	10 feet	H	I 1/2
Andersons SS-2 Drop	-	-	2 1/2	3 1/2
Scotts Rotaries: R-8, R-8A (Cone 8)	3 mph	10 feet	G	H 1/2
Lely Models W (PTO at 450 rpm)	4.5 mph	28 feet	3 III	4 III
Vicon (02 Series)	4.5 mph	22 feet	11	16

Note: These spreader settings were established using standard equipment available from the spreader manufacturer at swath widths and speeds typically used within the industry. It is recommended that all spreader equipment be calibrated at the time of application to achieve the desired application rate.

This is a specimen label and may be inaccurate or out of date. It is intended as a guide in providing general information regarding use of this product. Always read and follow the label on the product container.

AGC8578.1

Product of USA

Manufactured by:

The Andersons Lawn Fertilizer Division, Inc.
P. O. Box 119, Maumee, OH 43537
1-800-225-2639

Visit us on the web at: www.AndersonsGolfProducts.com