

# 5% Daconil Fungicide



## FEATURES & USE TIPS:

- For control of Melting Out, Leaf Spot, Brown Patch, Dollar Spot, and certain other lawn diseases as listed on label.
- Broad spectrum fungicide
- Multi - site mode of action
- For use on golf course greens, tees, fairways and other turf types.

## PRODUCT CODE:

**AGCFDC2.1**

Date: 053105  
Supersedes: 000000  
Label: G4

## PRODUCT CHARACTERISTICS:

**Product Type:**  
Granular Fungicide

**SGN:**  
125

**Net Weight:**  
25 Lbs.

**Coverage:**  
6,200 Sq Ft  
@ Preventative Rate

## PRODUCT SPECIFICATIONS:

**Active Ingredient:** Chlorothalonil (5.0%)

Andersons Golf Products is a trademark of The Andersons Agriservices, Inc.

*To order, contact your local  
Andersons Golf Products  
distributor.*

*For more information, contact  
Andersons at our website:  
[www.andersonsgolfproducts.com](http://www.andersonsgolfproducts.com)  
or call 1-800-225-2639*

For control of Melting Out, Leaf Spot, Brown Patch, and certain other lawn diseases.

**ACTIVE INGREDIENT:**

Chlorothalonil [Tetrachloroisophthalonitrile] . . . 5.0%

**OTHER INGREDIENTS:** . . . . . 95.0%

Total . . . . . 100.0%

EPA Reg. No. 9198-115

EPA Est. No. 9198-OH-1M,

9198-OH-2B, 9198-AL-001A

(Underlined letter is first letter used in run code on end of bag.)

**PRECAUTIONARY STATEMENTS**

**HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

**DANGER**

**KEEP OUT OF REACH OF CHILDREN**

Harmful if swallowed. Avoid inhalation. Skin Sensitizer. Avoid contact with skin, eyes, and clothing. In case of skin contact, wash with soap and water. For eyes, get medical attention. Avoid contamination of feed and foodstuffs. Do not graze treated area. Do not feed clippings to livestock.

Note to User: This product may produce temporary allergic side effects characterized by redness of the eyes, mild bronchial irritation and redness or rash on exposed skin areas. Persons having allergic reaction should contact a physician. Wear long sleeve shirt, long pants and gloves while mixing, loading and applying this product.

**FIRST AID**

**IF SWALLOWED:** Call a physician or Poison Control Center immediately. Drink one or two glasses of water and induce vomiting by touching back of throat with finger. Repeat until vomit fluid is clear. Do not induce vomiting or give anything by mouth to an unconscious person.

**IF INHALED:** Remove victim to fresh air and apply respiration if indicated.

**IF ON SKIN:** Wash promptly with soap and water. Rinse thoroughly.

**IF IN EYES:** Rinse eyes for a least 15 minutes with water and call a physician immediately.

Note to physician: Persons having an allergic reaction respond to treatment with antihistamines or steroid creams and/or systemic steroids.

**ENVIRONMENTAL HAZARDS**

This product is toxic to fish, aquatic invertebrates and marine/estuarine organisms. Runoff from treated areas may be hazardous to aquatic organisms in neighboring areas. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not apply when weather conditions favor drift from treated areas. Do not contaminate water when disposing of equipment washwaters.

**DIRECTIONS FOR USE**

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

A broad spectrum fungicide for control of the following diseases: brown patch, dollar spot, copper spot, gray leaf spot, stem rust of bluegrass, helminthosporium and curvularia.

**LAWN AND ORNAMENTAL TURF**

For a preventative disease control program (4 lbs. per 1,000 sq. ft.) set spreader at the regular rate indicated. For eradicated spot treatment of severely diseased areas, set spreader at 1 1/2 rate (6 lbs. per 1,000 sq. ft.).

For best results, the lawn should be moist when making application. Just after a light shower or in the morning when dew is on the grass is ideal. This product should not be applied when rain is expected within 24 hours. **DO NOT WATER OR MOW FOR AT LEAST 24 HOURS AFTER APPLICATION.**

**For control of Helminthosporium Leaf Spot, Melting Out, and Curvularia:** Start application at Preventive Rate in early Spring and continue at 7 to 10 day intervals as long as wet weather prevails.

**For control of Brown Patch, Dollar Spot, Copper Spot, Gray Leaf Spot and Stem Rust of Bluegrass:** Use at Preventive Rate in early Spring to early Summer and continue at 7 to 14 day intervals into early Fall.

**Storage and Disposal**

Do not contaminate water, food or feed by storage and disposal. Keep container closed and away from food, feedstuffs and domestic water supplies.



**PESTICIDE DISPOSAL:** Pesticide wastes are toxic. Improper disposal of excess pesticide is a violation of Federal Law and may contaminate ground water. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

**CONTAINER DISPOSAL:** Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by State or local authorities, by burning. If burned, stay out of smoke.

**IMPORTANT: READ BEFORE USE:** Read the entire Directions for Use and the Warranty Disclaimer and Limitation of Liability before using this product. If terms are not acceptable, return the unopened product container at once. By using this product, user or Buyer accepts the following Warranty Disclaimer and Limitation of Liability:

**WARRANTY DISCLAIMER and LIMITATION of LIABILITY:** Manufacturer warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated on the label when used in strict accordance with the directions. Manufacturer makes NO OTHER EXPRESS OR IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Where permissible, it is Manufacturer's intent to LIMIT ANY LIABILITY FOR SPECIAL, CONSEQUENTIAL OR INCIDENTAL ECONOMIC DAMAGES to refund of purchase price or replacement of product, at Buyer's choice. Manufacturer DISCLAIMS ANY LIABILITY FOR COMPENSATORY OR OTHER DAMAGES ARISING OUT OF ANY USE CONTRARY TO LABEL DIRECTIONS. Use contrary to label directions is not permitted.

**LEGAL RIGHTS:** THIS LIMITED WARRANTY GIVES YOU SPECIFIC LEGAL RIGHTS; YOU MAY HAVE OTHER RIGHTS THAT VARY FROM STATE/JURISDICTION TO STATE/JURISDICTION.

SUGGESTED SPREADER SETTINGS				
25 lbs covers 6,200 sq. ft. (0.14 acre) at the PREVENTATIVE RATE				
25 lbs covers 4,100 sq. ft. (0.09 acre) at the 1 1/2 RATE				
SPREADER SETTINGS				
SPREADER	GROUND SPEED	WIDTH OF COVERAGE	PREVENTATIVE RATE 4 lbs./1000 sq. ft.	1 1/2 RATE 6 lbs./1000 sq. ft.
The Andersons Rotaries AccuPro/SR-2000/1000 (Cone 6)	3 mph	6 feet	K	L 1/4
Earthway 2400		6 feet	16 1/2	19 1/4
Scotts Rotaries R-8, R-8A (Cone 6)	3 mph	4 feet	J	K 3/4
LESCO 020093		8 feet	G 3/4	J 1/4
Lely Models WTR, WFR, HR, 1250 (PTO at 450 rpm)	4.5 mph	22 feet	4 3/4 II-C	6
Prizelawn CB-85		4 feet	4 A	4 1/2 A
Vicon (03 Series-Standard Spout)	4.5 mph	10 feet	23	28

**IMPORTANT:** These settings are only approximate. Age and condition of spreader can cause wide variation. Be sure to calibrate your spreader with each application.

*This is a specimen label and may be inaccurate or out of date. It is intended as a guide in providing general information regarding use of this product. Always read and follow the label on the product container.*

**AGCFDC2.1**

Product of USA

**Manufactured by:**

The Andersons Lawn Fertilizer Division, Inc.

P. O. Box 119, Maumee, OH 43537

1-800-225-2639

Visit us on the web at: [www.AndersonsGolfProducts.com](http://www.AndersonsGolfProducts.com)