

12-24-12 with 3.5% Siduron



Professional Turf™
Products

FEATURES & USE TIPS:

- Contains Siduron herbicide
- Keeps out crabgrass, foxtail, barnyardgrass by killing the sprouting seed.
- May be used on freshly seeded bluegrass, perennial ryegrass, fescue and certain other grasses.
- High uniformity precision blend for more accurate spreading and more consistent performance
- Excellent starter fertilizer analysis to help grow in the turf.

PRODUCT SPECIFICATIONS:

N (12%): Of total nitrogen, 78% is ammoniacal; 22% is urea.

P- as P₂O₅ (24%): Ammonium phosphate

K - as K₂O (12%): Potassium chloride

Active Ingredient: 3.5% Siduron

PRODUCT CODE:

APT12S35

Date: 010204
Supersedes: 000000

PRODUCT CHARACTERISTICS:

Product Type:

Combination fertilizer with Siduron Insecticide

Nitrogen Type:

Urea

Particle Size:

SGN: 150

Net Weight:

50 lbs.

Coverage:

15,100 sq. ft.
@ 3.3 lb./m rate

The Andersons logo is a registered trademark of The Andersons Agriservices, Inc. and Professional Turf is a trademark of The Andersons Agriservices, Inc.

To order, contact your local Andersons Lawn Products distributor.

*For more information, contact Andersons at our website:
www.andersonslawnproducts.com
or call 1-800-225-2639.*

ACTIVE INGREDIENT

Siduron*	3.5%
OTHER INGREDIENTS	96.5%
TOTAL	100.0%

*CAS No. 1982-49-6

EPA Reg. No. 9198-50

EPA Est. No. 9198-OH-1M, 9198-OH-2B, 9198-AL-001A

Underlined letter is first letter used in run code on bag.

GUARANTEED ANALYSIS

Total Nitrogen (N)	12.00%
9.40% Ammoniacal Nitrogen	
2.60% Urea Nitrogen	
Available Phosphate (P ₂ O ₅)	24.00%
Soluble Potash (K ₂ O)	12.00%
Plant foods derived from ammonium phosphate, urea and potassium chloride.	
Chlorine (Cl) Max.	10.14%
	F292

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND
DOMESTIC ANIMALS**

Harmful if swallowed. Avoid contact with skin, eyes and clothing. Wash thoroughly after using. Avoid breathing dust. Do not contaminate water used for irrigation or domestic purposes. Do not contaminate feed, foodstuffs or ponds. Do not store near seed, other fertilizers, insecticides or fungicides. Do not apply to vegetable crops.

FIRST AID

If in eyes:

Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contacts, if present, after the first 5 minutes, then continue rinsing. Call a poison control center or doctor for treatment advice.

If swallowed: Call a poison control center or doctor for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

If on skin:

Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

If inhaled:

Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for treatment advice.

Have the product container or label with you when calling a poison control center or doctor or going for treatment. You may also contact 1-800-757-8951 for emergency medical treatment information.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not apply directly to water, or to areas where surface water is present or to intertidal below the mean high water mark. Do not contaminate water by cleaning of equipment or disposal of wastes. Drift of dust may cause injury to nearby susceptible plants.

DIRECTIONS FOR USE

It is in violation of Federal Law to use this product in a manner inconsistent with its labeling. Not for use on turf being grown for sale or other commercial use as sod, or for commercial seed production, or for research purposes.

WHEN TO APPLY

Apply prior to germination of weed grasses in Spring. Precise time of application for a specific area will vary due to climate and individual cultural practices. Generally, application during February or March will give best results. Control can be expected by applications up to the time that Forsythias bloom in the spring. If in doubt, check with your Agricultural Extension Service. For newly seeded areas, apply as the last step before watering.

HOW TO APPLY

For best results, this product must be applied without skips or misses. Determine the correct amount for your lawn area. For freshly seeded grass apply at the rate of 2.6 - 3.3 pounds per 1,000 square feet. For established turf apply at 5.2 - 6.6 pounds per 1,000 square feet. The best results are obtained by using the two-step procedure at the recommended half rate settings. Apply half the required amount in one direction and the other half at right angles to the first application. This procedure will minimize the chances of color streaking and erratic crabgrass control. Use the suggested spreader settings as a guide, being sure to check the application rate at the start of each application. At least 1/2 inch of water must be provided by rainfall or watering within 3 days of treatment in order to carry the chemical into the root zone of germinating weeds.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal.

PESTICIDE STORAGE: Keep container closed and away from food, feedstuffs and domestic water supplies.

PESTICIDE DISPOSAL: Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinsate, is a violation of Federal Law and may contaminate groundwater. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by State or local authorities, by burning. If

burned, stay out of smoke.

IMPORTANT: READ BEFORE USE:

Read the entire Directions for Use and the Warranty Disclaimer and Limitation of Liability before using this product. If terms are not acceptable, return the unopened product container at once. By using this product, user or Buyer accepts the following Warranty Disclaimer and Limitation of Liability:

WARRANTY DISCLAIMER and LIMITATION of LIABILITY:

Manufacturer warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated on the label when used in strict accordance with the directions. Manufacturer makes NO OTHER EXPRESS OR IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Where permissible, it is Manufacturer's intent to LIMIT ANY LIABILITY FOR SPECIAL, CONSEQUENTIAL OR INCIDENTAL ECONOMIC DAMAGES to refund of purchase price or replacement of product, at Buyer's choice. Manufacturer DISCLAIMS ANY LIABILITY FOR COMPENSATORY OR OTHER DAMAGES ARISING OUT OF ANY USE CONTRARY TO LABEL DIRECTIONS. Use contrary to label directions is not permitted.

LEGAL RIGHTS:

THIS LIMITED WARRANTY GIVES YOU SPECIFIC LEGAL RIGHTS; YOU MAY HAVE OTHER RIGHTS THAT VARY FROM STATE/JURISDICTION TO STATE/JURISDICTION. ***This is a specimen label and may be inaccurate or out of date. It is intended as a guide in providing general information regarding use of this product. Always read and follow the EPA approved label on the product container.***

Suggested Spreader Settings

These suggested settings are not intended to replace calibration.

Please calibrate your spreader before applying product.

50 lbs feeds 15,100 sq. ft. (0.35 acre) with 0.39 lbs. N/1,000 sq. ft. at the LOW RATE
50 lbs. feeds 7,500 sq. ft. (0.17 acre) with 0.79 lbs. N/1,000 sq. ft. at the MEDIUM RATE

SPREADER	GROUND SPEED	WIDTH OF COVERAGE	SPREADER SETTINGS	
			LOW RATE 3.3 Lbs./1,000 Sq. Ft.	MEDIUM RATE 6.6 Lbs./1,000 Sq. Ft.
Andersons Rotaries: AccuPro/SR-2000 (Cone 8)	3 mph	13 feet	K	N
Andersons SS-2			4	7
Scotts Rotaries: R-8, R-8A (Cone 7)	3 mph	10 feet	J 1/2	N
LESCO		10 feet	E 1/2	H
Vicon (03 Series-Standard Spout)	4.5 mph	34 feet	29	43

APT12S35

Manufactured by:

The Andersons Lawn Fertilizer Division, Inc.
P. O. Box 119, Maumee, OH 43537
1-800-225-2639

Visit us on the web at: www.andersonsinc.com