



# Enviro K™ 0-0-30

Enviro K (0-0-30) is an excellent source of potassium for turf. The role potassium plays in sustaining vigorous plant growth through stressful conditions is well-documented. It is also well known that potassium is readily lost from the root zone through leaching, especially in sandy soils. Enviro K is derived from potassium carbonate, a high quality, less caustic, chlorine-free source of potassium. The potassium in Enviro K is retained in the root zone longer for more uniform and consistent uptake by plants. Enviro K also contains organic acids from leonardite which enhances turf performance and improves soil quality.

### Benefits of Use

- Less caustic source of potassium
- Potassium remains plant available longer in soil
- Enhances stress tolerance
- Humic acid increases nutrient uptake

### Problem Conditions Improved

- Low potassium levels in leached or sandy soils
- Stunted growth with necrotic leaf tips resulting from potassium deficiency
- Low vigor turf susceptible to mid-summer stresses

### Guaranteed Analysis

Soluble Potash (K<sub>2</sub>O).....30.00%

### Derived From

Potassium Carbonate.

This product also contains 0.2% fulvic acid which may enhance nutrient uptake.

### Physical Characteristics

12.2 lb./gal. (3.65 lb. K<sub>2</sub>O /gal.); pH 10-12

### Application Instructions

One gallon of Enviro K (0-0-30) contains 3.66 lb. of potassium as K<sub>2</sub>O. For 0.1 lb. K<sub>2</sub>O /1000 sq.ft. of turf apply 3.5 oz. per 1000 sq. ft. or 1.2 gal. of product diluted in 100 gal. of water per acre. For 0.25 lb. K<sub>2</sub>O /1000 sq. ft. of turf apply 8.75 oz. per 1000 sq. ft. or 3.0 gal. of product per acre.

In its concentrated form Enviro K (0-0-30) is very alkaline. Care and safety should be taken during handling. Goggles, gloves, and protective clothing should be worn. Consult MSDS if necessary.

When mixing with other products it is suggested that you jar test any combination of products before mixing large volumes. Adequate tank agitation should be provided to insure complete mixing. If any doubt exists about a particular blend of products, apply to a test area first for evaluation.

Shake well before using.

### Container Sizes & Model Numbers

2.5 gal.	Model	57132
30 gal.	Model	57133
275 gal.	Model	57134

### Handling & Storage

Store between 40-95° F. Avoid direct heat or fire. Decomposition may occur at high temperatures (above 225° F). Avoid Freezing!

Keep out of reach of children. Harmful if swallowed. Avoid inhalation, eye contact, or ingestion. Avoid prolonged or repeated contact with skin which may cause irritation. Wash thoroughly after handling. Corrosive.