

Fungicide V



FEATURES & USE TIPS:

- Prevents and controls *Pythium* blight on golf course greens and fairways (see label recommendations).
- Prevents and controls gray snow mold on golf course greens and fairways (see label recommendations).
- Convenient, dry-applied, ready-to-use, free-flowing product with active ingredient impregnated on and into a granular cob carrier.
- Choice of application rates depending upon the type and severity of infestation and degree of protection desired.
- May be applied by drop or rotary spreader.

PRODUCT CODE:

AGC87135

Date: 051303
Supersedes: 000000

PRODUCT CHARACTERISTICS:

Product Type:
Fungicide

Net Weight:
32.75 Lbs.

Coverage:
11,000 Sq. Ft. @
recommended rate

PRODUCT SPECIFICATIONS:

Active Ingredient: Chloroneb (6.25%)

Andersons Golf Products is a trademark of The Andersons Agriservices, Inc.

*To order, contact your local
Andersons Golf Products
distributor.*

*For more information, contact
Andersons at our website:
www.andersonsgolfproducts.com
or call 1-800-225-2639*



ACTIVE INGREDIENT:

Chloroneb (1,4-dichloro-2, 5-dimethoxybenzene) 6.25%

INERT INGREDIENTS: 93.75%

TOTAL 100.00%

EPA Reg. No. 9198-182

EPA Est. No. 9198-OH-1M, 9198-OH-2B, 9198-AL-001A.

Underlined letter is first letter used in run code on bag.

KEEP OUT OF THE REACH OF CHILDREN

CAUTION

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals: May irritate eyes, nose, throat and skin. Avoid breathing dust. Avoid contact with skin, eyes and clothing. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse. Do not graze or feed clippings from treated areas to livestock.

Table with 2 columns: Condition (IF IN EYES, IF SWALLOWED, IF ON SKIN, IF INHALED) and First Aid instructions.

Have the product container or label with you when calling a poison control center or doctor or going for treatment. You may also contact 1-800-757-8951 for emergency medical treatment information.

Environmental Hazards: Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwaters. Apply this product only as specified on this label.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Not for use on turf being grown for sale or other commercial use as sod, or for commercial seed production, or for research purposes.

Prevents and controls:

Pythium blight, gray snow mold on golf course greens and fairways. Whenever used on greens and fairways, apply to moist foliage in the morning or evening. Sprinkle lightly just before traffic resumes to avoid pickup of material on shoes, golf balls, or maintenance equipment.

To prevent Pythium blight, apply at the RECOMMENDED RATE to moist foliage when high temperatures and humidity favor development. Repeat at 5-7 day intervals as long as these weather conditions persist.

To control Pythium blight, apply at the RECOMMENDED RATE to moist foliage as soon as disease activity is observed; repeat at 5-7 day intervals during high temperature and humidity conditions.

In case of severe disease attack, apply at the DOUBLE RATE to moist foliage and continue RECOMMENDED RATE applications at 5-7 day intervals during high temperature and humidity conditions.

On new seedings, apply at the RECOMMENDED RATE after sowing seed; at first signs of disease, apply to moist foliage of newly germinated grass and repeat at 7-10 day intervals if evidence of disease persists. When treating to control Pythium blight, do not fertilize or water heavily until disease activity is arrested; prolonged contact with foliage enhances effectiveness.

Gray snow mold: Apply at the RECOMMENDED RATE to dry or moist foliage prior to first heavy snow (early winter). Repeat in mid-winter if turf is free of snow. A final treatment in late winter as the snow melts extends protection. In areas where snow cover is present the entire winter, apply at the DOUBLE RATE prior to the first snow and at the RECOMMENDED RATE when snow melts in the spring.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal

STORAGE: Store in a clean, dry place. Reseal opened bag by folding top down and securing.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility. Call your local or state solid waste agency or call 1-800-CLEANUP if you have questions.

CONTAINER DISPOSAL: Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

IMPORTANT: READ BEFORE USE:

Read the entire Directions for Use and the Warranty Disclaimer and Limitation of Liability before using this product. If terms are not acceptable, return the unopened product container at once. By using this product, user or Buyer accepts the following Warranty Disclaimer and Limitation of Liability:

WARRANTY DISCLAIMER and LIMITATION of LIABILITY:

Manufacturer warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated on the label when used in strict accordance with the directions. Manufacturer makes NO OTHER EXPRESS OR IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Where permissible, it is Manufacturer's intent to LIMIT ANY LIABILITY FOR SPECIAL, CONSEQUENTIAL OR INCIDENTAL ECONOMIC DAMAGES to refund of purchase price or replacement of product, at Buyer's choice. Manufacturer DISCLAIMS ANY LIABILITY FOR COMPENSATORY OR OTHER DAMAGES ARISING OUT OF ANY USE CONTRARY TO LABEL DIRECTIONS. Use contrary to label directions is not permitted.

LEGAL RIGHTS:

THIS LIMITED WARRANTY GIVES YOU SPECIFIC LEGAL RIGHTS; YOU MAY HAVE OTHER RIGHTS THAT VARY FROM STATE/JURISDICTION TO STATE/JURISDICTION.
(RVamd061202)

| SUGGESTED SPREADER SETTINGS | | | | |
|--|--------------|-------------------|-------------------|-------------|
| <i>To provide proper distribution calibrate your spreader before application.</i> | | | | |
| 32.75 lbs. treats 11,000 sq. ft. (0.25 acre) at the RECOMMENDED RATE (2.98 lbs./1,000 sq. ft.) | | | | |
| 32.75 lbs. treats 5,500 sq. ft. (0.13 acre) at the DOUBLE RATE (5.95 lbs./1,000 sq. ft.) | | | | |
| SPREADER | GROUND SPEED | WIDTH OF COVERAGE | SPREADER SETTINGS | |
| | | | RECOMMENDED RATE | DOUBLE RATE |
| The Andersons AccuPro/ SR-2000 (cone 9) | 3.0 mph | 10 | K | O 1/2 |
| Andersons Drop SS-2 | 3.0 mph | overlap wheels | 6 | 8 |
| Scotts Rotaries R-8, R-8A (cone 9) | 3.0 mph | 10 | K | O 1/2 |
| Lely W Models WTR, WFR, HR, 1250 (PTO at 450 rpm) | 4.5 mph | 16 | 4 1/2 III | 6 III |

**SPECIMEN
LABEL**

AGC87135

Product of USA

Manufactured by:

The Andersons Lawn Fertilizer Division, Inc.
P. O. Box 119, Maumee, OH 43537
1-800-225-2639

Visit us on the web at: www.AndersonsGolfProducts.com