

ARTSCAPE LIGHTING

HANDMADE, ARTIST-SIGNED COPPER LUMINAIRES
Artist Lowell Pujari brings the Le Fleur line of beautiful lighted copper sculptural art from his studio in rural Minnesota. Each Le Fleur piece is as unique as the garden it lives in and is built to last with a lifetime warranty.



CATTAIL LIGHTED FOUNTAIN
#CFL48
 DIM. 48"H X 30"D
 LAMP: 3 X 20W G4 BI-PINS




MOONDROP
#MD5
 DIM. 7"X8"
 3' SWAG CHAIN
 LAMP: 20W G4 BI-PIN



MOON FLOWER
#M12
 DIM. 12"X12"
 3' SWAG CHAIN
 LAMP: 20W G4 BI-PIN



MAPLE LEAF DECK
#ML5
 DIM. 4.5"X3.75"
 LAMP: 20W G4 BI-PIN



ALLIUM
#A24
 DIM. 24H"X5D"
 LAMP: 20W G4 BI-PIN



Magical Mushroom Cap

MAGICAL MUSHROOM CAP
#MCAP24
 DIM. 20"HX10"D
 LAMP: 20W G4 BI-PIN



CALADIUM LITTLE LEAF
#CLL24
 DIM. 24"HXDIA. VARIES
 LAMP: 20W G4 BI-PIN



OAK PATHLIGHT PETITE
#OPP24
 DIM. 24"HX12"D
 LAMP: 20W G4 BI-PIN



MONARCH CALADIUM FOUNTAIN #MMCF38
 (SHOWN WITH OPTIONAL SHELL TRAY)
 DIM. 40"HX16"D
 LAMP: 2 X 20W G4 BI-PIN

Reinders



Proudly Offers:

SPECIALTY

The Market Light

Handcrafted in Milwaukee, Wisconsin



Simple Elegance

The classic lines of this beautiful Craftsman style luminaire allow it to feel at home in both the cottage and the formal estate.



Old World Craftsmanship

The Market Light is every bit a piece of art as it is a lighting tool. Holding one in your hands allows you to see that there is no other pathlight quite like it.



*A Reinders Exclusive
The Market Light has been fitted with a special Xenon Bi-Pin socket for extended lamp life and is immediately available for your project.*

*Material: Solid Brass
Height: 19-3/4"
Roof Width: 6-3/4"
Color: Patina Brass Only
Socket: Xenon Bi-Pin
Max Wattage: 20W
Stock#: MARKET LIGHT-12V-VG
Recommended Stake: SS*

- *NEMA 250, Type 6P standard was used as a design guide for the construction of the enclosure to provide protection against the entry of water during prolonged submersion at a limited depth. UL listing for Wet Locations including an immersion test.*
- *Designed with a modernist edge, each fixture is machined from anti-corrosion silicone magnesium aluminum alloy. The unique solution of a partially integrated stem allows full adjustment to all aiming positions.*

SPECIFICATION GRADE LIGHTING DESIGNED BY HIROSHI KIRA

Turning a sketch into a working model and carrying through to a finished product is at the heart of everything that motivates Hiroshi Kira. Designer, artist, poet, machinist, photographer, environmentalist, these are but a few of the facets of a unique individual.



ZX11-A-BRONZE

- MR11 Uplight, 35W Max.
- Four integrated weep holes drain water away from lens.
- Additional lenses, filters, & lowers are mounted inside housing.



ZX11-C-A-BRONZE

- MR11 Uplight/Downlight, 35W Max.
- Fully adjustable cowl with locking ring.
- Additional lenses, filters, & lowers are mounted inside housing.

U
P
L
I
G
H
T
D
O
W
N
L
I
G
H
T



ZXF50-BRONZE

- T4 bi-pin socket, 50W Max.
- Push-on/pull-off hood equipped with position memory for quicker, easier lamp installation/removal.
- Full 360 degree aiming position adjustments.



ZX16-A-BRONZE

- MR16 Uplight, 50W Max.
- Four integrated weep holes drain water away from lens.
- Additional lenses, filters, & lowers are mounted inside housing.



ZX16-C-A-BRONZE

- MR16 Uplight/Downlight, 50W Max.
- Fully adjustable cowl with locking ring.
- Additional lenses, filters, & lowers are mounted inside housing.

U
P
L
I
G
H
T
D
O
W
N
L
I
G
H
T



MH-2-6-BZ

- 6" tripod stake makes fixture repositioning easy.
- For supporting & stabilizing heavier or taller fixtures.
- Also ideal for softer, lighter soil areas.

Integral® LIGHTING

hardscape lighting
installation
made
easy

Minutes to install
NO cutting NO chiseling
NO tools required

Add safety and security to steps and walls with little effort or cost



"...no ruined concrete blocks from cutting and chiseling"

Jim, Pine Creek Nursery Authorized E.P. Henry Distributor

"...we saved countless hours of installation time over conventional lighting"

Scott, Full Effect Landscape Company

Save
time
and
money



see our demo
on the web



www.integral-lighting.com

patent pending

copyright 2006 Hartman Design Inc. FP081406

Finishes
and
materials

Black powder coated Aluminum Model IL6.200

Bronze powder coated Aluminum Model IL6.225

Clay powder coated Aluminum Model IL6.250

Pewter powder coated Aluminum Model IL6.275

Brick Red powder coated Aluminum Model IL6.300

Solid Copper Model IL6.105

Solid Brass Model IL6.125

Stainless Steel Model IL6.150

Non-corrosive
components
behind
the
scenes



specs

Inserts are Stainless Steel 18g Type
Faceplates .093 Copper or Brass or
Holes threaded to faceplate
NO fasteners to misplace
6-32 Slotted Brass or Stainless

electrical

Low Voltage / 12 volts
Compatible with existing 12v systems
Nylon Wedge Base Socket
Long Life 10 watt Xenon bulb included
72" Long leads for connection to

recommended spacing is 36" to 72"

Now available in both 6" & 18" sizes



WALLS



COLUMNS



STEPS