



SPECIFICATIONS

Effective Oct. 19, 2009
 Supercedes April 5, 2006
 1830 Centennial Ave.
 Hastings, NE 68901
 Ph: 402-462-2227
 Fax: 402-462-5529
 Toll Free: 866-851-2227
 centennialplastics.com

ProTurf Green® HDPE

HDPE 3608—ASTM D2239

- Flexible polyethylene pipe
- Produced from only the finest virgin material
- Backed by a **BUYER'S LIFETIME WARRANTY**
- **Virgin Black Core with Virgin Turf Green Exterior**

80 PSI	ASTM D2239	SIDR 19	Green exterior/black core		
			3/4"	1"	1-1/4"
	O.D.		N/A	1.169"	1.526"
	I.D.		N/A	1.049"	1.380"
	Wall		N/A	.060"	.073"
	Wt/Ft		N/A	.093#	.148#
	Coil Lengths		N/A	100-300 ft.	100-300 ft

100 PSI	ASTM D2239	SIDR 15	Green exterior/black core		
			3/4"	1"	1-1/4"
	O.D.		.944"	1.189"	1.564"
	I.D.		.824"	1.049"	1.380"
	Wall		.060"	.070"	.092"
	Wt/Ft		.074#	.109#	.187#
	Coil Lengths		100-400 ft.	100-300 ft.	100-300 ft.

Note: Pro Turf Green HDPE SIDR 19 and SIDR 15 are suitable for connections with insert fittings and clamps.
 Centennial Plastics is an ISO 9001 certified company.



ProTurf Green HDPE is tested and certified by NSF

Product also Certified to NSF/ANSI Standard 61, Annex G (weighted average lead content of <=0.25%) and is in compliance with California's Health & Safety Code Section 116875 (commonly known as AB1953).



SPECIFICATIONS

Effective Nov. 10, 2009
 Supersedes April 5, 2006
 1830 Centennial Ave.
 Hastings, NE 68901
 Ph: 402-462-2227
 Fax: 402-462-5529
 Toll Free: 866-851-2227
 centennialplastics.com

ProTurf Green® MDPE

MDPE 2708—ASTM D2239

- Flexible polyethylene pipe
- Produced from only the finest virgin material
- Backed by a **BUYER'S LIFETIME WARRANTY**
- **Virgin Black Core with Virgin Turf Green Exterior**

80 PSI	ASTM D2239	SIDR 15	Green exterior/black core		
			3/4"	1"	1-1/4"
	O.D.		.944"	1.189"	1.564"
	I.D.		.824"	1.049"	1.380"
	Wall		.060"	.070"	.092"
	Wt/Ft		.071#	.105#	.183#
	Coil Lengths		100-400 ft.	100-300 ft.	100-300 ft.

Note: ProTurf Green MDPE SIDR 19 is suitable for connections with insert fittings and clamps.
 Centennial Plastics is an ISO 9001 certified company.



ProTurf Green MDPE is tested and certified by NSF

Product also Certified to NSF/ANSI Standard 61, Annex G (weighted average lead content of <=0.25%) and is in compliance with Claifornia's Health & Safety Code Section 116875 (commonly known as AB153).



SPECIFICATIONS

Effective Oct. 19, 2009
 Supersedes Oct. 22, 2008
 1830 Centennial Ave.
 Hastings, NE 68901
 Ph: 402-462-2227
 Fax: 402-462-5529
 Toll Free: 866-851-2227
 centennialplastics.com

ProTurf Blue™ HDPE

HDPE 3608—ASTM D2239

- Flexible polyethylene pipe
- Produced from only the finest virgin material
- Backed by a **BUYER'S LIFETIME WARRANTY**
- **Virgin White Core with Virgin Blue Exterior**

80 PSI	ASTM D2239	SIDR 19	Blue exterior/natural core		
			3/4"	1"	1-1/4"
O.D.			N/A	1.169"	1.526"
I.D.			N/A	1.049"	1.380"
Wall			N/A	.060"	.073"
Wt/Ft			N/A	.093#	.148#
Coil Lengths			N/A	100-300 ft.	100-300 ft

100 PSI	ASTM D2239	SIDR 15	Blue exterior/natural core		
			3/4"	1"	1-1/4"
O.D.			.944"	1.189"	1.564"
I.D.			.824"	1.049"	1.380"
Wall			.060"	.070"	.092"
Wt/Ft			.074#	.109#	.187#
Coil Lengths			100-400 ft.	100-300 ft.	100-300 ft.

Note: ProTurf Blue™ HDPE SIDR 19 and SIDR 15 are suitable for connections with insert fittings and clamps.
 Centennial Plastics is an ISO 9001 certified company.



ProTurf Blue™ HDPE is tested and certified to NSF/ANSI standard 14

Product also Certified to NSF/ANSI Standard 61, Annex G (weighted average lead content of <=0.25%) and is in compliance with California's Health & Safety Code Section 116875 (commonly known as AB1953).