SAFETY DATA SHEET

TUKU	SDS Revision Date: 10/19/2015	SAFETT DATA SHEET			
SECTION 1	IDENTIFICATION				
Company Name	The Toro Company	CHEM TEL 24 HOUR EMERGENCY NUMBER			
Address	8111 Lyndale Avenue South	USA: (800) 255-3924 / Outside North America: +01 (813) 248-0585			
City, State, Zipcode	Bloomington, Minnesota 55420-1196	Poison Control Center (USA) 1-800-222-1212			
Phone Numbers	800-348-2424 (U.S.A.) / 800-544-5364 (CANADA)				
Website	www.toro.com				
Product Identity	41607 Pro-Foam				
Reference/Item Number	TPF01				
Intended Use	See technical data sheet.				
Application Method	See technical data sheet.				
SECTION 2	HAZARD(S) IDENTIFICATION				
	Using the toxicity data listed in Sections 11 and 12, the product is labeled as follows:				
	[EYE IRRITANT 2]:	HAZARD COMMUNICATION STANDARD (HCS) PICTOGRAM(S)			
H319:	Causes serious eye irritation.				
	······································				
	[ACUTE TOX 5]:				
Н313:	May be harmful in contact with skin.				
_	[SKIN IRRITANT 2]:				
H315:	Causes skin irritation.	•			
	[COMBUSTIBLE LIQUID]:	WARNING			
H227:	Combustible liquid.				
P264:	[PREVENTION]:				
P280:	Wash thoroughly after handling.				
P210:	Wear protective gloves and eye/face protection. Keep away from heat/sparks/open flames/hot surfaces. No smoking.				
P320+352:	[RESPONSE]:				
P332+313:	If on skin, wash with plenty of soap and water. If skin irritation occurs, get medical advice/attention.				
P305+351+338:	If in eyes, rinse continuously with water for several minutes. Remove of	ontact lances if present and easy to do: continue ringing			
P337+313:	If eye irritation persists, get medical advice/attention.	billact lenses it present and easy to do; continue mising.			
P361+362:	Remove/take off immediately all contaminated clothing and wash befor	PSIIST			
P370+376:	In case of fire, stop leak if safe to do so.	01000.			
	[STORAGE]:				
P403+235:	Store in a well-ventilated space. Keep cool.				
P233:	Keep container tightly closed.				
P410:	Protect from direct sunlight.				
	[DISPOSAL]:				
P501:	Dispose of contents/container in accordance with local/national regulat				
SECTION 3	COMPOSITION/INFORMATION ON INGREDIENTS				
_	This product is labeled with the following GHS classifications, as it contains substate regulations. This product is a proprietary blend and the ingredients and mixture pe	ances that present a hazard within the meaning of the relevant State and Federal Hazardous Substance progntages are being withheld as confidential business information			
		CAS Number GHS Classification Not			
	Proprietary blend of surfactants, coupling agents and solvent 100 Proprietary blend of surfactants, coupling agents and solvent 100 Proprietary blend of surfactants, coupling agents and solvent 100 Proprietary blend of surfactants, coupling agents and solvent 100 Proprietary blend of surfactants, coupling agents and solvent 100 Proprietary blend of surfactants, coupling agents and solvent 100 Proprietary blend of surfactants, coupling agents and solvent 100 Proprietary blend of surfactants, coupling agents and solvent 100 Proprietary blend of surfactants, coupling agents and solvent 100 Proprietary blend of surfactants, coupling agents and solvent 100 Proprietary blend of surfactants, coupling agents and solvent 100 Proprietary blend of surfactants, coupling agents and solvent 100 Proprietary blend of surfactants	roprietary Eye Irrit 2; H319 / Skin Irrit 2; H315 / Acute Tox 5; H313 / Combustible Liq; H227 [1]			
	[1] Substance classified with a health or environmental hazard.				
	[2] Substance with a workplace exposure limit.				
	[3] PBT-substance or vPvB-substance. H313: May be harmful in contact with skin.				
	H315: Causes skin irritation.				
	H319: Causes serious eye irritation.				
	H227: Combustible Liquid				

SDS for 41607 Pro-Foam 1 The Toro Company

SECTION 4	EIDET AID MEACHDEC		
	FIRST AID MEASURES		
Canavali	[DESCRIPTIONS]:		
General:	In all cases of doubt, or when symptoms persist, seek medical attention. Never give anything by mouth to an unconscious person. Remove to fresh air. Keep patient warm and at rest. If breathing is irregular or stopped, give artificial respiration. If unconscious, place in the recovery position and		
Inhalation:	obtain immediate medical attention. Give nothing by mouth.		
Eyes:	Irrigate copiously with clean fresh water for at least 10 minutes, holding the eyelids apart and seek medical attention.		
Skin:	Remove contaminated clothing. Wash skin thoroughly with soap and water or use a recognized skin cleanser. Do NOT use solvents or thinners.		
Ingestion:	If accidentally swallowed, obtain immediate medical attention. Keep at rest. Do NOT induce vomiting.		
	[MOST IMPORTANT SYMPTOMS AND EFFECTS, BOTH ACUTE AND DELAYED]:		
Overview:	No data available. See Section 2 for further details.		
Eyes:	Causes serious eye irritation.		
Skin:	May be harmful in contact with skin. Causes skin irritation.		
SECTION 5	FIRE FIGHTING MEASURES		
Extinguishing Media:	Recommended extinguishing media: alcohol resistant foam, CO², powder, water spray. Do not use water jet.		
	Can be dangerous when exposed to extreme heat and flame. Irritating or toxic substances may be emitted upon thermal decomposition. Thermal decomposition		
Special Hazards:	products may include oxides of carbon as well as smoke and fume.		
Advice For Firefighters:	Evacuate area. Prevent contamination from run-off adjacent areas, streams, drinking water and sewers. Do not flush down sewers or other drainage systems. Exposed firefighters must wear standard protective equipment and in enclosed areas self-contained breathing apparatus. Use water-spray to cool fire exposed surfaces and personnel. Product emulsifies in water.		
ERG Guide No.			
SECTION 6	ACCIDENTAL RELEASE MEASURES		
Personal Precautions, Protective Equipment and Emergency Procedures:	Remove sources of ignitions, do not turn lights, or unprotected electrical equipment, on or off. In case of a major spill, or spillage in a confined space, evacuate the area and check that solvent vapor levels are below the Lower Explosive Limit (LEL) before re-entering.		
Environmental Precautions:	Do not allow spills to enter drains or water courses.		
Methods and Material For Containment and Cleaning Up:	Ventilate the area and avoid breathing vapors. Take the personal protective measures listed in Section 8. Contain and absorb spillage with non-combustible materials (e.g. sand/earth/vermiculite). Place in closed containers outside buildings and dispose of according to the Waste Regulations (see Section 13.) Clean, preferably with a detergent. Do not use solvents. Do not allow spills to enter drains or water courses. If drains, sewers, streams or lakes are contaminated, inform the local water company immediately. In the case of contamination of rivers, streams, or lakes, the Environmental Protection Agency should also be informed.		
SECTION 7	HANDLING AND STORAGE		
Precautions For Safe Handling:	Handle containers carefully to prevent damage and spillage. Do not get in eyes, on skin or on clothing. Do not breathe vapors or mists. Keep container closed. Use only with adequate ventilation. Use good personal hygiene practices. Wash hands before eating, drinking, smoking. Remove contaminated clothing and clean before reuse. Destroy contaminated belts and shoes and other items that cannot be decontaminated. Keep away from excessive heat and flame. See Section 2 for further details [PREVENTION].		
Conditions For Safe Storage:	Store in tightly closed containers in dry, well-ventilated area away from excessive heat and incompatibles. Store at ambient or lower temperature. Store out of direct sunlight. Keep containers tightly closed and upright when not in use. Protect containers against physical damage. Empty containers may contain toxic, combustible residue and vapors. Do not cut, grind, drill, or weld on or near containers unless precautions are taken against these hazards. [STORAGE].		
Incompatible Materials:	Strong acids. Strong bases. Strong oxidizers.		
Specific End Use(s):	No data available.		
SECTION 8	EXPOSURE CONTROLS/PERSONAL PROTECTION		
020110110	Ingredients with established limits for exposure are listed below:		
Exposure Data:	CAS No. Ingestion Source Value		
	0000107-41-5 2-Methylpentane-2,4-diol OSHA No established limit		
- -	ACGIH Ceiling: 25ppm		
Exposure Data:			
Exposure Data:	ACGIH Ceiling: 25ppm NIOSH C 25 ppm (125 mg/m3)		
Exposure Data:	ACGIH Ceiling: 25ppm NIOSH C 25 ppm (125 mg/m3) CAS No. Ingestion Source Value		
Exposure Data:	ACGIH Ceiling: 25ppm NIOSH C 25 ppm (125 mg/m3) CAS No. Ingestion Source Value 0000111-76-2 2-Butoxyl-ethanol OSHA TWA: 50 ppm (240 mg/m3 [skin]		
Exposure Data: Carcinogen Data:	ACGIH Ceiling: 25ppm NIOSH C 25 ppm (125 mg/m3) CAS No. Ingestion Source Value 0000111-76-2 2-Butoxyl-ethanol OSHA TWA: 50 ppm (240 mg/m3 [skin] ACGIH TWA: 20 ppm (revised 2003)		
·	ACGIH Ceiling: 25ppm NIOSH C 25 ppm (125 mg/m3) CAS No. Ingestion Source Value 0000111-76-2 2-Butoxyl-ethanol OSHA TWA: 50 ppm (240 mg/m3 [skin] ACGIH TWA: 20 ppm (revised 2003) NIOSH TWA 5 ppm (24 mg/m3) [skin] This product contains no ingredients that are suspected of being or known to be a carcinogen under OSHA, NTP or IARC.		
Carcinogen Data:	ACGIH Ceiling: 25ppm NIOSH C 25 ppm (125 mg/m3) CAS No. Ingestion Source Value 0000111-76-2 2-Butoxyl-ethanol OSHA TWA: 50 ppm (240 mg/m3 [skin] ACGIH TWA: 20 ppm (revised 2003) NIOSH TWA 5 ppm (24 mg/m3) [skin] This product contains no ingredients that are suspected of being or known to be a carcinogen under OSHA, NTP or IARC. [EXPOSURE CONTROLS]:		
Carcinogen Data: Respiratory:	ACGIH Ceiling: 25ppm NIOSH C 25 ppm (125 mg/m3) CAS No. Ingestion Source Value 0000111-76-2 2-Butoxyl-ethanol OSHA TWA: 50 ppm (240 mg/m3 [skin] ACGIH TWA: 20 ppm (revised 2003) NIOSH TWA 5 ppm (24 mg/m3) [skin] This product contains no ingredients that are suspected of being or known to be a carcinogen under OSHA, NTP or IARC. [EXPOSURE CONTROLS]: If workers are exposed to concentrations above the exposure limit they must use the appropriate, certified respirators.		
Carcinogen Data: Respiratory: Eyes:	ACGIH Ceiling: 25ppm NIOSH C 25 ppm (125 mg/m3) CAS No. Ingestion Source Value 0000111-76-2 2-Butoxyl-ethanol OSHA TWA: 50 ppm (240 mg/m3 [skin] ACGIH TWA: 20 ppm (revised 2003) NIOSH TWA 5 ppm (24 mg/m3) [skin] This product contains no ingredients that are suspected of being or known to be a carcinogen under OSHA, NTP or IARC. [EXPOSURE CONTROLS]: If workers are exposed to concentrations above the exposure limit they must use the appropriate, certified respirators. Wear safety eyewear (e.g. safety spectacles/goggles/visors) to protect against the splash of liquids.		
Carcinogen Data: Respiratory: Eyes: Skin:	ACGIH Ceiling: 25ppm NIOSH C 25 ppm (125 mg/m3) CAS No. Ingestion Source Value 0000111-76-2 2-Butoxyl-ethanol OSHA TWA: 50 ppm (240 mg/m3 [skin] ACGIH TWA: 20 ppm (revised 2003) NIOSH TWA 5 ppm (24 mg/m3) [skin] This product contains no ingredients that are suspected of being or known to be a carcinogen under OSHA, NTP or IARC. [EXPOSURE CONTROLS]: If workers are exposed to concentrations above the exposure limit they must use the appropriate, certified respirators. Wear safety eyewear (e.g. safety spectacles/goggles/visors) to protect against the splash of liquids. Overalls, which cover the body, arms, and legs, should be worn. Skin should not be exposed. All parts of the body should be washed after contact.		
Carcinogen Data: Respiratory: Eyes:	ACGIH Ceiling: 25ppm NIOSH C 25 ppm (125 mg/m3) CAS No. Ingestion Source Value 0000111-76-2 2-Butoxyl-ethanol OSHA TWA: 50 ppm (240 mg/m3 [skin] ACGIH TWA: 20 ppm (revised 2003) NIOSH TWA 5 ppm (24 mg/m3) [skin] This product contains no ingredients that are suspected of being or known to be a carcinogen under OSHA, NTP or IARC. [EXPOSURE CONTROLS]: If workers are exposed to concentrations above the exposure limit they must use the appropriate, certified respirators. Wear safety eyewear (e.g. safety spectacles/goggles/visors) to protect against the splash of liquids.		

SECTION 9	PHYSICAL AND CHEMICAL PROPERTIES				
Appearance:	Clear pale yellow liquid		Upper Flammability Limits:	Upper Explosive Limit: Not measured	
Odor:	Sweet	L	ower Flammability Limits:	Lower Explosive Limit: Not measured	
Odor Threshold:	Not measured		Vapor Pressure (Pa):	Not measured	
pH:	7-9		Vapor Density:	Heavier than air	
Melting/Freezing Points (°C):	Not measured		Solubility in Water:	Soluble	
Initial Boiling Point/Range (°C):	No Established Limit (C) / No Established Limit (F)	Partitio	on Co-efficient n-octanol/wate	r (Log Kow): Not measured	
Flash Point:	>80°C / >176°F Seta Closed Cup (SCC)	Auto-	-Ignition Temperature (°C):	Not measured	
Evaporation Rate (Ether=1):	Not measured	De	composition Temperature:	Not measured	
Flammability (Solid, Gas):	Not applicable		Viscosity (cSt):	Not measured	
Specific Gravity @ 20°C	1.02-1.04		VOC %:	Not measured	
Other Information:	No other relevant information.		Density, g/ml @ 25°C:	Not measured	
SECTION 10	STABILITY AND REACTIVITY				
Reactivity:	No data available.				
Chemical Stability:	Stable under normal handling conditions.				
Hazardous Reactions:	Thermal decomposition in the presence of air produces oxide of carbon and nitrogen. Product does not decompose at ambient temperatures. Hazardous polymerization will not occur.				
Conditions To Avoid:	Strong acids. Strong bases. Strong oxidizers.				
Incompatible Materials:	Strong acids. Strong bases. Strong oxidizers. Extreme heat/open flame/sparks and other sources of ignition.				
lazardous Decomposition Prod.:	Thermal decomposition produces oxide of carbon and nitrogen.				
SECTION 11	TOXICOLOGICAL INFO	RMATION			
Acute Toxicity:	Ingredients	Oral LD50 mg/kg	Skin LD50mg/kg	Inhalation Vapor/Dust/Mist LD50mg/L/4h	
	Proprietary Blend	4,000 (Rat) / Category 5	> 5,000 (Rabbit) / Category NA	No data available	
Category:	Item: Acute Toxicity (mouth) / Hazard: Not applicab	ole.			
Category 5:	Item: Acute Toxicity (skin) / Hazard: May be harmful in contact with skin.				
Category:	Item: Acute Toxicity (inhalation) / Hazard: Not applicable.				
Category 2:	Item: Skin Corrosion/Irritation / Hazard: Causes skin irritation.				
Category 2:	Item: Eye Damage/Irritation / Hazard: Causes serious eye irritation.				
Category:	Item: Sensitization (respiratory) / Hazard: Not applicable.				
Category:	Item: Sensitization (skin) / Hazard: Not applicable.				
Category:	Item: Germ Toxicity / Hazard: Not applicable.				
Category:	Item: Carcinogenicity / Hazard: Not applicable.				
Category:	Item: Reproductive Toxicity / Hazard: Not applicable.				
Category:	Item: Specific Target Organ Systemic Toxicity (single exposure) / Hazard: Not applicable.				
Category:	Item: Specific Target Organ Systemic Toxicity (repeated exposure / Hazard: Not applicable.				
Category:	Item: Aspiration Hazard / Hazard: Not applicable.				
SECTION 12	ECOLOGICAL INFORMATION				
Toxicity:	No additional information provided for this product. See Section 3 for chemical specific data.				
Aquatic Ecotoxicity:	This product is not expected to be toxic to the aquatic environment.				
Persistence and Degradability:	No data available on this preparation.				
Bioaccumulative Potential:	Bioaccumulation is not expected to be significant.				
Mobility in Soil:	No data available.				
esults of PBT and vPvB Assess:	This product contains no PBT/vPvB chemicals.				
Other Adverse Effects:	No data available.				
SECTION 13	DISPOSAL CONSIDER	ATIONS			
Waste Treatment Methods:	Do not allow into drains or water courses. Wastes Pollution Act and the Environmental Protection Act whether the special waste regulations apply.	and emptied containers should be	•	•	

SECTION 14	TRANSPORT INFORMATION				
UN Number:	UN 1993				
UN Proper Shipping Name:	UN 1993 Combustible Liquid, N.O.S. (contains ethylene glycol monobutyl ether)				
Transport Hazard Class(es):	3				
	Not regulated for transport by DOT if quantity is LESS than 119 gallons. The following applies to shipments GREATER than 119 gallons.				
DOT/IMO/IMDG/IATA:	DOT (Domestic Surface Transportation):	IMO/IMDG (Ocean Transportation):			
	DOT Proper Shipping: NA 1993 combustible liquid, N.O.S. (contains ethylene glycol monobutyl ether)	IMDG Proper Shipping Name: Not regulated			
	DOT Hazard Class: 3	IMDG Hazard Class: 3			
	DOT Label: 3	Sub Class: Not applicable			
	UN/NA Number: NA 1993	IMDG Packing Group: Not applicable			
	DOT Packing Group: III	IATA (Air Transportation):			
	CERCLA/DOT RQ: NA gal. / NA lbs.	IATA Proper Shipping Name: Not regulated			
Special Precautions For User:	Not applicable	IATA Hazard Class: 3			
Transport:	Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code: Not applicable				
Environmental Hazards IMDG:	Marine Pollutant: No				
Packing Group:	Ш				
SECTION 15	REGULATORY INFORMATION				
Regulatory Overview:	The regulatory data in Section 15 is not intended to be all-inclusive, only selected regulations are represented. All ingredients of this product are listed on the TSCA (Toxic Substance Control Act) inventory or are not required to be listed on the TSCA inventory.				
WHMIS Classification:	B3 D2B				
US EPA Tier II Hazards:	Fire: Yes / Sudden Release of Pressure: No / Reactive: No / Immediate (acute): Yes / Delayed (chronic): No				
EPCRA 311/312:	Chemicals and RQs (>0.1%): No product ingredients listed				
EPCRA 302:	Extremely Hazardous (>0.1%): No product ingredients listed				
EPCRA 313	Toxic Chemicals (>0.1%): 2-butoxy-ethanol				
Proposition 65	Carcinogens (>0.0%): No product ingredients listed				
Proposition 65:	Developmental Toxins (>0.0%): No product ingredients listed				
Proposition 65:	Female Repro Toxins (>0.0%): No product ingredients listed				
Proposition 65:	Male Repro Toxins (>0.0%): No product ingredients listed				
N.J. RTK Substance (>1%):	2-butoxy-ethanol / 2-methylpentane-2,4-diol				
Penn RTK Substances (>1%):	2-butoxy-ethanol / 2-methylpentane-2,4-diol				
reilli KTK Substances (* 170).					

The information and recommendations contained herein are based upon data believed to be correct. However, no guarantee or warranty of any kind, expressed or implied, is made with respect to the information contained herein. We accept no responsibility and disclaim all liability for any harmful effects which may be caused by exposure to our products. Customers/users of this product must comply with all applicable health and safety laws, regulations, and orders.