

2024 CATALOG

BATTERY TOOLS AND YARD TECH

60V^{MAX} BATTERY



TORO®

WALK POWER MOWERS | ZERO-TURN MOWERS
PORTABLE POWER TOOLS | SNOW BLOWERS

Count on it.

*Battery manufacturer rating = 60V maximum & 54V typical usage. Actual voltage varies with load. †Based on average TraLine dollar share for walk behind mower market as of June 2023.



ALL-SEASON POWER FULLY INTERCHANGEABLE BATTERY

Cordless power this amazing deserves a line of tools as equally amazing. And they all need to work together—in high-powered harmony. Done and done. Just like every job on your yard to-do list.



WALK MOWERS

RESIDENTIAL STRIPE™ | RECYCLER® | SUPER RECYCLER™ | eTIMEMASTER™

America's #1 Walk Mower Brand*

Exclusive features such as Personal Pace® Auto-Drive, SmartStow®, and Vortex Technology
Lightweight synthetic, durable steel, and rust-proof, cast-aluminum deck options



ZERO-TURN MOWERS

eTIMECUTTER™

Save yourself from a rough terrain-driven beating with our MyRIDE® Suspension System.
The heavy duty steel IronForged® Deck doesn't flinch no matter what you throw its way.
Powered by 4-6 removable 60V Max* Flex-Force batteries



SNOW BLOWERS

RESIDENTIAL POWER SHOVEL™ | POWER CLEAR® | POWER MAX®

America's #1 Snow Blower Brand†

Self-propelled power takes the burden off your legs and back
Panoramic LED lighting fires up from dawn till dusk



PORTABLE POWER TOOLS

RESIDENTIAL BLOWERS | TRIMMERS | CHAINSAWS | EDGER AND MORE!

3-phase brushless motor with RunSmart onboard intel optimizes RPM and torque
for more power, more runtime, and longer life from each tool
Interchangeable battery works with a full line of unbeatable battery-powered yard tools
Durable high-impact heads, with comfort grip handles



REVOLUTION®

PROFESSIONAL PRODUCTS

WALK MOWERS | SNOW BLOWER | BACKPACK BLOWERS | TRIMMERS

Toro's entire line of 60V Max* Revolution® professional products uses
the same power source as 60V Flex-Force Power System® products,
giving you even more options for your arsenal of productivity.

*Based on average TraQline dollar share for snow blower market as of June 2023. *Battery manufacturer rating = 60V maximum & 54V typical usage. Actual voltage varies with load.
†Run time varies based on usage conditions. Max run time specs based on light conditions and/or lowest speed settings. **See dealer for complete warranty details.

60V MAX* FLEX-FORCE POWER SYSTEM® | BATTERIES & CHARGERS

IT'S CALLED FLEX-FORCE FOR A REASON.

IT'S ALL ABOUT FLEXIBLE POWER.

With an interchangeable battery capable of commanding 75+ lawn tools, it's the one system you need to finish everything without sacrificing anything.

All Flex-Force batteries are equipped with RunSmart technology.

RunSmart is the intelligent built in software that automatically optimizes runtime and performance through the toughest conditions. Extending the overall life of the battery and giving you reliable power for years.

Flex-Force batteries power all jobs thanks to the internal parallel stack pack design.

From light-weight (1P) to heavy duty (4P) Each stack inside the pack gives you more power and better performance. Allowing you to push your tools harder, run longer, and recharge faster.



	60V MAX* BATTERY (2.0AH)	60V MAX* BATTERY (2.5AH)	60V MAX* BATTERY (4.0AH)	60V MAX* BATTERY (5.0AH)	60V MAX* BATTERY (6.0AH)	60V MAX* BATTERY (7.5AH)	60V MAX* BATTERY (8.0AH)	60V MAX* BATTERY (10.0AH)
MODEL	88620	88625	88640	88650	88660	88675	88980	66810
CAPACITY (AMP-HOURS)	2.0 Ah	2.5 Ah	4.0 Ah	5.0 Ah	6.0 Ah	7.5 Ah	8.0 Ah	10.0 Ah
CAPACITY (WATT-HOURS)	108 Wh	135 Wh	216 Wh	270 Wh	324 Wh	405 Wh	432 Wh	540 Wh
PACK DESIGN	1P	1P	2P	2P	3P	3P	4P	4P
WEIGHT	3.7 lbs / 1.7 kg	3.7 lbs / 1.7 kg	5.2 lbs / 2.3 kg	5.5 lbs / 2.5 kg	6.9 lbs / 3.1 kg	7 lbs / 3.2 kg	7.9 lbs / 3.6 kg	8.2 lbs / 3.7 kg
CHARGE TIME*								
1 AMP CHARGER	103 minutes	114 minutes	205 minutes	232 minutes	308 minutes	367 minutes	411 minutes	485 minutes
2 AMP CHARGER	52 minutes	64 minutes	108 minutes	122 minutes	159 minutes	182 minutes	212 minutes	250 minutes
5.4 AMP RAPID CHARGER	25 minutes	31 minutes	40 minutes	45 minutes	60 minutes	71 minutes	80 minutes	90 minutes
12 AMP 6-POD CHARGER	25 minutes	31 minutes	28 minutes	33 minutes	50 minutes	60 minutes	36 minutes	40 minutes

*Reflecting "bulk charge" time to charge batteries from 0-90%.

60V MAX* CHARGERS

CHARGE ALL BATTERIES IN THE FLEX-FORCE POWER SYSTEM

Designed to monitor battery health, maximize lifespan, and optimize charging speed for each battery. *Tabletop and wall mounted options available.*



60V Max* Charger (1 Amp)
Model 88610



60V Max* Charger (2 Amp)
Model 88602



60V Max* 6-Pod Charger (12 Amp)
Model 66550



60V Max* Rapid Charger (5.4 Amp)
Model 88605
» Charges up to 2.5x faster than the 2 amp charger due to a fan-cooled design that regulates temperature for max charge speed

NEW!**60V MAX* FLEX-FORCE TIMECUTTER®**

UNTAMEABLE. UNTOUCHABLE.

You've never seen or heard a TimeCutter® like this before. The new TimeCutter 60V* Max comes equipped with all the features and power you expect from Toro now available in battery. Powered by the Flex Force Power System®, the removable batteries are interchangeable with over 75+ Toro tough tools. Its sleek design and ergonomic controls make maneuvering a breeze, while its powerful blades effortlessly tame the tallest grass. Rediscover the joy of lawn mowing with this battery powerhouse that promises an unmatched mowing experience for all.



	42" TIMECUTTER	54" TIMECUTTER
MODEL	75841	75851
POWER SYSTEM		
Deck Size	42"	» 54"
Deck Material	10-ga. Fab IronForged®	10-ga. Fab IronForged®
MyRIDE Suspension System	-	✓
Battery	(4) 10Ah, 540 wh (L540) 60V Max	» (5) 10Ah 540wh (L540) 60V Max and (1) 4Ah 216wh (L216) 60V Max
Warranty	3-Year Residential	3-Year Residential
Battery Warranty	3-Year Battery	3-Year Battery
FEATURES		
Seat	16" / 40.6 cm Handcrafted	» 18" / 45.7 cm Handcrafted
Deck Mounting	3-Point	3-Point
Ground Speed	Forward 7 MPH, Reverse 3 MPH	Forward 7 MPH, Reverse 3 MPH
Number of Blades	2	» 3
Step-Through Front End	✓	-
Cup Holder	✓	✓
Battery Ports	6	6
Blade Tip Speed	17000 ft/min	17000 ft/min
Height of Cut	1.5" - 4.5"	1.5" - 4.5"
LED Lights	✓	✓
USB Charger	✓	✓
Rear Tires	18" x 7.5" / 45.7 - 19.1 cm	» 20" x 10" / 50.8 x 25.4 cm
Front Tires	11" x 4" / 27.9 x 10.2 cm	» 11" x 6" / 27.9 x 15.2 cm
Grass Cut Single Charge	1.6 acres	» 2.3 acres
Charge Time	160 minutes	228 minutes

» Enhanced or step-up feature



MYRIDE® SUSPENSION SYSTEM

Save yourself from a rough terrain-driven beating with our patented MyRIDE Suspension System. (Model 75851)



IRONFORGED® FABRICATED DECK

The heavy duty steel IronForged Deck doesn't flinch no matter what you throw its way.



BATTERY POWERED

Powered by 4-6 removable 60V Max* Flex-Force batteries

*Battery manufacturer rating = 60V maximum & 54V typical usage. Actual voltage varies with load.

60V MAX* FLEX-FORCE ATTACHMENT CAPABLE TOOL SYSTEM

EARN A PhD IN PRODUCTIVITY

The Toro Flex-Force attachment capable power head is the ultimate in versatility.

FIVE ATTACHMENT OPTIONS

Five tools bring you interchangeable power, performance and control.

3-phase brushless motor with RunSmart onboard intel optimizes RPM and torque for more power, more runtime, and longer life from each tool.

POWER HEAD + STRING TRIMMER

MODEL 51836

CUT WIDTH	14" - 16"
LINE	0.080" - 0.095" Dual
SPEED CONTROL	Variable
TRIMMER HEAD	Cast-Aluminum
HANDLE	Ergonomic Comfort Grip
BATTERY	2.5 ah, 135 wh (L135)
MOTOR	Brushless DC
RUN TIME†	Up to 60 minutes
CHARGE TIME	75 min
WARRANTY**	3-Year Tool, 3-Year Battery



POWER HEAD


MODEL 51810T

MOTOR	Brushless DC
WARRANTY**	3-Year Tool

STICK EDGER ATTACHMENT

MODEL 88710

BLADE LENGTH	8"
HEAD MATERIAL	Cast-Aluminum
CUTTING DEPTH	Up to 1.75" (Adjustable)



HEDGE TRIMMER ATTACHMENT

MODEL 88713

BAR LENGTH	16"
CUT CAPACITY	0.75"
BLADE MATERIAL	Hardened Steel



POLE SAW ATTACHMENT

MODEL 88714

BAR LENGTH	10"
NUMBER OF CUTS™	100 (with 2.5Ah battery incl. with 51836)
LENGTH	6 ft.
CHAIN OILER	Automatic

CULTIVATOR ATTACHMENT

MODEL 88715

CUT WIDTH	10"
TILL DEPTH	2.5"
GEARBOX MATERIAL	Cast-Aluminum



STRING TRIMMER ATTACHMENT

MODEL 88716

CUT WIDTH	14" - 16"
LINE	0.080" - 0.095" Dual
SPEED CONTROL	Variable
TRIMMER HEAD	Cast-Aluminum
HANDLE	Ergonomic Comfort Grip


IMPULSE ENDEAVOR POWER INVERTER MODEL 51860T



Charges laptops, TVs, mobile phones, gaming devices and more

Extend the use and adaptability of every Flex-Force 60V Max* battery, with 330W running wattage (400W startup)

Three outlet power options: USB-A port, fast-charging USB-C port, and 120V outlet



60V MAX* FLEX-FORCE PORTABLE POWER TOOLS

EASY TO CONTROL 60-VOLT MUSCLE THAT NEVER GETS GASSED

Toro's Flex-Force Power System® includes an interchangeable battery allowing you to use your cordless lawn equipment products seamlessly. It's the one cordless system you need to command a full line of unbeatable battery operated lawn equipment from handholds like trimmers and blowers all the way up to the biggest, baddest, most powerful mowers in our battery-powered lineup.



MODEL 51820

LEAF BLOWER

MOVE MORE LEAVES FASTER

Clear your leaves faster with up to 605 CFM of air volume and up to 157 MPH air speed[§]

GET MORE POWER WHEN YOU NEED IT

Boost your power when the leaves get thick with a variable-speed trigger and turbo-boost button

STAY COMFORTABLE

Hand cramps are thing of the past with cruise control and an ergonomic handle



MODEL 51822



MODEL 51831

MODEL 51830

STRING TRIMMER

PICK YOUR PERFORMANCE

Get the exact trim you want for the job by adjusting your line size and cutting length

REPLACE YOUR LINE IN NO TIME

No spools! Just thread the line and spin the dial

TAKE ON THE TOUGH JOBS

Power through the toughest grass with more motor torque

LEAF BLOWER			
MODEL / BARE TOOL	51822 / N/A	51820 / 51820T	51821 / NA
CFM (AIR VOLUME)	605 CFM	605 CFM	565 CFM
MPH (AIR SPEED)	157 mph	120 mph	110 mph
SPEED CONTROL	Variable speed, Turbo boost		
BATTERY	4.0 ah, 216 wh (L216)	2.5 ah, 135 wh (L135)	2.0 ah, 108 wh (L108)
MOTOR	Brushless DC		
RUN TIME [§]	Up to 140 min (Low Speed)	Up to 90 min (Low Speed)	
WARRANTY***	3-Year Tool, 3-Year Battery		

STRING TRIMMER		
MODEL / BARE TOOL	51830 / 51830T	51831 / 51831T
CUT WIDTH	14" - 16"	13" - 15"
TRIMMER LINE	0.095" Included	0.080" Included
SPEED CONTROL	Variable	
BATTERY	2.5 ah, 135 wh (L135)	2.0 ah, 108 wh (L108)
MOTOR	Brushless DC	
RUN TIME [§]	Up to 60 min	Up to 45 min
WARRANTY***	3-Year Tool, 3-Year Battery	

COMBO KIT

13" | 0.080" LINE TRIMMER
490 CFM | 100 MPH BLOWER

MODEL 51881
ARTICLE # 7025845
MAP \$299.99



BLOWER

TURBO BOOST PERFORMANCE

490 CFM of air volume and 100 mph air speed[§]

OPTIMIZE RUN TIME

Variable-speed, cruise control and turbo boost match the power to the job

TRIMMER

HIGH PERFORMANCE TRIMMING

Durable 0.080" line and productive 13" width cut

PRECISION CONTROL

Variable-speed trigger optimizes run time and performance

BLOWER		TRIMMER	
CFM (AIR VOLUME)	490 CFM	CUTTING WIDTH	13"
MPH (AIR SPEED)	100 mph	TRIMMER LINE	0.080" Included
RUN TIME [§]	Up to 60 min (Low Speed)	RUN TIME [§]	Up to 45 min
SPEED CONTROL	Variable Speed, Turbo Boost	SPEED CONTROL	Dual Speed
COMFORT GRIP	Standard	COMFORT GRIP	Standard
BATTERY	2.0 ah, 108 wh (L108)		
WARRANTY***	3-Year Tool, 3-Year Battery		



16" CHAINSAW

GET MORE DONE

Cut through a 6" x 6" timber up to 50 times on a single charge**

EASY TO START

Just push the button and pull the trigger to start

EASY TO USE

Pro-style chain tensioning with on-board tool storage and automatic chain oiler



24" HEDGE TRIMMER

ROTATING COMFORT GRIP HANDLE

180° rotating handle makes vertical trimming quick, easy and comfortable with a simple push of a button

EXCLUSIVE BLADE DESIGN

Provides a cleaner, more efficient cut

MAKES QUICK WORK OF BIG JOBS

Tackle big jobs in less time with 24" bar and 3/4" cut capacity



STICK EDGER

BUILT TO LAST

Cast-aluminum motor housing with high-carbon steel blade for maximum durability

ULTIMATE CONTROL

Variable speed trigger, adjustable cutting depth, and adjustable guide wheel for precision edging

SUPERIOR COMFORT

Blade guard, debris-blocker, and comfort grip handle keep you clean and comfortable

16" CHAINSAW		
MODEL / BARE TOOL	51850 / 51850T	51851 / N/A
BAR LENGTH	16"	
CHAIN PITCH/GAUGE	Pitch .375" / Gauge .043"	
CHAIN OIL CAPACITY	270 ml	
CHAIN BRAKE	Electric	
CHAIN TENSIONING	Tooled (Included)	
BATTERY	2.5 ah, 135 wh (L135)	2.0 ah, 108 wh (L108)
MOTOR	Brushless DC	
WARRANTY***	3-Year Tool, 3-Year Battery	

24" HEDGE TRIMMER		
MODEL / BARE TOOL	51840 / 51840T	51841 / N/A
BAR LENGTH	24"	
CUT CAPACITY	3/4"	
BLADE MATERIAL	Hardened Steel	
STROKES/MINUTE	3200	
HANDLE	Rotating w/ Comfort Grip	
BATTERY	2.5 ah, 135 wh (L135)	2.0 ah, 108 wh (L108)
MOTOR	Brushless DC	
RUN TIME [§]	Up to 60 min	Up to 45 min
WARRANTY***	3-Year Tool, 3-Year Battery	

STICK EDGER	
MODEL / BARE TOOL	51833 / 51833T
BLADE LENGTH	8"
BLADE MATERIAL	Heat-Treated, High Carbon Steel
CUTTING DEPTH	Up to 1" (Adjustable)
SPEED CONTROL	Variable
MOTOR HOUSING	Cast-Aluminum
BATTERY	2.0 ah, 108 wh (L108)
MOTOR	Brushless DC
RUN TIME [§]	Up to 45 min
WARRANTY***	3-Year Tool, 3-Year Battery

POLESAW

10" BAR & CHAIN

Up to 80 cuts of 4"x4" timber on a single charge**

EXTENDS TO 8' REACH

3 piece aluminum pole reaches up to 8 feet

COMFORTABLE TO USE

Standard comfort grip and protective bar cover included

10" POLESAW	
MODEL / BARE TOOL	51870 / 51870T
BAR LENGTH	10"
CHAIN PITCH/GAUGE	Pitch .375" / Gauge .043"
CHAIN OIL CAPACITY	80 ml
CHAIN TENSIONING	Tooled (Included)
BATTERY	2.0 ah, 108 wh (L108)
MOTOR	Brushless DC
WARRANTY***	3-Year Tool, 3-Year Battery



MODEL 51870

*Battery manufacturer rating = 60V maximum & 54V typical usage. Actual voltage varies with load. §Run time varies based on usage conditions. Max run time specs based on light conditions and/or lowest speed settings. **Based on controlled laboratory testing. Actual number of cuts will vary with conditions. ***See retailer for complete warranty details.

60V MAX^{*} FLEX-FORCE MOWERS | RECYCLER | STRIPE | SUPER RECYCLER | eTIMEMASTER



DOES EVERYTHING GAS CAN MINUS THE GAS CAN

America's #1 Walk Mower Brand^o, Toro, offers all the legendary performance and durability you expect from a Toro, with the compatibility of the Flex-Force Power System[™]. These dominant, battery-operated lawn mowers come with our interchangeable battery allowing you to use your Toro 60V Max^{*} battery seamlessly with more than 75 other products in Toro's Flex-Force yard tool lineup.



RECYCLER[®] WALK POWER MOWERS

21" and 22" durable steel decks

Recycler Cutting System feeds your lawn Lawn Vitamins, fine clippings that nourish your grass

Push, self-propel rear wheel drive and Personal Pace[®] Auto-Drive rear-wheel drive options available



SUPER RECYCLER[™] WALK POWER MOWER

Durable rust-proof, cast-aluminum deck

Super Recycler Cutting System features two blade accelerators and under-deck bumpers to shave clippings to an ultra-fine mulch, adding nutrients to your lawn

Glide over holes and bumps with ease with Toro's FLEX[™] Handle suspension



eTIMEMASTER[™] WALK POWER MOWER

30" steel deck with cast-aluminum frame reduces mowing time up to 40%^{^^}

Tackle tall grass and rough terrain with Dual-Force[™] dual blade technology and 2 - 10.0 ah, 540 wh batteries

Save space with the Quick Stow fold-up handle



STRIPE[™] WALK POWER MOWER

Pro-level striping creates a statement-making, neighbor-envying lawn.

Dual blades: surgically cut and recut grass into fine Lawn Vitamin clippings. Less work for you no matter what kind of grass you have.

25%[†] lighter than other battery-powered mowers, making it easy to steer and create the perfectly striped lawn.

^oBased on average TraQline dollar share for walk behind mower market as of June 2023.

[†]Weight savings is compared to a Toro 60V Recycler walk power mower (model 21466T).

^{^^}Time savings via wider cutting path and enhanced speed of TimeMaster[®] vs. 21" Toro[®] mower, and will vary due to mowing conditions.



#1
AMERICA'S
 WALK MOWER BRAND



VORTEX TECHNOLOGY

More airflow to supercharge your grass cutting. Ultra-fine clippings provide a nourished, greener, more lush lawn.

AVAILABLE ON
RECYCLER | SUPER RECYCLER



PERSONAL PACE® AUTO-DRIVE

No knobs, no levers, no learning—self-propel evolved. Grab the easy-to-steer handle and go.

AVAILABLE ON
RECYCLER | SUPER RECYCLER | eTIMEMASTER | STRIPE



SUPER BAGGER

Shaped for easier lifting, no-shake dumping and holds more clippings so you empty less often.

AVAILABLE ON
RECYCLER | SUPER RECYCLER | STRIPE



SMARTSTOW®

Save up to 70% floor space[^] in the garage or shed for toys, tools and things that really matter.

AVAILABLE ON
RECYCLER | SUPER RECYCLER | STRIPE



TRACTION HIGH WHEEL

Provides control and easier maneuverability through turns with greater precision over uneven terrain.

AVAILABLE ON
RECYCLER | SUPER RECYCLER | STRIPE



LIGHT AND BRIGHT

Front dual LED headlights equip you to get the job done anytime, from dawn to dusk.

AVAILABLE ON
RECYCLER | SUPER RECYCLER | eTIMEMASTER | STRIPE

[^]Based on average TraLine dollar share for walk behind mower market as of June 2023.

[^]Space savings are in relation to the space consumed by a Toro 22" walk power mower stored with the handle in the standard operating position.



Choose Toro Total Care for Ultimate Peace of Mind

Benefit from an extended warranty,
 maintenance reimbursement, and more.





DOES EVERYTHING GAS CAN MINUS THE GAS CAN

America's #1 Walk Mower Brand[®], Toro, offers all the legendary performance and durability you expect from a Toro, with the compatibility of the Flex-Force Power System[®]. These dominant, battery-operated lawn mowers come with our interchangeable battery allowing you to use your Toro 60V Max[®] battery seamlessly with more than 75 other products in Toro's Flex-Force yard tool lineup.



	RECYCLER [®]							SUPER RECYCLER [™]
	LIGHT DUTY				MEDIUM DUTY			CAST-ALUMINUM DECK
	PUSH	SELF-PROPEL	SELF-PROPEL	SELF-PROPEL	PERSONAL PACE [®] AUTO-DRIVE			PERSONAL PACE [®] AUTO-DRIVE
MODEL / BARE TOOL	21323 / 21323T	21326 / 21326T	21327/NA	21357/NA	21466 / 21466T	21467 / 21467T	21469/NA	21568 / 21568T
DECK SIZE	21" / 53 cm	21" / 53 cm	21" / 53 cm	21" / 53 cm	22" / 56 cm	22" / 56 cm	22" / 56 cm	21" / 53 cm
DECK MATERIAL	Steel	Steel	Steel	Steel	Steel	Steel	Steel	» Cast-Aluminum
BATTERY [*]	4.0 Ah, 216 wh (L216)	» 5.0 Ah, 270 wh (L270)	» 6.0 Ah, 324 wh (L324)	5.0 Ah, 270 wh (L270)	» 6.0 Ah, 324 wh (L324)	6.0 Ah, 324 wh (L324)	» 8.0 Ah, 432 wh (L432)	» 7.5 Ah, 405 wh (L405)
MOTOR	Brushless DC	Brushless DC	Brushless DC	Brushless DC	Brushless DC	Brushless DC	Brushless DC	Brushless DC
GRASS CUT IN A SINGLE CHARGE	Up to 0.33 acre	Up to 0.33 acre	Up to 0.33 acre	Up to 0.33 acre	Up to 0.33 acre	Up to 0.33 acre	Up to 1/2 acre	Up to 0.33 acre
RUN TIME [§]	Up to 42 min	» Up to 43 min	» Up to 53 min	Up to 43 min	Up to 40 min	Up to 40 min	» Up to 60 min	» Up to 50 min
CHARGE TIME	205 min	230 min	230 min	160 min	160 min	160 min	200 min	180 min
DRIVE SYSTEM	Push	» Variable Self-Propel Rear Wheel Drive	» Variable Self-Propel Rear Wheel Drive	Variable Self-Propel Rear Wheel Drive	» Personal Pace [®] Auto-Drive Rear Wheel Drive	Personal Pace Auto-Drive Rear Wheel Drive	Personal Pace Auto-Drive Rear Wheel Drive	Personal Pace Auto-Drive Rear Wheel Drive
TORO PERFORMANCE WARRANTY ^{***}	3-Year Limited Battery; 2-Year Limited Mower	3-Year Limited Battery; 2-Year Limited Mower	3-Year Limited Battery; 2-Year Limited Mower	3-Year Limited Battery; 2-Year Limited Mower	3-Year Limited Battery; 2-Year Limited Mower	3-Year Limited Battery; 2-Year Limited Mower	3-Year Limited Battery; 2-Year Limited Mower	» 3-Year Limited Battery; 5-Year Limited Mower
FEATURES								
CUTTING SYSTEM	Recycler	Recycler	Recycler	Recycler	Recycler	Recycler	Recycler	» Super Recycler
VORTEX TECHNOLOGY	–	–	–	–	» ✓	✓	✓	✓
SUPER BAGGER	–	–	–	–	» ✓	✓	✓	✓
BAG ON DEMAND	–	–	–	–	» ✓	✓	✓	–
TRACTION HIGH WHEEL	✓	✓	✓	–	» ✓	✓	✓	✓
SMARTSTOW [®]	✓	✓	✓	✓	✓	✓	✓	✓
LED LIGHTS	–	–	–	–	–	» ✓	» ✓	✓
PUSH BUTTON START	✓	✓	✓	✓	✓	✓	✓	✓
HEIGHT OF CUT	1.25" to 3.75" / 3.2 - 9.5 cm	1.25" to 3.75" / 3.2 - 9.5 cm	1.25" to 3.75" / 3.2 - 9.5 cm	1.25" to 3.75" / 3.2 - 9.5 cm	1.0" - 4.0" / 2.5 - 10 cm	1.0" - 4.0" / 2.5 - 10 cm	1.0" - 4.0" / 2.5 - 10 cm	1.0" - 4.0" / 2.5 - 10 cm
WHEEL HEIGHT	8" Front / 20.3 cm 10" Rear / 25.4 cm	8" Front / 20.3 cm 10" Rear / 25.4 cm	8" Front / 20.3 cm 10" Rear / 25.4 cm	7" Front / 17.8 cm 8" Rear / 20.3 cm	8" Front / 20.3 cm 10" Rear / 25.4 cm	8" Front / 20.3 cm 10" Rear / 25.4 cm	8" Front / 20.3 cm 10" Rear / 25.4 cm	8" Front / 20.3 cm 10" Rear / 25.4 cm
HANDLE	SmartStow, 1 Piece, Adjustable Height	SmartStow, 1 Piece, Adjustable Height	SmartStow, 1 Piece, Adjustable Height	SmartStow, 1 Piece, Adjustable Height	SmartStow, 1 Piece, Adjustable Height	SmartStow, 1 Piece, Adjustable Height	SmartStow, 1 Piece, Adjustable Height	Flex Handle Suspension, Adjustable Height
WEIGHT	64 lbs. / 29.0 kg	65 lbs. / 29.5 kg	65 lbs. / 29.5 kg	66 lbs. / 29.9 kg	85 lbs. / 38.6 kg	85 lbs. / 38.6 kg	85 lbs. / 38.6 kg	90 lbs. / 40.8 kg

» Enhanced or step-up feature

^{*}Based on average TraQline dollar share for walk behind mower market as of June 2023. ^{*}Battery manufacturer rating = 60V maximum & 54V typical usage. Actual voltage varies with load.
[§]Run time varies based on usage conditions. Max run time specs based on light conditions and/or lowest speed settings. ^{**}See dealer for complete warranty details.



	STRIPE™				eTIMEMASTER™	
	PRO-LEVEL STRIPING				30" WIDE-AREA	
	PUSH	SELF-PROPEL	SELF-PROPEL	DUAL BLADE SELF-PROPEL	PERSONAL PACE® W/TRACTION ASSIST	
MODEL / BARE TOOL	21611 / 21611T	21620 / N/A	21621 / 21621T	21623 / 21623T	21491 / 21491T	21493/NA
DECK SIZE	21" / 53 cm	21" / 53 cm	21" / 53 cm	21" / 53 cm	30" / 76 cm	30" / 76 cm
DECK MATERIAL	Synthetic	Synthetic	Synthetic	Synthetic	» Steel Deck, Cast-Aluminum Frame	
BATTERY*	4.0Ah, 216 wh (L216)	» 5.0Ah, 270 wh (L270)	» 6.0Ah, 324 wh (L324)	» 7.5Ah, 405 wh (L405)	» 2 – 10.0 Ah, 540 wh (L540)	» 10.0 Ah, 540 wh (L540) + 5.0 Ah, 270 wh (L270) + 2.5 Ah, 135 wh (L135)
MOTOR	Brushless DC	Brushless DC	Brushless DC	Brushless DC	Brushless DC	Brushless DC
GRASS CUT IN A SINGLE CHARGE	Up to 1/2 acre	Up to 1/2 acre	Up to 1/2 acre	» Up to 2/3 acre	» Up to 0.67 acre	Up to 0.65 acre
RUN TIME [§]	Up to 50 min	Up to 50 min	» Up to 60 min	» Up to 65 min	» Up to 65 min	Up to 58 min
CHARGE TIME	205 min	230 min	300 min	» 70 min w/Rapid Charger	250 min	250 min
DRIVE SYSTEM	Push	» Self-Propel Rear Wheel Drive	Self-Propel Rear Wheel Drive	Self-Propel Rear Wheel Drive	Personal Pace Auto-Drive w/Traction Assist Handle	Personal Pace Auto-Drive w/Traction Assist Handle
TORO PERFORMANCE WARRANTY™	3-Year Limited Battery; 2-Year Limited Mower	3-Year Limited Battery; 2-Year Limited Mower	3-Year Limited Battery; 2-Year Limited Mower	3-Year Limited Battery; 2-Year Limited Mower	3-Year Limited Battery; 3-Year Limited Mower	3-Year Limited Battery; 3-Year Limited Mower
FEATURES						
CUTTING SYSTEM	Recycler	Recycler	Recycler	Recycler	» Dual-Force™ Dual Blade Technology	
VORTEX TECHNOLOGY	–	–	–	–	–	–
SUPER BAGGER	–	–	–	» ✓	–	–
BAG ON DEMAND	–	» ✓	✓	✓	–	–
TRACTION HIGH WHEEL	✓	✓	✓	✓	–	–
SMARTSTOW®	✓	✓	✓	✓	–	–
LED LIGHTS	–	–	» ✓	✓	✓	✓
PUSH BUTTON START	✓	✓	✓	✓	✓	✓
HEIGHT OF CUT	1.0" – 4.0" / 2.5 – 10 cm	1.0" – 4.0" / 2.5 – 10 cm	1.0" – 4.0" / 2.5 – 10 cm	1.0" – 4.0" / 2.5 – 10 cm	1.25" – 4.25" / 3.2 – 10.8 cm 2-point	
WHEEL HEIGHT	8" Front / 20.3 cm 10" Rear / 25.4 cm	8" Front / 20.3 cm 10" Rear / 25.4 cm	8" Front / 20.3 cm 10" Rear / 25.4 cm	8" Front / 20.3 cm 10" Rear / 25.4 cm	8" Front / 20.3 cm 10" Rear / 25.4 cm	8" Front / 20.3 cm 10" Rear / 25.4 cm
HANDLE	1 Piece, Adjustable Height	1 Piece, Adjustable Height	1 Piece, Adjustable Height	1 Piece, Adjustable Height	Quick Stow 90° Storage, Adjustable Height	Quick Stow 90° Storage, Adjustable Height
WEIGHT	65 lbs. / 29.5 kg	71 lbs. / 32.2 kg	72 lbs. / 32.7 kg	73 lbs. / 33.1 kg	161 lbs. / 73.0 kg	160 lbs. / 72.6 kg

» Enhanced or step-up feature

[§]Based on average TraLine dollar share for walk behind mower market as of June 2023. *Battery manufacturer rating = 60V maximum & 54V typical usage. Actual voltage varies with load.
[§]Run time varies based on usage conditions. Max run time specs based on light conditions and/or lowest speed settings. **See dealer for complete warranty details.

60V MAX* FLEX-FORCE SNOW BLOWERS



FEAR NO STORM

If you've never experienced a Flex-Force 60V Max* snow blower before, you're in for a battery-powered snow-destroyin' treat. Toro's battery powered snow blowers and cordless power shovels are all the machine you need to take winter by storm. These powerful snow removal tools blast through thick, crusty drifts or heavy, wet snow. Pair a snow blower with a Power Shovel and easily interchange the 60V Max* battery between the two. Each comes with a 3-phase brushless motor, giving you more power, more runtime, and longer life from your tool.



MODEL	POWER SHOVEL™	POWER CLEAR®			SNOWMASTER®	
	LIGHTWEIGHT	SELF-PROPEL POWER CURVE®	SELF-PROPEL POWER CURVE®	EXTENDED-LIFE PADDLES	IN-LINE TWO STAGE	
MODEL	39909	39901	39902	39921	39914	39915
CLEARING WIDTH	12" / 30.5 cm	» 21" / 53.3 cm	21" / 53.3 cm	21" / 53.3 cm	» 24" / 61.0 cm	24" / 61.0 cm
CLEARING CAPACITY**	Decks, steps, patios and up to 4 parked cars	» Up to 12 parked cars	» Up to 18 parked cars	Up to 15 parked cars	» Up to 20 parked cars	» Up to 30 parked cars
BATTERY	2.5 ah, 135 wh (L135)	» 7.5 ah, 405 wh (L405)	» 2 x 6.0 ah, 324 wh (L324)	» 1 x 10 ah 540 wh (L540)	» 1 x 10.0 ah, 540 wh (L540)	» 1 x 10.0 ah, 540 wh (L540)
SNOW CUT DEPTH	6" / 15.2 cm	» 12" / 30.5 cm	12" / 30.5 cm	12" / 30.5 cm	» 18" / 45.7 cm	» 18" / 45.7 cm
CHARGE TIME†	64 min	182 min	159 min	250 min	250 min	250 min
THROWING DISTANCE**	Up to 25' / 7.6 m	» Up to 40' / 12.2 m	» Up to 40' / 12.2 m	Up to 30' / 9.1 m	» Up to 34' / 10.4 m	» Up to 34' / 10.4 m
AUGER SYSTEM	Power Curve	Patent Pending Power Edge™	Patent Pending Power Edge™	» Power Curve® Self-Propel	In-Line Two Stage	In-Line Two Stage
AUGER DIAMETER	6.5" / 16.5 cm	» 7" / 17.8 cm	» 7" / 17.8 cm	» 8.5" / 21.6 cm	» 10" / 25.4 cm	» 10" / 25.4 cm
IMPELLER DIAMETER	-	-	-	-	-	-
AUGER GEARBOX	-	-	-	-	-	-
HANDLE	-	Adjustable	Adjustable	Ergonomic	Personal Pace®	Personal Pace®
DEFLECTOR	-	Locking	Locking	Locking	Single	Single
CHUTE CONTROL	-	Quick Turn	Quick Turn	Chute Mounted	» Quick Stick®	» Quick Stick®
CHUTE CONSTRUCTION	-	Sub Zero Curved Chute	Sub Zero Curved Chute	» High Capacity Chute	High Capacity Chute	High Capacity Chute
TIRES	-	6 7/8" x 2" 17.5 cm x 5.1 cm	6 7/8" x 2" 17.5 cm x 5.1 cm	» 7" / 17.8 cm	» 11" / 27.9 cm	» 11" / 27.9 cm
LIGHT	-	Panoramic LED	Panoramic LED	Panoramic LED	-	Panoramic LED
WARRANTY***	3-Year Limited, 3-Year Battery	2-Year Limited, 3-Year Battery	2-Year Limited, 3-Year Battery	2-Year Limited, 3-Year Battery	2-Year Limited, 3-Year Battery	2-Year Limited, 3-Year Battery
BARE TOOL MODEL <small>Battery sold separately</small>	39909T	39901T	NA	39921T	39915T	39915T

» Enhanced or step-up feature



MODEL 39921

POWER CLEAR SINGLE-STAGE SNOW BLOWERS

Power Curve Technology cuts through tough snow and ice with ease, delivering a self-propelled experience with its ground engaging paddle. Throws wet, heavy snow up to 40 feet.**



SELF-PROPEL POWER CURVE TECHNOLOGY
Ground engaging paddle powers through compacted snow with ease.



SNOWDRIFT STRENGTH
Bust through 2-9" of heavy, wet snow, throwing it up to 40 feet.**



POWERFUL, QUICK CLEARING
Clear up to a 15 car driveway on a single charge.§

#1
AMERICA'S
 SNOW BLOWER BRAND[®]



	POWER MAX [®]	
	HEAVY-DUTY STEEL CONSTRUCTION	E26 60V TWO-STAGE
MODEL	39925	39926
CLEARING WIDTH	24" / 61.0 cm	» 26" / 66 cm
CLEARING CAPACITY**	» Up to 20 parked cars	» Up to 30 parked cars
BATTERY	» 1 x 10.0 ah, 540 wh (L540)	» 2 x 7.5 ah, 405 wh (L405)
SNOW CUT DEPTH	20" / 50.8 cm	20" / 50.8 cm
CHARGE TIME	250 min	212 min
THROWING DISTANCE**	» Up to 45' / 13.7 m	Up to 45' / 13.7 m
AUGER SYSTEM	» Power Max Anti-Clogging System	Power Max Anti-Clogging System
AUGER DIAMETER	» 11" / 27.9 cm	11" / 27.9 cm
IMPELLER DIAMETER	11" / 27.9 cm	11" / 27.9 cm
AUGER GEARBOX	» Hardened Gears; No Shear Pins	Hardened Gears; No Shear Pins
HANDLE	Standard	Heated
DEFLECTOR	Single	Single
CHUTE CONTROL	» Quick Stick [®]	Quick Stick [®]
CHUTE CONSTRUCTION	» Steel	Steel
TIRES	» 15" / 38.1 cm	15" / 38.1 cm
LIGHT	LED	LED
WARRANTY***	3-Year Limited, 3-Year Battery	3-Year Limited, 3-Year Battery
BARE TOOL MODEL	39924T	39926T

» Enhanced or step-up feature



POWER MAX TWO-STAGE SNOW BLOWERS

Three battery slots where the gas tank used to be! Same rugged heavy-duty steel construction as Toro gas-powered snow blowers with operator-favorite features such as Quick Stick chute control, patented anti-clogging system, and hardened gears with no shear pins to break.



POWER UP WITH NO COMPROMISES

Same rugged, heavy-duty steel construction as Toro gas-powered snow blowers, with LED lights, hardened gears and no shear pins.



GO THREE ROUNDS WITH OLD MAN WINTER

The only snow blower with three battery ports, this machine has all the power you need to get the job done right.



CLEAR THE TOUGHEST SNOW FAST

Clear up to a 45 car driveway on a single charge.[§]



POWER SHOVEL

Easy to maneuver, convenient, and cordless snow clearing. Two speeds provide more power when you want it, and more control when you need it.

MODEL 39909



MODEL 39914

SNOWMASTER

Make snow blowing effortless with the self-propel Personal Pace[®] system, which matches your walking speed and provides better traction in all snow conditions. Quickly change the chute and deflector direction with a single, smooth motion thanks to the Quick Stick chute control.

[§]Based on average TraQline dollar share for snow blower market as of June 2023. ^{*}Battery manufacturer rating = 60V maximum & 54V typical usage. Actual voltage varies with load. [§]Run time varies based on usage conditions. Max run time specs based on light conditions and/or lowest speed settings. ^{**}Throw distance and clearing capacity will vary with conditions. ^{***}See dealer for complete warranty details.

60V MAX* FLEX-FORCE PROFESSIONAL PRODUCTS

REVOLUTION®

POWER FOR EVERY PROFESSIONAL

The entire line of Revolution commercial-grade professional products run on our 60V Max* Flex-Force Power System*. Making interchangeability even more versatile for any season and any job.



REVOLUTION TURFMASTER® 30" HDX Model 22232



- Low Maintenance - No air filters or oil changes
- Up to 80 minutes of runtime with included 3 60V Max* 10.0Ah batteries.

30" TURFMASTER

MODEL / BARE TOOL	22232 NEW!
DECK SIZE	30" / 76 cm
DECK MATERIAL	13 Gauge Steel Deck
BATTERY*	3 60V Max* 10.0Ah batteries
MOTOR	Brushless DC
GRASS CUT IN A SINGLE CHARGE	1.1 acres
RUN TIME [§]	Up to 80 min
CHARGE TIME	112 min with Rapid Charger
DRIVE SYSTEM	Rear-Wheel Drive
CUTTING SYSTEM	Recycler
PUSH BUTTON START	✓
HEIGHT OF CUT	1.5 - 5.0 in. / 3.8 - 12.7 cm
WEIGHT	197 lbs. / 89.4 kg

REVOLUTION 21" HD Model 22282



- Low Maintenance - No air filters or oil changes
- Large 2.1 bushel bag features an easy-empty design, making quick work of clipping disposal
- Replaceable steel wear plates protect against bottom and side impacts

21" HEAVY-DUTY

MODEL / BARE TOOL	22282
DECK SIZE	21" / 53 cm
DECK MATERIAL	Aluminum Alloy
BATTERY*	2 - 7.5 ah, 405 wh (L405) with Rapid Charger
MOTOR	Brushless DC
GRASS CUT IN A SINGLE CHARGE	0.4 acre
RUN TIME [§]	Up to 40 min
CHARGE TIME	130 min with Rapid Charger
DRIVE SYSTEM	Self-Propelled Variable-Speed RWD
CUTTING SYSTEM	Recycler
PUSH BUTTON START	✓
HEIGHT OF CUT	1.0" to 4.5" / 2.5 - 11.4 cm
WEIGHT	99 lbs. / 44.9 kg

POWER CLEAR® 21" SINGLE-STAGE SNOW BLOWER Model 39922T



- Bust through heavy, wet snow
- Power Curve® technology with commercial-grade paddles
- Power Propel technology blasts through tough drifts

21" POWER CLEAR

MODEL / BARE TOOL	39922T
CLEARING WIDTH	21" / 53 cm
CLEARING CAPACITY**	Up to 30 parked cars
SNOW CUT DEPTH	12" / 30.5 cm
THROWING DISTANCE**	Up to 40 feet / 10.6 m
AUGER SYSTEM	Power Curve Self-Propelled with Extend Life Paddles
AUGER DIAMETER	8.5" / 21.6 cm
HANDLE	Reinforced & Ergonomic
DEFLECTOR	Locking
CHUTE	Mounted Handle Control with High Capacity Chute
TIRES	7" / 17.8 cm
LIGHT	Panoramic LED



REVOLUTION BACKPACK LEAF BLOWER

Model 66100

- Comfortable, sturdy backpack with integrated handle, battery diagnostics two battery capacity
- Interchangeable arm cannon or power tether
- Powerful blower, 730 CFM at 160 MPH
- Variable speed trigger with turbo boost and cruise control
- Tool only, batteries and chargers sold separately

BACKPACK LEAF BLOWER

MODEL	66100
BOOST MODE	37 min
HIGH RUN TIME [§]	80 min
PEAK RUN TIME [§]	330 min
WEIGHT (Bare Tool)	17.4 lbs.
CFM	730 CFM
MPH	160 MPH



REVOLUTION STRING TRIMMER

Model 66110T

- Rugged solid shaft design with 16" cutting width and .095" line
- Bump-feed/easy-load head with increased line capacity and durability
- Rear mounted high efficiency brushless motor
- Variable 2-speed operation
- Tool only, batteries and chargers sold separately

STRING TRIMMER

MODEL	66110T
HIGH RUN TIME [§]	160 min
PEAK RUN TIME [§]	240 min
WEIGHT (Bare Tool)	10.1 lbs.
RPM	6400/5300



REVOLUTION HEDGE TRIMMER

Model 66120T

- 26" bar with dual-sided cutting blades and 1.2" cut capacity
- 180° rotating handle for vertical or horizontal cutting
- Blade guard for operator protection
- Blade reverse mode for unsticking jams
- Tool only, batteries and chargers sold separately

HEDGE TRIMMER

MODEL	66120T
PEAK RUN TIME [§]	600 min
WEIGHT (Bare Tool)	9.2 lbs.
STROKES PER MINUTE	4100/3200



REVOLUTION BACKPACK

Model 66000T

- Removable battery system with capacity for up to two batteries
- Interchangeable arm cannon or power tether
- Comfortable and sturdy backpack system for all day operation
- Integrated carrying handle
- Onboard LED battery diagnostics
- Powered by any 60V Max* Flex-Force Battery
- Tool only, batteries and chargers sold separately



REVOLUTION POWERLINK TETHER

Model 66005

- Removes battery weight from tool to lessen operator fatigue
- Doubles handheld tool battery capacity
- Keeps your backpack power source connected to your handheld tools



60V MAX* 10 AH BATTERY

Model 66810

- 10Ah battery is interchangeable in all 60V tools
- Easily removable and can be quickly swapped to refuel tools
- Integrated carrying handle
- Increased over-mold for ruggedization and drop resistance
- Weighs 8.2 lbs.



60V MAX* 6-POD CHARGER

Model 66550

- 12 AMP rapid charger
- 6 pod capacity
- Can charge any combination of 60V Flex-Force batteries
- 2 charge modes
 - Sequential rapid mode can charge a single 10 Ah battery in 40 minutes
 - Standard equal mode slowly brings all batteries up to full charge collectively

*Battery manufacturer rating = 60V maximum & 54V typical usage. Actual voltage varies with load. [§]Run time varies based on usage conditions. Max run time specs based on light conditions and/or lowest speed settings. ^{**}Throw distance and clearing capacity will vary with conditions.



Choose Toro Total Care for Ultimate Peace of Mind

Benefit from an extended warranty, maintenance reimbursement, and more.

INTRODUCING THE NEW 60V* TIMECUTTER®



GENUINE TORO® PARTS

To best protect your investment and maintain optimal performance of your turf equipment, count on Toro genuine parts. For peace of mind, insist on Toro genuine parts.

©2024 The Toro Company. All Rights Reserved. Specifications subject to change without notice and without incurring obligation. Products depicted are for demonstration purposes only. Actual products offered for sale may vary in design, required attachments and safety features. *Battery manufacturer rating = 60V maximum and 54V typical usage. Actual voltage varies with load.



BAR AND
CHAIN OIL



CHAINSAW
BARS



FLEX-FORCE
BATTERIES



TORO RED
TOUCH UP PAINT



REPLACEMENT WHEELS



REPLACEMENT BLADES



REPLACEMENT CHAINS



TRIMMER LINE