

SAFETY DATA SHEET

Award Turf Fertilizer CAD 208 20-0-10 90% PCU with SOP Super

Revision: 01/12/2022 Supersedes Revision: 11/13/2015

1. PRODUCT AND COMPANY IDENTIFICATION

Product Code:	546-8070		
Product Name:	Award Turf Fertilizer CAD 208 20-0-10 90% PCU with SOP		
Reference #: Company Name:	57131-13 Eau Claire Coop Oil Company P.O. Box 837		
	Eau Claire, WI 54702		
Emergency Contact: Information:	Chemtrec Product Related	(800)424-9300 (715)876-6422	

2. HAZARDS IDENTIFICATION

Serious Eye Damage/Eye Irritation, Category 2A Acute Toxicity: Inhalation, Category 4 Acute Toxicity: Oral, Category 4 Skin Corrosion/Irritation, Category 2

GHS Signal Word:	Warning
GHS Hazard Phrases:	Causes serious eye irritation. Harmful if inhaled. Harmful if swallowed. Causes skin irritation.
GHS Precaution Phrases:	Wash hands thoroughly after handling. Wear protective gloves/protective clothing/eye protection/face protection. Use only outdoors or in a well-ventilated area. Avoid breathing dust/fume/gas/mist/vapours/spray. Do not eat, drink or smoke when using this product. Take off contaminated clothing and wash it before reuse. Keep out of reach of children.
GHS Response Phrases:	 IF IN EYES: Rinse cautiously with water for 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists, get medical advice/attention. IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor/physician if you feel unwell. IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell. IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell. IF ON SKIN: Wash with plenty of soap and water. Take off contaminated clothing. If skin

GHS Storage and DisposalDispose of contents/container in accordance with local/regional/national/internationalPhrases:regulations.

FAU GLAIRE	SAFE	TY DATA SHEET	Page: 2	
CO-OP OIL	Award Turf Fer	tilizer CAD 208 20-0-1	10 90% Revision: 01/12/2022	
	Р	CU with SOP	Supersedes Revision: 11/13/2015	
Hazard Ratir	ng System:	Flammability Instat Health Specia	ility I Hazard	
Potential He	alth Effects May cause respiratory tr	act irritation.		
(Acute and C	Chronic): Not expected to be a chr	onic hazard.		
Inhalation:	tion: May be harmful if inhaled. Inhalation of dust may cause respiratory tract irritation.			
Skin Contac	in Contact: May cause skin irritation. May be harmful if absorbed through the skin.			
Eye Contact	ye Contact: May cause eye irritation. Dust may cause mechanical irritation.			
Ingestion: May be harmful if swallowed. May cause gastrointestinal irritatio and diarrhea.			nal irritation with nausea, vomiting	
	3. COMPOSITION/INFO	RMATION ON INGR	EDIENTS	
CAS #	Hazardous Components (Chemical Name)	Concentration		
57-13-6	Urea	11.0 -92.0 %		
NA	Other Non-Hazardous Ingredients	2.0 -85.0 %		
97886-45-8	Dithiopyr	0.15 %		
500008-45-7	Chlorantraniliprole	0.058 %		
7778-80-5	Potassium sulfate	3.0 -60.0 %		
16389-88-1	Dolomitic limestone	2.0 -85.0 %		

Emergency and First Aid Procedures:	Remove from exposure and move to fresh air immediately. If not breathing, give artificial
In Case of Inhalation:	respiration. Get medical aid.
In Case of Skin Contact:	Flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Get medical aid if irritation develops and persists. Wash clothing before reuse.
In Case of Eye Contact:	Flush eyes with plenty of water for at least 15 minutes, occasionally lifting the upper and lower eyelids. Get medical aid if irritation develops and persists.
In Case of Ingestion:	If swallowed, do not induce vomiting unless directed to do so by medical personnel. Get medical aid immediately. Never give anything by mouth to an unconscious person. For

4. FIRST AID MEASURES

In Case of Ing personnel. Get us person. For further assistance, contact your local Poison Control Center 1-800-222-1222.

Treat symptomatically and supportively. Note to Physician:

5. FIRE FIGHTING MEASURES

Flash Pt:	No data. Method Used: Estimate		
Explosive Limits:	LEL: No data. UEL: No data.		
Autoignition Pt:	No data.		
Suitable Extinguishing Medi	a :Substance is noncombustible; use agent most appropriate to extinguish surrounding fire.		
	Use water spray, dry chemical, carbon dioxide, or appropriate foam.		
Fire Fighting Instructions:	As in any fire, wear a self-contained breathing apparatus in pressure-demand, MSHA/NIOSH (approved or equivalent), and full protective gear. During a fire, irritating and highly toxic gases may be generated by thermal decomposition or combustion. Substance is noncombustible. Decomposes at high temperatures, resulting in toxic and corrosive products. Water runoff can cause environmental damage. Dike and collect water used to fight fire.		
Flammable Properties and	No data available.		



SAFETY DATA SHEET Award Turf Fertilizer CAD 208 20-0-10 90% PCU with SOP Super

Revision: 01/12/2022 Supersedes Revision: 11/13/2015

Page: 3	,
---------	---

Hazards:	
	6. ACCIDENTAL RELEASE MEASURES
Environmental Precautions:	Prevent further leakage or spillage if safe to do so. Do not let product enter drains or waterways. Pick up and arrange disposal without creating dust. Sweep up and shovel. Keep in suitable, closed containers for disposal. Avoid generating dusty conditions. Ensure adequate ventilation. Evacuate personnel to safe areas. Do not let this chemical enter the environment.
Steps To Be Taken In Case Material Is Released Or Spilled:	Use proper personal protective equipment as indicated in Section 8. Spills/Leaks: Vacuum or sweep up material and place into a suitable disposal container. Clean up spills immediately, observing precautions in the Protective Equipment section. Avoid generating dusty conditions. Provide ventilation.
	7. HANDLING AND STORAGE
Precautions To Be Taken in Handling:	Wash hands thoroughly after handling. Remove contaminated clothing and wash before reuse. Use with adequate ventilation. Minimize dust generation and accumulation. Avoid contact with eyes, skin, and clothing. Avoid breathing dust.
Precautions To Be Taken in Storing:	Keep container closed when not in use. Store in a cool, dry, well-ventilated area away from incompatible substances, inaccessible to children and domestic animals.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

CAS #	Partial Chemical	Name	OSHA TWA	ACGIH TWA	Other Limits	
57-13-6	Urea		PEL: PNOR 15 Total 5 Resp. mg/m3	TLV: PNOS 10 Inhalable 3 Resp. mg/m3	No data.	
NA	Other Non-Hazar	dous Ingredients	No data.	No data.	No data.	
97886-45-8	Dithiopyr		No data.	No data.	No data.	
500008-45-7	Chlorantraniliprole	e	No data.	No data.	No data.	
7778-80-5	Potassium sulfate	•	PEL: PNOR 15 Total 5 Resp. mg/m3	TLV: PNOS 10 Inhalable 3 Resp. mg/m3	No data.	
16389-88-1	Dolomitic limestor	ne	PEL: 15 Total 5 Respirable mg/m3	TLV: 10 total 5 Respirable mg/m3	No data.	
Respiratory Equipment (Specify Type):		A respiratory protection program that meets OSHA's 29 CFR 1910.134. Use a NIOSH/MSHA approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.				
		rotective eyeglasses or che ce protection regulations in	, , , ,	described by		
Protective G	Protective Gloves: Wear appropriate gloves to prevent skin exposure. Use proper glove removal techn (without touching glove's outer surface) to avoid skin contact with this product. Disp of contaminated gloves after use in accordance with applicable laws and good labo practices. Wash and dry hands.			roduct. Dispose		
Other Protective Clothing: Wear appropriate protective clothing t			rotective clothing to prever	it skin exposure.		
Engineering (Ventilation e		Use adequate general or local exhaust ventilation to keep airborne concentrations below the permissible exposure limits. Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower.				
		ice with good industrial hyg at the end of workday.	iene and safety practice.	Wash hands		



SAFETY DATA SHEET

PCU with SOP

Award Turf Fertilizer CAD 208 20-0-10 90%

Revision: 01/12/2022 Supersedes Revision: 11/13/2015

Appearance and Odor: Various Colors. Metting Point: No data. Boiling Point: No data. Autoignition Pt: No data. No data. UEL: No data. Flash Pt: No data. Specific Gravity (Water = 1): No data. Vapor Density (vs. Air or nm Hg): No data. Vapor Density (vs. Air or No data. No data. Solubility in Water: No data. Solubility in Water: No data. Solubility in Water: No data. Percent Volatile: No data. Solubility: Unstable [] Stable [X] Conditions To Avoid - Incompatible materials. Instability: Unstable [] Stable [X] Avoid: hypochlorite, Hydrogen flouride, Sodium nitrate, Nitrosyl Perchlorate, DICHROMATES, Liquid chlorine, Nitrates, Permanganates, Chronyl chloride, DICHROMATES, Liquid chlorine, Nitrates, Permanganates, Chronyl chloride, DICHROMATES, Liquid chlorine, Nitrates, Permanganates, Chronyl chloride, DICHROMATES, Undes of phosphorus, Nitrogen oxides (NCX) and ammonia (NH3), Carbon monoxide, Oxides of phosphorus, Nitrogen chloride. Possibility of Hazardous Will occur [] Will not occur [X] Reactions: Coxide available. Acute toxicity, LC50, Inhala			1		501	Supersedes Revision: 11/13/2015
Appearance and Odor: Various Colors, Weiting Point: No data, Boiling Point: No data, Autoignition Pt: No data, Autoignition Pt: No data, Mutaignition Pt: No data, Value Splosive Limits: ELL: No data. Explosive Limits: ELL: No data. Specific Gravity (Water = 1): No data. Vapor Pressure (vs. Air or mn Hg): No data. Vapor Donsity (vs. Air = 1): No data. Stability: No data. Conditions To Avoid - No data. Incompatibility: Unstable [] Stable [X] Conditions To Avoid - Strong acids. Strong acids. Strong oxidizing agents, Sodium hypochlorite, Calcium hypochlorite, Hydrogen flouride, Sodium nitrate, Nitrosyl Perchlorate, DICHROMATES, Liquid chlorine, Nitrates, Permanganates, Chromy (chloride, No significant incompatibility of Hazardous Will occur [] Will occur [] Spyroducts: Oxides of phosphorus, Nitrogen oxides (NOX) and ammonia (NH3). Carbon monoxide, Oxides of potassium, Hydrogen chloride. Possibility of Hazardous Will occur [] Will not occur [X] Reactions: Conditions To Avoid - No data available. Hazardous Reactions: CAS# 97886-4	9.	PHYSIC	AL AND C	CHEMIC	AL PROP	ERTIES
Weiting Point: No data. Boiling Point: No data. Autolgnition Pt: No data. Flash Pt: No data. Specific Gravity (Water = 1): No data. Vapor Pressure (vs. Air or mm Hg): No data. Vapor Prosence (vs. Air or mm Hg): No data. Vapor Prosence (vs. Air or mm Hg): No data. Vapor Density (vs. Air = 1): No data. Solubility in Water: No data. Percent Volatile: No data. Solubility: Unstable [] Stability: Materails	Physical States:	[]Gas	[] Liquid	[X] Solid		
Boiling Point: No data. Autoignition Pt: No data. Pish Pt: No data. Explosive Limits: LEL: No data. UEL: No data. UEL: No data. Specific Gravity (Water = 1): No data. Vapor Pressure (vs. Air or min Hg): No data. Vapor Donsity (vs. Air = 1): No data. Vapor Toressure (vs. Air or nic Mata. No data. Sububility in Water: No data. Percent Volatile: No data. Conditions To Avoid - dust generation, Incompatible materials. Instability: Unstable [] Stable [X] Conditions To Avoid - dust generation, Incompatible materials. Avoid: hypochlorite, Hydrogen flouride, Sodium nitrate, Nitrosyl Perchlorate, DICHROMATES, Liquid chlorine, Nitrates, Permanganates, Chronyl chlorde, No significant incompatibilities identified with common materials and contaminants. Hazardous Decomposition Or Oxides of phrosphorus, Nitrogen oxides (NOX) and ammonia (NH3), Carbon monxide, Cyaidos of sulfur, Oxides of plassium, Hydrogen cyaide, Hydrogen chloride. Possibility of Hazardous Will occur [] Reactions: CAS# 97886-45-8: Dithiopyr: Cacute toxicity, LD50, Oral, Rat, 5000, MG/KG. Acute toxicity, LD50, Oral, Rat, 5000, MG/KG.	Appearance and Odor:	Various Co	olors.			
Autoignition P1: No data. Flash Pt: No data. Method Used: Estimate Explosive Limits: LEL: No data. UEL: No data. Specific Gravity (Water = 1): No data. UEL: No data. Specific Gravity (Water = 1): No data. UEL: No data. Vapor Density (vs. Air = 1): No data. Vapor Density (vs. Air = 1): Porpert Volatile: No data. Percent Volatile: Percent Volatile: No data. Percent Volatile: Solubility in Water: No data. Percent Volatile: Instability: Unstable [] Stable [X] Conditions To Avoid - dust generation, Incompatible materials. Instability: Unstable [] Strong acids, Strong bases, Strong oxidizing agents, Sodium hypochlorite, Calcium hypochlorite, Hydrogen flouride, Sodium nitrate, Nitrosyl Perchlorate, DICHROMATES, Liquid chlorine, Nitrospen oxides (Nox) and ammonia (NH3), Carbon monoxide, Byproducts: Avoid: No data available. Hazardous Decomposition Or Oxides of Introgen, Carbon dioxide, Oxides of sulfur, Oxides of platssium, Hydrogen cyanide, Hydrogen chloride. Possibility of Hazardous Will occur [] Will occur [] Conditions To A	Melting Point:	No data.				
Flash Pt: No data. Method Used: Estimate Explosive Limits: LEL: No data. Specific Gravity (Water = 1): No data. Vapor Pressure (vs. Air or mm Hg): No data. Vapor Dressity (vs. Air or min Hg): No data. Vapor Chrossity (vs. Air = 1): No data. Solubility in Water: No data. Percent Volatile: No data. Conditions To Avoid - Instable [] Stability: Unstable [] Conditions To Avoid - Incompatibilities identified with common materials and contaminants. Hezardous Decomposition Or Oxides of phosphorus, Nitrogen oxides (NX) and ammonia (NH3), Carbon monoxide, Oxides of nitrogen, Carbon dioxide, Oxides of sulfur, Oxides of potassium, Hydrogen cyanide, Hydrogen chloride. Possibility of Hazardous Will occur [] Will occur [] Will not occur [X] Reactions: CAS# 97886-45-8: Dithiopy: Conditions To Avoid - No data available. Hazardous Reactions: CAS# 97886-45-8: Dithiopy: Cucte toxicity, LDS0, Dermal, Rat, 5000. MG/KG. Acute toxicity, LDS0, Oral, Rat, 5000. MG/KG. Acute toxicity, LDS0, Dermal, Rat, 5000. MG/KG. Acute toxicity, LDS0, Dermal, Rat, 5000. MG/KG. Acute toxicity, LDS0, Dermal, Rat, 5000. MG/KG	Boiling Point:	No data.				
Explosive Limits: LEL: No data. UEL: No data. Specific Gravity (Water = 1): No data. Wapor Pressure (vs. Air or mm Hg): No data. Vapor Density (vs. Air = 1): No data. Sububility in Water: No data. Percent Volatile: No data. Percent Volatile: No data. Stability: Unstable [] Stability: Unstable [] Stability: Unstable [] Stability: Unstable [] Incompatibility - Materials To Strong acids, Strong bases, Strong oxidizing agents, Sodium hypochlorite, Calcium hypochlorite, Hydrogen flouride, Sodium nitrate, Nitrosyl Perchlorate, DICHROMATES, Liquid chlorine, Nitrates, Permanganates, Chromyl chloride, No significant incompatibilities identified with common materials and contaminants. Hazardous Decomposition Or Oxides of phosphorus, Nitrogen oxides (NOx) and ammonia (NH3), Carbon monoxide, Oxides of nutogen, Carbon dioxide, Oxides of sulfur, Oxides of potassium, Hydrogen cyanide, Hydrogen chloride. Possibility of Hazardous Will occur [] Will occur [] Will not occur [X] Reactions: CAS# 9786e-45-8: Dithicpyr: Acute toxicity, LD50, Oral, Rat, 5000. MG/KG. Acute toxicity, LD50, Dermat, Rat, 5000. MG/KG. Acute toxicity, LD50	Autoignition Pt:	No data.				
Specific Gravity (Water = 1): No data. Vapor Pressure (vs. Air or mm Hg): Vapor Density (vs. Air = 1): No data. Evaporation Rate: No data. Solubility in Water: No data. Percent Volatile: No data. Incompatibility in Water: No data. Stability: Unstable [] Stable [X] Conditions To Avoid - dust generation, Incompatible materials. Inscappibility: Unstable [] Stable [X] Conditions To Avoid - dust generation, Incompatible materials. Inscappibility: Unstable [] Stable [X] Conditions To Avoid - dust generation, Incompatible materials. Incompatibility: Incompatibilities identified with common materials and contaminants. Hazardous Decomposition Or Oxides of phosphorus, Nitrogen oxides (NOx) and ammonia (NH3), Carbon monoxide, Oxides of autrogen, Carbon dioxide, Oxides of sulfur, Oxides of potassium, Hydrogen choirde. Possibility of Hazardous Will occur [] Will not occur [X] Reactions: Conditions To Avoid - No data available. Hazardous Reactions: CAS# 97886-45-8: Dithiopyr: Acute toxicity, LD50, Oral, Rat, 5000. MG/KG, Acute toxicity, LD50, Oral, Rat, 5000. MG/KG, Acute toxicity, LD50, Oral, Rat, 5000. MG/KG, Acute toxic	Flash Pt:	No data.	Method Used:	Estimate		
Vapor Pressure (vs. Air or mm Hg): No data. Vapor Density (vs. Air = 1): No data. Evaporation Rate: No data. Solubility in Water: No data. Percent Volatile: No data. Conditions To Avoid - dust generation, Incompatibile materials. Instability: Unstable [] Stability: Unstable [] Conditions To Avoid - dust generation, Incompatibile materials. Instability: Unstable [] Conditions To Avoid - dust generation, Incompatibile materials. Instability: Incompatibility - Materials To Strong acids, Strong bases, Strong oxidizing agents, Sodium hypochlorite, Calcium hypochlorite, Hydrogen flouride, Sodium nitrate, Nitrosyl Perchlorate, DICHROMATES, Liquid chlorine, Nitrades, Permanganates, Chromyl chloride, No significant incompatibilities identified with common materials and contaminants. Hazardous Decomposition Or Oxides of phosphorus, Nitrogen oxides (NOX) and ammonia (NH3), Carbon monoxide, Oxides of pulsophorus on dixide, Oxides of sulfur, Oxides of potassium, Hydrogen cyanide, Hydrogen chloride. Possibility of Hazardous Reactions: No data available. Conditions To Avoid - No data available. Hazardous Reactions: CAS# 97886-45-8: Dithiopy:: Cacte toxi	Explosive Limits:	LEL: No d	ata.		UEL: No data	а.
mm Hg): Vapor Density (vs. Air = 1): No data. Svaporation Rate: No data. Solubility in Water: No data. Percent Volatile: No data. 10. STABILITY AND REACTIVITY Stability: Unstable [] Conditions To Avoid - dust generation, Incompatible materials. Instability: Unstable [] Strong acids, Strong bases, Strong oxidizing agents, Sodium hypochlorite, Calcium hypochlorite, Hydrogen flouride, Sodium nitrate, Nitrosyl Perchorate, DICHROMATES, Liquid choirne, Nitrates, Permanganates, Chromyl chloride, No significant incompatibilities identified with common materials and contaminants. Hazardous Decomposition Or Oxides of phosphorus, Nitrogen oxides (NOX) and ammonia (NH3), Carbon monoxide, Oxides of phosphorus, Nitrogen choride. Byproducts: Oxides of nitrogen, Carbon dioxide, Oxides of sulfur, Oxides of potassium, Hydrogen cyanide, Hydrogen chloride. Conditions To Avoid - No data available. Hazardous Reactions: CAS# 97886-45-8: Dithiopyr: Acute toxicity, LD50, Oral, Rat, 5010. MG/KG. Acute toxicity, LD50, Dermal, Rat, 5010. MG/KG. Acute toxicity, LD50, Dermal, Rat, 5010. MG/KG. Acute toxicity, LD50, Dermal, Rat, 5000.	Specific Gravity (Water = 1):	No data.				
Evaporation Rate: No data. Solubility in Water: No data. Percent Volatille: No data. Unstable [] Stable [X] Conditions To Avoid - dust generation, Incompatible materials. Instability: Unstable []] Stable [X] Conditions To Avoid - dust generation, Incompatible materials. Instability: Instability: Unstable []] Incompatibility - Materials To Strong acids, Strong bases, Strong oxidizing agents, Sodium hypochlorite, Calcium hypochlorite, Hydrogen flouride, Sodium nitrate, Nitrosyl Perchiorate, DICHROMATES, Liquid chlorine, Nitrasyl Perchiorate, DICHROMATES, Ulquid chlorine, Nitrasyl Perchiorate, DICHROMATES, Values, Permangnates, Chronyl chloride, No significant incompatibilities identified with common materials and contaminants. Hazardous Decomposition Or Oxides of phosphorus, Nitrogen oxides (NOx) and ammonia (NH3), Carbon monoxide, Oxides of nitrogen, Carbon dioxide, Oxides of sulfur, Oxides of potassium, Hydrogen oyanide, Hydrogen chloride. Possibility of Hazardous Reactions: Will occur [] Will not occur [X] Reactions: Conditions To Avoid - No data available. Hazardous Reactions: CAS# 97886-45-8: Dithiopyr: Acute toxicity, LD50, Oral, Rat, 5010. MG/KG. Acute toxicity, LD50, Oral, Rat, 5000. MG/KG. Acute toxicity, LD50, Dermal, Rat	Vapor Pressure (vs. Air or mm Hg):	No data.				
Solubility in Water: No data. Percent Volatile: No data. Intervent Volatile: No data. Stability: Unstable [] Stable [X] Conditions To Avoid - Instability: Unstable [] Stable [X] Conditions To Avoid - Instability: Unstable [] Strong acids, Strong bases, Strong oxidizing agents, Sodium hypochlorite, Calcium hypochlorite, Hydrogen flouride, Sodium nitrate, Nitrosyl Perchiorate, DICHROMATES, Liquid chlorine, Nitrates, Permanganates, Chromyl chloride, No significant incompatibilities identified with common materials and contaminants. Hazardous Decomposition Or Oxides of phosphorus, Nitrogen oxides (NOx) and ammonia (NH3), Carbon monoxide, Oxides of nitrogen, Carbon dioxide, Oxides of sulfur, Oxides of potassium, Hydrogen cyanide, Hydrogen chloride. Possibility of Hazardous Reactions: Will occur [] Will not occur [X] Reactions: No data available. Hazardous Reactions: CAS# 97886-45-8: Dithiopyr: Acute toxicity, LD50, Oral, Rat, 5010. MG/KG. Acute toxicity, LD50, Oral, Rat, 5010. MG/KG. Acute toxicity, LD50, Dermal, Rat, 5000. MG/KG. Acute toxicity, LD50, Dermal, Rat, 5000. MG/KG. Acute toxicity, LD50, Oral, Rat, 5000. MG/KG. Acute toxicity, LD50, Inhalation, Rat, 5100 MG/L, 4 H. Carcinogenicity/Other Information: ColsHa: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA. Additional studies are needed to to determine whether the cell transforming activity of qua	Vapor Density (vs. Air = 1):	No data.				
Percent Volatile: No data. ID. STABILITY AND REACTIVITY Stability: Unstable [] Stable [X] Conditions To Avoid - dust generation, Incompatible materials. Instability: Incompatibility - Materials To Strong acids, Strong bases, Strong oxidizing agents, Sodium hypochlorite, Calcium hypochlorite, Hydrogen flouride, Sodium nitrate, Nitrosyl Perchlorate, DICHROMATES, Liquid chlorine, Nitrates, Permanganates, Chromyl chloride, No significant incompatibilities identified with common materials and contaminants. Hazardous Decomposition Or Oxides of phosphorus, Nitrogen oxides (NOx) and ammonia (NH3), Carbon monoxide, Oxides of nitrogen, Carbon dioxide, Oxides of sulfur, Oxides of potassium, Hydrogen cyanide, Hydrogen chloride. Will occur [] Will not occur [X] Reactions: No data available. Conditions To Avoid - No data available. Hazardous Reactions: CAS# 97886-45-8: Dithiopyr: Acute toxicity, LD50, Oral, Rat, 5010. MG/KG. Acute toxicity, LD50, Oral, Rat, 5000. MG/KG. Acute toxicity, LD50, Oral, Rat, 5000. MG/KG. Acute toxicity, LD50, Oral, Rat, 5000. MG/KG. Acute toxicity, LD50, Inhalation, Rat, 5.100 MG/L, 4 H. Carcinogenicity/Other Information: CASH 500008-45-7: Chlorantraniliprole: Acute toxicity, LD50, Inhalation, Rat, 5.100. MG/KG. Acute toxicity, LD50, Inhalation, Rat, 5.100. MG	Evaporation Rate:	No data.				
10. STABILITY AND REACTIVITY Stability: Unstable [] Stable [X] Conditions To Avoid - dust generation, Incompatibile materials. Instability: Incompatibility - Materials To Strong acids, Strong bases, Strong oxidizing agents, Sodium hypochlorite, Calcium hypochlorite, Hydrogen flouride, Sodium nitrate, Nitrosyl Perchlorate, DICHROMATES, Liquid chlorine, Nitrates, Permagnantes, Chromyl chloride, No significant incompatibilities identified with common materials and contaminants. Hazardous Decomposition Or Oxides of phosphorus, Nitrogen oxides (NOX) and ammonia (NH3), Carbon monoxide, Oxides of nitrogen, Carbon dioxide, Oxides of sulfur, Oxides of potassium, Hydrogen cyanide, Hydrogen chloride. Possibility of Hazardous Will occur [] Will not occur [X] Reactions: No data available. Conditions To Avoid - No data available. Hazardous Reactions: No data available. Conditions To Avoid - No data available. Hazardous Reactions: CAS# 97886-45-8: Dithiopyr: Acute toxicity, LD50, Oral, Rat, 5010. MG/KG. Acute toxicity, LD50, Oral, Rat, 5000. MG/KG. Acute toxicity, LD50, Oral, Rat, 5000. MG/KG. Acute toxicity, LD50, Oral, Rat, 5000. MG/KG. Acute toxicity, LD50, Inhalation, Rat, 5.100 MG/L, 4 H. CAS# 5000.00. MG/KG. Carcinogenicity/Other Chlorantraniliprole: Animal testing indicates this materi	Solubility in Water:	No data.				
Stability: Unstable [] Stable [X] Conditions To Avoid - dust generation, Incompatibile materials. Instability: Incompatibility - Materials To Strong acids, Strong bases, Strong oxidizing agents, Sodium hypochlorite, Calcium hypochlorite, Hydrogen flouride, Sodium nitrate, Nitrosyl Perchlorate, DICHROMATES, Liquid chlorine, Nitrates, Permanganates, Chromyl chloride, No significant incompatibilities identified with common materials and contaminants. Hazardous Decomposition Or Oxides of phosphorus, Nitrogen oxides (NOx) and ammonia (NH3), Carbon monoxide, Oxides of nitrogen, Carbon dioxide, Oxides of sulfur, Oxides of potassium, Hydrogen cyanide, Hydrogen chloride. Possibility of Hazardous Will occur [] Will not occur [X] Reactions: No data available. Hazardous Reactions: No data available. Toxicological Information: CAS# 97886-45-8: Dithiopyr: Acute toxicity, LD50, Oral, Rat, 5010. MG/KG. Acute toxicity, LD50, Oral, Rat, 5000. MG/KG. Acute toxicity, LD50, Inhalation, Rat, 5.100 MG/L, 4 H. Carcinogenicity/Other Chlorantraniliprole: Animal testing indicates this material did not have neurological, developmental or reproductive effects. OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA. Additional studies are needed to to determine whether the cell transforming activity of quartz	Percent Volatile:	No data.				
Stability: Unstable [] Stable [X] Conditions To Avoid - Instability: dust generation, Incompatible materials. Instability: Strong acids, Strong bases, Strong oxidizing agents, Sodium hypochlorite, Calcium hypochlorite, Hydrogen flouride, Sodium nitrate, Nitrosyl Perchlorate, DICHROMATES, Liquid chlorine, Nitrates, Permanganates, Chromyl chloride, No significant incompatibilities identified with common materials and contaminants. Hazardous Decomposition Or Oxides of phosphorus, Nitrogen oxides (NOx) and ammonia (NH3), Carbon monoxide, Oxides of nitrogen, Carbon dioxide, Oxides of sulfur, Oxides of potassium, Hydrogen cyanide, Hydrogen chloride. Possibility of Hazardous Reactions: Will occur [] Will not occur [X] Reactions: No data available. Hazardous Reactions: No data available. Toxicological Information: CAS# 97886-45-8: Dithiopyr: Acute toxicity, LD50, Oral, Rat, 5010. MG/KG. Acute toxicity, LD50, Oral, Rat, 5000. MG/KG. Acute toxicity, LD50, Inhalation, Rat, 5.100 MG/L, 4 H. Carcinogenicity/Other Information: Chlorantraniliprole: Acute toxicity, LD50, Inhalation, Rat, 5.100 MG/L, 4 H. Carcinogenicity/Other Information: OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA. Additional studies are needed to to determine whether the ceil transforming activity of quartz is relat		10. 5	TABILITY		EACTIVIT	Ϋ́Υ
Conditions To Avoid - Instability: dust generation, Incompatible materials. Instability: Incompatibility - Materials To Avoid: Strong acids, Strong bases, Strong oxidizing agents, Sodium hypochlorite, Calcium hypochlorite, Hydrogen flouride, Sodium nitrate, Nitrosyl Perchlorate, DICHROMATES, Liquid chlorine, Nitrates, Permanganates, Chromyl chloride, No significant incompatibilities identified with common materials and contaminants. Hazardous Decomposition Or Oxides of phosphorus, Nitrogen oxides (NOx) and ammonia (NH3), Carbon monoxide, Oxides of nitrogen, Carbon dioxide, Oxides of sulfur, Oxides of potassium, Hydrogen cyanide, Hydrogen chloride. Possibility of Hazardous Reactions: Will occur [] Will not occur [X] Conditions To Avoid - Hazardous Reactions: No data available. Conditions To Avoid - Hazardous Reactions: CAS# 97886-45-8: Dithi	Stability:					
Avoid: hypochlorite, Hydrogen flouride, Sodium nitrate, Nitrosyl Perchlorate, DICHROMATES, Liquid chlorine, Nitrates, Permanganates, Chromyl chloride, No significant incompatibilities identified with common materials and contaminants. Hazardous Decomposition Or Oxides of phosphorus, Nitrogen oxides (NOx) and ammonia (NH3), Carbon monoxide, Oxides of nitrogen, Carbon dioxide, Oxides of sulfur, Oxides of potassium, Hydrogen cyanide, Hydrogen chloride. Possibility of Hazardous Reactions: Will occur [] Conditions To Avoid - Hazardous Reactions: No data available. Toxicological Information: CAS# 97886-45-8: Dithiopyr: Acute toxicity, LD50, Oral, Rat, 5010. MG/KG. Acute toxicity, LD50, Oral, Rat, 5000. MG/KG. Acute toxicity, LD50, Dermal, Rat, 5000. MG/KG. Acute toxicity, LD50, Dermal, Rat, 5000. MG/KG. Acute toxicity, LD50, Inhalation, Rat, 5.100 MG/L, 4 H. Carcinogenicity/Other Information: Chlorantraniliprole: Animal testing indicates this material did not have neurological, developmental or reproductive effects. OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA. Additional studies are needed to to determine whether the cell transforming activity of quartz is related to its	Conditions To Avoid - Instability:	dust gener	ation, Incompa	tible mater	ials.	
Liquid chlorine, Niträtes, Permanganates, Chromyl chloride, No significant incompatibilities identified with common materials and contaminants. Hazardous Decomposition Or Oxides of phosphorus, Nitrogen oxides (NOx) and ammonia (NH3), Carbon monoxide, Oxides of nitrogen, Carbon dioxide, Oxides of sulfur, Oxides of potassium, Hydrogen cyanide, Hydrogen chloride. Possibility of Hazardous Reactions: Conditions To Avoid - No data available. Hazardous Reactions: Conditions To Avoid - No data available. Hazardous Reactions: Conditions To Avoid - Hazardous Reactions: Cox # 97886-45-8: Dithiopyr: Acute toxicity, LD50, Oral, Rat, 5010. MG/KG. Acute toxicity, LD50, Oral, Rat, 5010. MG/KG. Acute toxicity, LD50, Dermal, Rat, 5000. MG/KG. Acute toxicity, LD50, Inhalation, Rat, 5.980 MG/L, 4 H. CAS# 500008-45-7: Chlorantraniliprole: Acute toxicity, LD50, Oral, Rat, 5000. MG/KG. Acute toxicity, LD50, Oral, Rat, 5000. MG/KG. Acute toxicity, LD50, Oral, Rat, 5000. MG/KG. Acute toxicity, LD50, Dermal, Rat, 5000. MG/KG. Acute toxicity, LD50, Dermal, Rat, 5000. MG/KG. Acute toxicity, LD50, Inhalation, Rat, 5.100 MG/L, 4 H. Chlorantraniliprole: Animal testing indicates this material did not have neurological, developmental or reproductive effects. OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA. Additional studies are needed to to determine whether the cell transforming activity of quartz is related to its	Incompatibility - Materials To	Strong aci	ds, Strong base	es, Strong	oxidizing agent	s, Sodium hypochlorite, Calcium
Byproducts: Oxides of hitrogen, Carbon dioxide, Oxides of sulfur, Oxides of potassium, Hydrogen cyanide, Hydrogen chloride. Possibility of Hazardous Reactions: Will occur [] Will not occur [X] Conditions To Avoid - Hazardous Reactions: No data available. Toxicological Information: CAS# 97886-45-8: Dithiopyr: Acute toxicity, LD50, Oral, Rat, 5010. MG/KG. Acute toxicity, LD50, Dermal, Rat, 5000. MG/KG. Acute toxicity, LD50, Dermal, Rat, 5000. MG/KG. Acute toxicity, LD50, Inhalation, Rat, 5.980 MG/L, 4 H. CAS# 500008-45-7: Chlorantraniliprole: Acute toxicity, LD50, Oral, Rat, 5000. MG/KG. Acute toxicity, LD50, Dermal, Rat, 5000. MG/KG. Acute toxicity, LD50, Inhalation, Rat, 5.080 MG/L, 4 H. Carcinogenicity/Other Information: Chlorantraniliprole: Animal testing indicates this material did not have neurological, developmental or reproductive effects. OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA. Additional studies are needed to to determine whether the cell transforming activity of quartz is related to its	Avoid:	Liquid chlo	rine, Nitrates, I	Permangar	ates, Chromyl	chloride, No significant
Reactions: No data available. Mazardous Reactions: II. TOXICOLOGICAL INFORMATION Toxicological Information: CAS# 97886-45-8: Dithiopyr: Acute toxicity, LD50, Oral, Rat, 5010. MG/KG. Acute toxicity, LD50, Dermal, Rat, 5000. MG/KG. Acute toxicity, LC50, Inhalation, Rat, 5.980 MG/L, 4 H. CAS# 500008-45-7: Chlorantraniliprole: Acute toxicity, LD50, Oral, Rat, 5000. MG/KG. Acute toxicity, LD50, Oral, Rat, 5000. MG/KG. Acute toxicity, LD50, Oral, Rat, 5000. MG/KG. Acute toxicity, LD50, Inhalation, Rat, 5.100 MG/L, 4 H. Carcinogenicity/Other Information: Chlorantraniliprole: Animal testing indicates this material did not have neurological, developmental or reproductive effects. OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA. Additional studies are needed to to determine whether the cell transforming activity of quartz is related to its	Hazardous Decomposition O Byproducts:	Oxides of i	nitrogen, Carbo	on dioxide,	· · ·	
Hazardous Reactions: 11. TOXICOLOGICAL INFORMATION Toxicological Information: CAS# 97886-45-8: Dithiopyr: Acute toxicity, LD50, Oral, Rat, 5010. MG/KG. Acute toxicity, LD50, Dermal, Rat, 5000. MG/KG. Acute toxicity, LC50, Inhalation, Rat, 5.980 MG/L, 4 H. CAS# 500008-45-7: Chlorantraniliprole: Acute toxicity, LD50, Oral, Rat, 5000. MG/KG. Acute toxicity, LD50, Oral, Rat, 5000. MG/KG. Acute toxicity, LD50, Dermal, Rat, 5000. MG/KG. Acute toxicity, LD50, Dermal, Rat, 5000. MG/KG. Acute toxicity, LD50, Inhalation, Rat, 5.100 MG/L, 4 H. Carcinogenicity/Other Information: Chlorantraniliprole: Animal testing indicates this material did not have neurological, developmental or reproductive effects. OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA. Additional studies are needed to to determine whether the cell transforming activity of quartz is related to its	Possibility of Hazardous Reactions:	-]	
11. TOXICOLOGICAL INFORMATION Toxicological Information: CAS# 97886-45-8: Dithiopyr: Acute toxicity, LD50, Oral, Rat, 5010. MG/KG. Acute toxicity, LD50, Dermal, Rat, 5000. MG/KG. Acute toxicity, LC50, Inhalation, Rat, 5.980 MG/L, 4 H. CAS# 500008-45-7: Chlorantraniliprole: Acute toxicity, LD50, Oral, Rat, 5000. MG/KG. Acute toxicity, LD50, Oral, Rat, 5000. MG/KG. Acute toxicity, LD50, Dermal, Rat, 5000. MG/KG. Acute toxicity, LD50, Inhalation, Rat, 5.100 MG/L, 4 H. Carcinogenicity/Other Information: COSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA. Additional studies are needed to to determine whether the cell transforming activity of quartz is related to its	Conditions To Avoid -	No data av	ailable.			
Toxicological Information:CAS# 97886-45-8: Dithiopyr: Acute toxicity, LD50, Oral, Rat, 5010. MG/KG. Acute toxicity, LD50, Dermal, Rat, 5000. MG/KG. Acute toxicity, LC50, Inhalation, Rat, 5.980 MG/L, 4 H.CAS# 500008-45-7: Chlorantraniliprole: Acute toxicity, LD50, Oral, Rat, 5000. MG/KG. Acute toxicity, LD50, Oral, Rat, 5000. MG/KG. Acute toxicity, LD50, Dermal, Rat, 5000. MG/KG. Acute toxicity, LD50, Dermal, Rat, 5000. MG/KG. Acute toxicity, LD50, Dermal, Rat, 5000. MG/KG. Acute toxicity, LD50, Inhalation, Rat, 5.100 MG/L, 4 H.Carcinogenicity/Other Information:Chlorantraniliprole: Animal testing indicates this material did not have neurological, developmental or reproductive effects.OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA. Additional studies are needed to to determine whether the cell transforming activity of quartz is related to its	Hazardous Reactions:					
Acute toxicity, LD50, Oral, Rat, 5010. MG/KG. Acute toxicity, LD50, Dermal, Rat, 5000. MG/KG. Acute toxicity, LC50, Inhalation, Rat, 5.980 MG/L, 4 H.CAS# 500008-45-7: Chlorantraniliprole: Acute toxicity, LD50, Oral, Rat, 5000. MG/KG. Acute toxicity, LD50, Dermal, Rat, 5000. MG/KG. Acute toxicity, LD50, Dermal, Rat, 5000. MG/KG. Acute toxicity, LD50, Inhalation, Rat, 5.100 MG/L, 4 H.Carcinogenicity/Other Information:Chlorantraniliprole: Animal testing indicates this material did not have neurological, developmental or reproductive effects.OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA. Additional studies are needed to to determine whether the cell transforming activity of quartz is related to its		11. TO	XICOLOG	ICAL IN	FORMAT	ION
Acute toxicity, LD50, Oral, Rat, 5010. MG/KG. Acute toxicity, LD50, Dermal, Rat, 5000. MG/KG. Acute toxicity, LC50, Inhalation, Rat, 5.980 MG/L, 4 H.CAS# 500008-45-7: Chlorantraniliprole: Acute toxicity, LD50, Oral, Rat, 5000. MG/KG. Acute toxicity, LD50, Dermal, Rat, 5000. MG/KG. Acute toxicity, LD50, Dermal, Rat, 5000. MG/KG. Acute toxicity, LD50, Inhalation, Rat, 5.100 MG/L, 4 H.Carcinogenicity/Other Information:Chlorantraniliprole: Animal testing indicates this material did not have neurological, developmental or reproductive effects.OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA. Additional studies are needed to to determine whether the cell transforming activity of quartz is related to its	Toxicological Information:	CAS# 978	86-45-8: Dithio	ovr:		
Acute toxicity, LD50, Dermal, Rat, 5000. MG/KG. Acute toxicity, LC50, Inhalation, Rat, 5.980 MG/L, 4 H.CAS# 500008-45-7: Chlorantraniliprole: Acute toxicity, LD50, Oral, Rat, 5000. MG/KG. Acute toxicity, LD50, Dermal, Rat, 5000. MG/KG. Acute toxicity, LD50, Dermal, Rat, 5000. MG/KG. Acute toxicity, LD50, Inhalation, Rat, 5.100 MG/L, 4 H.Carcinogenicity/Other Information:Chlorantraniliprole: Animal testing indicates this material did not have neurological, developmental or reproductive effects.OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA. Additional studies are needed to to determine whether the cell transforming activity of quartz is related to its). MG/KG.	
CAS# 500008-45-7: Chlorantraniliprole: Acute toxicity, LD50, Oral, Rat, 5000. MG/KG. Acute toxicity, LD50, Dermal, Rat, 5000. MG/KG. Acute toxicity, LD50, Inhalation, Rat, 5.100 MG/L, 4 H. Chlorantraniliprole: Animal testing indicates this material did not have neurological, developmental or reproductive effects. OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA. Additional studies are needed to to determine whether the cell transforming activity of quartz is related to its			•			
Acute toxicity, LD50, Oral, Rat, 5000. MG/KG. Acute toxicity, LD50, Dermal, Rat, 5000. MG/KG. Acute toxicity, LD50, Inhalation, Rat, 5.100 MG/L, 4 H.Carcinogenicity/Other Information:Chlorantraniliprole: Animal testing indicates this material did not have neurological, developmental or reproductive effects.OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA. Additional studies are needed to to determine whether the cell transforming activity of quartz is related to its		Acute toxic	ity, LC50, Inha	lation, Rat	5.980 MG/L, 4	4 H.
Acute toxicity, LD50, Oral, Rat, 5000. MG/KG. Acute toxicity, LD50, Dermal, Rat, 5000. MG/KG. Acute toxicity, LD50, Inhalation, Rat, 5.100 MG/L, 4 H.Carcinogenicity/Other Information:Chlorantraniliprole: Animal testing indicates this material did not have neurological, developmental or reproductive effects.OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA. Additional studies are needed to to determine whether the cell transforming activity of quartz is related to its			000 45 7. Chio	rontroniling		
Acute toxicity, LD50, Dermal, Rat, 5000. MG/KG. Acute toxicity, LD50, Inhalation, Rat, 5.100 MG/L, 4 H.Carcinogenicity/Other Information:Chlorantraniliprole: Animal testing indicates this material did not have neurological, developmental or reproductive effects.OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA. Additional studies are needed to to determine whether the cell transforming activity of quartz is related to its				•		
Carcinogenicity/OtherAcute toxicity, LD50, Inhalation, Rat, 5.100 MG/L, 4 H.Chlorantraniliprole: Animal testing indicates this material did not have neurological, developmental or reproductive effects.OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA. Additional studies are needed to to determine whether the cell transforming activity of quartz is related to its			•			
Carcinogenicity/Other Information:Chlorantraniliprole: Animal testing indicates this material did not have neurological, developmental or reproductive effects.OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA. Additional studies are needed to to determine whether the cell transforming activity of quartz is related to its			•			4 H.
identified as a carcinogen or potential carcinogen by OSHA. Additional studies are needed to to determine whether the cell transforming activity of quartz is related to its	Carcinogenicity/Other Information:	Chlorantra	niliprole: Anima	al testing in	dicates this ma	
		identified a needed to	s a carcinogen to determine w	or potenti	al carcinogen b	oy OSHA. Additional studies are



SAFETY DATA SHEET 10 000/ 1 00 **^ ^**

CO-OP OIL	<u>io</u>	Award Turf Fertilizer CAD 208 20-0-10 90%						
		PCU w	S	Supersedes Revision: 11				
CAS #	Hazardous Co	omponents (Chemical Name)	NTP	IARC	ACGIH	OSHA		
57-13-6	Urea		n.a.	n.a.	n.a.	n.a.		
NA	Other Non-Haz	zardous Ingredients	n.a.	n.a.	n.a.	n.a.		
97886-45-8	Dithiopyr		n.a.	n.a.	n.a.	n.a.		
500008-45-7	Chlorantranilip	role	n.a.	n.a.	n.a.	n.a.		
7778-80-5	Potassium sulf	ate	n.a.	n.a.	n.a.	n.a.		
16389-88-1	Dolomitic limes	stone	n.a.	n.a.	n.a.	n.a.		
		12. ECOLOGICAL I	NFORMAT	ION				
General Ecol Information:	logical	This product is toxic to fish and and shrimp. Use with care when Drift and runoff from treated turf aquatic sites. Do not apply direc or to intertidal areas below the n conditions favor drift from treate runoff. Do not contaminate wate	n applying to turf may adversely atly to water, or t nean high water d areas. Do not	areas adjac affect aquatio o areas when mark. Do no apply when/	ent to any boo c organisms in re surface wa ot apply when where condition	dy of water. n adjacent ter is present, weather ons favor		
		13. DISPOSAL CON	ISIDERATI	ONS				
Waste Disposal Method:		Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. US EPA guidelines for the classification determination are listed in 40 CFR Parts 261. Additionally, waste generators must consult state and local hazardous waste regulations to ensure complete and accurate classification.						
		RCRA P-Series: None listed. RCRA U-Series: None listed.						
		Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material. Dissolve or mix the material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber.						
		Contaminated packaging. Dispo	se of as unused	l product.				
		14. TRANSPORT I	NFORMAT	ION				
GHS Classification: Serio Acute Acute		Serious Eye Damage/Eye Irritat Acute Toxicity: Inhalation, Cate Acute Toxicity: Oral, Category 4	Serious Eye Damage/Eye Irritation, Category 2A - Warning! Causes serious eye irritation Acute Toxicity: Inhalation, Category 4 - Warning! Harmful if inhaled Acute Toxicity: Oral, Category 4 - Warning! Harmful if swallowed Skin Corrosion/Irritation, Category 2 - Warning! Causes skin irritation					
LAND TRAN	SPORT (US DO	DT):						
DOT Proj DOT Haz UN/NA N	per Shipping N ard Class: umber:	ame: Not regulated as a hazardou	us material.					
LAND TRAN	SPORT (Canad	dian TDG):						

TDG Shipping Name:

No information available.



SAFETY DATA SHEET Award Turf Fertilizer CAD 208 20-0-10 90%

PCU with SOP

Revision: 01/12/2022 Supersedes Revision: 11/13/2015

15. REGULATORY INFORMATION

CAS #	Hazardous Components (Chemical Name)	Other US EPA or State Lists
57-13-6	Urea	CAA HAP,ODC: No; CWA NPDES: No; TSCA: Inventory, 8A
NA	Other Non-Hazardous Ingredients	CAIR; CA PROP.65: No; CA TAC, Title 8: No; WI Air: No CAA HAP,ODC: No; CWA NPDES: No; TSCA: No; CA
97886-45-8	Dithiopyr	PROP.65: No; CA TAC, Title 8: No; WI Air: No CAA HAP,ODC: No; CWA NPDES: No; TSCA: No; CA
		PROP.65: No; CA TAC, Title 8: No; WI Air: No
500008-45-7	Chlorantraniliprole	CAA HAP,ODC: No; CWA NPDES: No; TSCA: No; CA PROP.65: No; CA TAC, Title 8: No; WI Air: No
7778-80-5	Potassium sulfate	CAA HAP,ODC: No; CWA NPDES: No; TSCA: Inventory; CA PROP.65: No; CA TAC, Title 8: No; WI Air: No
16389-88-1	Dolomitic limestone	CAA HAP,ODC: No; CWA NPDES: No; TSCA: Inventory; CA PROP.65: No; CA TAC, Title 8: No; WI Air: No

Regulatory Information: This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:

WARNING! Causes substantial but temporary eye irritation. Harmful if absorbed through skin. Harmful if inhaled. Harmful if swallowed. Avoid contact with eyes, skin, or clothing. Avoid breathing dust. Wear protective eyewear (goggles, face shield, or safety glasses). Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco. Wear long sleeved shirt, long pants, socks, shoes, and water-resistant gloves. Remove contaminated clothing and wash before reuse. Prolonged or frequently repeated skin contact while handling this material may cause allergic reaction in some individuals.

	16. OTHER INFORMATION
Revision Date:	01/12/2022
Additional Information Abour This Product:	t No data available.
Company Policy or Disclaimer:	This Safety Data Sheet (SDS) is to be used as a reference to address the safe handling of the product. All statements, technical information and recommendations contained herein are to the best of our knowledge, reliable and accurate. This SDS is not intended to make any representation as to how the product will perform when used as intended. Nothing in this SDS is intended to be a representation or warranty by the manufacturer with regard to accuracy, safety, usefulness, technical information, materials, techniques, or practices. This product is sold "AS IS" and nothing in this SDS should be deemed to be a representation or warranty of any injury, loss, or damage of any kind sustained by, or arise from, the use of this product.