











SPECIALTY HERBICIDE

Gallery® specialty herbicide prevents the emergence of broadleaf weeds in landscapes, ornamentals and turf, alleviating professionals from having to use postemergent herbicide applications during the season.

Gallery provides superior preemergent broadleaf weed control with best-in-class ornamental and turf safety. It works around the clock for up four to eight months to keep landscapes and container- and field-grown nursery ornamentals weed-free. Gallery has been tested on hundreds of ornamental plants and grasses and has been proven to offer exceptional plant tolerance.



How Gallery® specialty herbicide Works

1 GALLERY **Disrupts**WEED SEED GERMINATION



33 ACTIVATE WITH AT LEAST ½ INCH RAINFALL OR IRRIGATION

Gallery bonds tightly with soil particles and is low in water solubility, so it won't move out of the application zone.

2 SEEDLINGS Die Before BREAKING SOIL SURFACE



95 SPECIES of BROADLEAF WEEDS

lb. ai./Acre of Gallery® Specialty Herbicide

WHITE CLOVER CHICKWEED 0.5 lb. ai./A BITTERCRESS OXALIS 0.75 lb. ai./A

SPURGE 1.0 lb. ai./A



714
field-grown

562 containergrown

Also labeled on ground covers, non-bearing fruit and nut crops, non-bearing vineyards and non-cropland areas and cool- and warm-season turfgrasses.

Tank-mixing

Gallery may be tank-mixed with Dimension® specialty herbicide and applied to landscape, and container- and field-grown ornamentals. This one-two punch will provide preemergence control of a broad spectrum of both annual grass and broadleaf weeds. This combination also may be applied to warm-season turfgrass for weed control.

Tank-mix Gallery with many other labeled herbicides, fungicides and insecticides to expand pest control efforts in turf and ornamentals, or tank-mix with a labeled post-emergence herbicide to knock out existing weeds while preventing future ones.

In addition, Gallery is available on a number of leading fertilizers to provide broadleaf weed prevention and fertilizer in one convenient application.

Technology

Gallery contains the unique chemical isoxaben. Isoxaben provides excellent plant tolerance and long-lasting, broadspectrum broadleaf weed control. It bonds tightly with soil particles and has a low water solubility, so it won't move out of the weed germination zone.

Studies show that Gallery is stable on the soil surface and stays put, even in heavy rainfall.

How to Apply

Gallery should be applied prior to emergence of target weeds. A fall application of Gallery will prevent winter-, fall- and many of the spring-germinating weeds. In fact, in Northern states, one application may provide year round control of broadleaf weeds. Southern climates may need a second application.

When applying Gallery, use a properly calibrated lowpressure herbicide sprayer that provides uniform spray distribution. Nozzle screens should be no finer than 50 mesh. Gallery should be applied at the labeled rate of 0.66 to 1.33 pounds per acre along with 10 gallons or more of water carrier per acre.

Application Precautions

- Eliminate existing weeds with a post-emergence herbicide or by hand cultivation. Gallery doesn't control established weeds.
- Remove or thoroughly mix into the soil any weed residues, prunings and debris prior to treatment. Soil in nonturfgrass areas should be in good condition and free of clods at the time of application.

Additional Information

Contact the Customer Information Center at Dow AgroSciences via email (info@dow.com), fax (800.905.7326) or phone (800.255.3726) for more information. Or contact your Dow AgroSciences sales representative.

Gallery® DF to Gallery SC Specialty Herbicide Conversion Chart				
Active Ingredient Rate	Gallery DF Rate	Gallery SC Rate	Gallery SC Rate	Gallery SC Rate
lb. ai./Acre	lbs./Acre	fl. oz./Acre	fl. oz./1,000 sq. ft.	mls./1,000 sq. ft.
0.5	0.66	16	0.3	10
0.75	1	23	0.5	16
1	1.33	31	0.7	21

DowProvesIt.com



Solutions for the Growing World

