


Bollard Photometric Sheet

CorTen Steel Area Light Estate Series Bollards

Photometrics: 6x6x13" Nightscaping Light Bollard





2W G4 LED

- 2W LED Lumen Output: 150lm
- Operating Range: 8-24VAC
- CRI: 84
- Kelvin Temp Tested: 2700K



3.5W G4 LED

- 3.5W LED Lumen Output: 280lm
- Operating Range: 8-24VAC
- CRI: 85
- Kelvin Temp Tested: 2700K






Bollard Photometric Sheet

CorTen Steel Area Light Estate Series Bollards

Photometrics: 6x6x21" Nightscaping Light Bollard





2W G4 LED

- 2W LED Lumen Output: 150lm
- Operating Range: 8-24VAC
- CRI: 84
- Kelvin Temp Tested: 2700K



3.5W G4 LED

- 3.5W LED Lumen Output: 280lm
- Operating Range: 8-24VAC
- CRI: 85
- Kelvin Temp Tested: 2700K






Bollard Photometric Sheet

CorTen Steel Area Light Estate Series Bollards

Photometrics: 6x6x32" Nightscaping Light Bollard





3.5W G4 LED

- 3.5W LED Lumen Output: 280lm
- Operating Range: 8-24VAC
- CRI: 85
- Kelvin Temp Tested: 2700K



7W G4 LED

- 7W LED Lumen Output: 440lm
- Operating Range: 8-24VAC
- CRI: 84
- Kelvin Temp Tested: 2700K









CorTen Steel Area Light Estate Series Bollards

Photometrics: 6x6x42" Nightscaping Light Bollard












CorTen Steel Area Light Estate Series Bollards

Photometrics: 6x6x80" Nightscaping Light Bollard



Results using 7W G4 LED

47.19 lumens @ 1ft

32.99 lumens @ 2ft

24.12 lumens @ 3ft

19.91 lumens @ 4ft

16.82 lumens @ 5ft

15.38 lumens @ 6ft

11.01 lumens @ 7ft



7W LED Lumen Output: 440lm Operating Range: 8-24VAC

CRI: 84

Kelvin Temp Tested: 2700K

