

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



POSTERITY XT

| | | | |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 06/21/2023 |
| 2.3 | 12/20/2024 | S00059522236 | Date of first issue: 02/27/2020 |

SECTION 1. IDENTIFICATION

Product name : POSTERITY XT
Design code : A22070C

Product Registration number : 100-1654

Manufacturer or supplier's details

Company name of supplier : Syngenta Crop Protection, LLC
Address : Post Office Box 18300
Greensboro NC 27419
United States of America (USA)

Telephone : 1 800 334 9481
Telefax : 1 336 632 2192

E-mail address : sds.requests@syngenta.com
Emergency telephone : 1 800 888 8372

Recommended use of the chemical and restrictions on use

Recommended use : Fungicide

Restrictions on use : General Use Pesticide

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute toxicity (Oral) : Category 4
Acute toxicity (Inhalation) : Category 4
Eye irritation : Category 2A
Skin sensitization : Category 1
Reproductive toxicity : Category 2
Specific target organ toxicity : Category 2 (Bile duct)
- repeated exposure

GHS label elements

Hazard pictograms :



Signal Word : Warning

Hazard Statements : H302 + H332 Harmful if swallowed or if inhaled.

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



POSTERITY XT

| | | | |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 06/21/2023 |
| 2.3 | 12/20/2024 | S00059522236 | Date of first issue: 02/27/2020 |

H317 May cause an allergic skin reaction.
H319 Causes serious eye irritation.
H361d Suspected of damaging the unborn child.
H373 May cause damage to organs (Bile duct) through prolonged or repeated exposure.

Precautionary Statements

Prevention:

P201 Obtain special instructions before use.
P202 Do not handle until all safety precautions have been read and understood.
P260 Do not breathe mist or vapors.
P264 Wash skin thoroughly after handling.
P270 Do not eat, drink or smoke when using this product.
P271 Use only outdoors or in a well-ventilated area.
P272 Contaminated work clothing must not be allowed out of the workplace.
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

Response:

P301 + P312 + P330 IF SWALLOWED: Call a POISON CENTER/ doctor if you feel unwell. Rinse mouth.
P302 + P352 IF ON SKIN: Wash with plenty of soap and water.
P304 + P340 + P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/ doctor if you feel unwell.
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P308 + P313 IF exposed or concerned: Get medical advice/ attention.
P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.
P337 + P313 If eye irritation persists: Get medical advice/ attention.
P363 Wash contaminated clothing before reuse.

Storage:

P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

| Chemical name | CAS-No. | Concentration (% w/w) |
|---------------|----------|-----------------------|
| octan-1-ol | 111-87-5 | >= 10 - < 20 |

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



POSTERITY XT

Version 2.3 Revision Date: 12/20/2024 SDS Number: S00059522236 Date of last issue: 06/21/2023
Date of first issue: 02/27/2020

| | | |
|--|--------------|-----------------------|
| propiconazole | 60207-90-1 | 10.2891 |
| mixture of octanoic acid- decanoic acid- N,N-dimethylamide | Not Assigned | $\geq 5 - < 10$ |
| Azoxystrobin | 131860-33-8 | 6.1673 |
| propane-1,2-diol | 57-55-6 | $\geq 5 - < 10$ |
| pydiflumetofen | 1228284-64-7 | 1.033 |
| 5-chloro-2-methyl-1,2-thiazol-3-one; 2-methyl-1,2-thiazol-3-one | 55965-84-9 | $\geq 0.0015 - < 0.1$ |

Actual concentration is withheld as a trade secret

SECTION 4. FIRST AID MEASURES

| | |
|---|---|
| General advice | : Have the product container, label or Safety Data Sheet with you when calling the emergency number, a poison control center or physician, or going for treatment. |
| If inhaled | : Take the victim into fresh air. If breathing is irregular or stopped, administer artificial respiration. Keep patient warm and at rest. Call a physician or poison control center immediately. |
| In case of skin contact | : Take off all contaminated clothing immediately. Wash off immediately with plenty of water. If skin irritation persists, call a physician. Wash contaminated clothing before re-use. |
| In case of eye contact | : Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses. Immediate medical attention is required. |
| If swallowed | : If swallowed, seek medical advice immediately and show this container or label. Do NOT induce vomiting. |
| Most important symptoms and effects, both acute and delayed | : Nonspecific No symptoms known or expected. Harmful if swallowed or if inhaled. May cause an allergic skin reaction. Causes serious eye irritation. Suspected of damaging the unborn child. May cause damage to organs through prolonged or repeated exposure. |
| Notes to physician | : There is no specific antidote available. Treat symptomatically. |

SECTION 5. FIRE-FIGHTING MEASURES

| | |
|--------------------------------|---|
| Suitable extinguishing media | : Extinguishing media - small fires Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide. Extinguishing media - large fires Alcohol-resistant foam or Water spray |
| Unsuitable extinguishing media | : Do not use a solid water stream as it may scatter and spread fire. |

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



POSTERITY XT

| | | | |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 06/21/2023 |
| 2.3 | 12/20/2024 | S00059522236 | Date of first issue: 02/27/2020 |

- | | | |
|--|---|---|
| Specific hazards during fire fighting | : | As the product contains combustible organic ingredients, fire will produce dense black smoke containing hazardous products of combustion (see section 10). Exposure to decomposition products may be a hazard to health. |
| Hazardous combustion products | : | Carbon oxides Nitrogen oxides (NO _x) Chlorine compounds Fluorine compounds |
| Further information | : | Do not allow run-off from fire fighting to enter drains or water courses. Cool closed containers exposed to fire with water spray. |
| Special protective equipment for fire-fighters | : | Wear full protective clothing and self-contained breathing apparatus. |

SECTION 6. ACCIDENTAL RELEASE MEASURES

- | | | |
|---|---|---|
| Personal precautions, protective equipment and emergency procedures | : | Refer to protective measures listed in sections 7 and 8. |
| Environmental precautions | : | Prevent further leakage or spillage if safe to do so. Do not flush into surface water or sanitary sewer system. If the product contaminates rivers and lakes or drains inform respective authorities. |
| Methods and materials for containment and cleaning up | : | Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Clean contaminated surface thoroughly. Clean with detergents. Avoid solvents. Retain and dispose of contaminated wash water. |

SECTION 7. HANDLING AND STORAGE

- | | | |
|-----------------------------|---|---|
| Advice on safe handling | : | No special protective measures against fire required. Avoid contact with skin and eyes. When using do not eat, drink or smoke. For personal protection see section 8. |
| Conditions for safe storage | : | No special storage conditions required. Keep containers tightly closed in a dry, cool and well-ventilated place. Keep out of the reach of children. Keep away from food, drink and animal feedingstuffs. |

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



POSTERITY XT

Version 2.3 Revision Date: 12/20/2024 SDS Number: S00059522236 Date of last issue: 06/21/2023
Date of first issue: 02/27/2020

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

| Components | CAS-No. | Value type (Form of exposure) | Control parameters / Permissible concentration | Basis |
|------------------|--------------|----------------------------------|--|----------|
| octan-1-ol | 111-87-5 | TWA | 50 ppm | US WEEL |
| propiconazole | 60207-90-1 | TWA | 5 mg/m3 | Syngenta |
| Azoxystrobin | 131860-33-8 | TWA | 0.7 mg/m3 | Syngenta |
| propane-1,2-diol | 57-55-6 | TWA | 10 mg/m3 | US WEEL |
| pydiflumetofen | 1228284-64-7 | TWA | 5 mg/m3 | Syngenta |

Engineering measures : THE FOLLOWING RECOMMENDATIONS FOR EXPOSURE CONTROLS/PERSONAL PROTECTION ARE INTENDED FOR THE MANUFACTURE, FORMULATION AND PACKAGING OF THE PRODUCT. FOR COMMERCIAL APPLICATIONS AND/OR ON-FARM APPLICATIONS CONSULT THE PRODUCT LABEL.

Containment and/or segregation is the most reliable technical protection measure if exposure cannot be eliminated. The extent of these protection measures depends on the actual risks in use. Maintain air concentrations below occupational exposure standards. Where necessary, seek additional occupational hygiene advice.

Personal protective equipment

Respiratory protection : Where concentrations are above recommended limits or are unknown, appropriate respiratory protection should be worn. Follow OSHA respirator regulations (29 CFR 1910.134) and use NIOSH/MSHA approved respirators. Protection provided by air purifying respirators against exposure to any hazardous chemical is limited. Use a positive pressure air supplied respirator if there is any potential for uncontrolled release, exposure levels are unknown, or any other circumstance where air purifying respirators may not provide adequate protection.

Hand protection

Remarks : Wear protective gloves. The choice of an appropriate glove does not only depend on its material but also on other quality features and is different from one producer to the other. Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time. The breakthrough time depends amongst other things from the material, the thickness and the type of glove and therefore has to be measured for each case. Gloves should be discarded and replaced if there is any indication of

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



POSTERITY XT

| | | | |
|----------------|------------------------------|-----------------------------|---|
| Version 2.3 | Revision Date: 12/20/2024 | SDS Number: S00059522236 | Date of last issue: 06/21/2023 Date of first issue: 02/27/2020 |
|----------------|------------------------------|-----------------------------|---|

| | |
|--------------------------|---|
| Eye protection | : degradation or chemical breakthrough. : Tightly fitting safety goggles Always wear eye protection when the potential for inadvertent eye contact with the product cannot be excluded. |
| Skin and body protection | : Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place. Remove and wash contaminated clothing before re-use. Wear as appropriate: Impervious clothing |
| Protective measures | : The use of technical measures should always have priority over the use of personal protective equipment. When selecting personal protective equipment, seek appropriate professional advice. |

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

| | |
|--|---|
| Appearance | : liquid |
| Color | : beige |
| Odor | : No data available |
| Odor Threshold | : No data available |
| pH | : 5 - 9 Concentration: 1 %w/v |
| Melting point/freezing point | : No data available |
| Initial boiling point and boiling range | : No data available |
| Flash point | : Method: Pensky-Martens closed cup does not flash |
| Evaporation rate | : No data available |
| Flammability (solid, gas) | : No data available |
| Upper explosion limit / Upper flammability limit | : No data available |
| Lower explosion limit / Lower flammability limit | : No data available |
| Vapor pressure | : No data available |
| Relative vapor density | : No data available |
| Density | : 0.99 - 1.03 g/cm ³ (68 °F / 20 °C) |
| Solubility(ies) Water solubility | : No data available |

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



POSTERITY XT

| | | | |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 06/21/2023 |
| 2.3 | 12/20/2024 | S00059522236 | Date of first issue: 02/27/2020 |

Solubility in other solvents : No data available

Partition coefficient: n-octanol/water : No data available

Autoignition temperature : 806 °F / 430 °C

Decomposition temperature : No data available

Viscosity

Viscosity, kinematic : No data available

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Particle characteristics

Particle size : No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity : None reasonably foreseeable.

Chemical stability : Stable under normal conditions.

Possibility of hazardous reactions : No dangerous reaction known under conditions of normal use.

Conditions to avoid : No decomposition if used as directed.

Incompatible materials : None known.

Hazardous decomposition products : No hazardous decomposition products are known.

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Ingestion

Inhalation

Skin contact

Eye contact

Acute toxicity

Harmful if swallowed or if inhaled.

Product:

Acute oral toxicity : LD50 (Rat, female): 1,098 mg/kg

Acute inhalation toxicity : LC50 (Rat, female): > 0.57 - < 2.08 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Assessment: The component/mixture is moderately toxic after short term inhalation., The substance/mixture is not toxic on inhalation as defined by dangerous goods regulations.

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



POSTERITY XT

| | | | |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 06/21/2023 |
| 2.3 | 12/20/2024 | S00059522236 | Date of first issue: 02/27/2020 |

Components:

octan-1-ol:

| | | |
|---------------------------|---|---|
| Acute oral toxicity | : | LD50 (Rat): > 5,000 mg/kg |
| Acute inhalation toxicity | : | LC50 (Rat): > 5.6 mg/l Exposure time: 4 h Test atmosphere: dust/mist Assessment: The substance or mixture has no acute inhalation toxicity |
| Acute dermal toxicity | : | LD50 (Rabbit): > 2,000 mg/kg Assessment: The substance or mixture has no acute dermal toxicity |

propiconazole:

| | | |
|---------------------------|---|--|
| Acute oral toxicity | : | LD50 (Rat, female): 550 mg/kg |
| Acute inhalation toxicity | : | LC50 (Rat, male and female): > 5.8 mg/l Exposure time: 4 h Test atmosphere: dust/mist Assessment: The substance or mixture has no acute inhalation toxicity |
| Acute dermal toxicity | : | LD50 (Rat, male and female): > 5,000 mg/kg |

Azoxystrobin:

| | | |
|---------------------------|---|---|
| Acute oral toxicity | : | LD50 (Rat, male and female): > 5,000 mg/kg |
| Acute inhalation toxicity | : | LC50 (Rat, female): 0.698 mg/l Exposure time: 4 h Test atmosphere: dust/mist |
| Acute dermal toxicity | : | LD50 (Rat, male and female): > 2,000 mg/kg Assessment: The substance or mixture has no acute dermal toxicity |

propane-1,2-diol:

| | | |
|---------------------------|---|---|
| Acute oral toxicity | : | LD50 (Rat): > 20,000 mg/kg Assessment: The substance or mixture has no acute oral toxicity |
| Acute inhalation toxicity | : | LC50 (Rabbit): 317,042 mg/l Exposure time: 2 h Test atmosphere: dust/mist |
| Acute dermal toxicity | : | LD50 (Rabbit): > 2,000 mg/kg Assessment: The substance or mixture has no acute dermal toxicity |

pydiflumetofen:

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



POSTERITY XT

| | | | |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 06/21/2023 |
| 2.3 | 12/20/2024 | S00059522236 | Date of first issue: 02/27/2020 |

Acute oral toxicity : LD50 (Rat, male and female): > 5,000 mg/kg

Acute inhalation toxicity : LC50 (Rat, male and female): > 5.11 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Assessment: The component/mixture is minimally toxic after short term inhalation.

Acute dermal toxicity : LD50 (Rat, male and female): > 5,000 mg/kg

5-chloro-2-methyl-1,2-thiazol-3-one; 2-methyl-1,2-thiazol-3-one:

Acute oral toxicity : LD50 (Rat): 64 mg/kg

Acute inhalation toxicity : LC50 (Rat, male and female): 0.171 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Assessment: Corrosive to the respiratory tract.

Acute dermal toxicity : LD50 (Rabbit): 92.4 mg/kg

Skin corrosion/irritation

Based on available data, the classification criteria are not met.

Product:

Species : Rabbit
Result : Mild skin irritation

Components:

octan-1-ol:

Species : Rabbit
Result : No skin irritation

propiconazole:

Species : Rabbit
Result : No skin irritation

mixture of octanoic acid- decanoic acid- N,N-dimethylamide:

Species : Rabbit
Result : Irritating to skin.
Remarks : Based on data from similar materials

Azoxystrobin:

Species : Rabbit
Result : No skin irritation

propane-1,2-diol:

Result : No skin irritation

pydiflumetofen:

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



POSTERITY XT

| | | | |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 06/21/2023 |
| 2.3 | 12/20/2024 | S00059522236 | Date of first issue: 02/27/2020 |

Species : Rabbit
Result : No skin irritation

5-chloro-2-methyl-1,2-thiazol-3-one; 2-methyl-1,2-thiazol-3-one:

Species : Rabbit
Result : Corrosive after 1 to 4 hours of exposure

Serious eye damage/eye irritation

Causes serious eye irritation.

Product:

Species : Rabbit
Result : Eye irritation

Components:

octan-1-ol:

Species : Rabbit
Result : Irritation to eyes, reversing within 21 days

propiconazole:

Species : Rabbit
Result : No eye irritation

mixture of octanoic acid- decanoic acid- N,N-dimethylamide:

Species : Rabbit
Result : Risk of serious damage to eyes.
Remarks : Based on data from similar materials

Azoxystrobin:

Species : Rabbit
Result : No eye irritation

propane-1,2-diol:

Result : No eye irritation

pydiflumetofen:

Species : Rabbit
Result : No eye irritation

5-chloro-2-methyl-1,2-thiazol-3-one; 2-methyl-1,2-thiazol-3-one:

Species : Rabbit
Result : Risk of serious damage to eyes.

Respiratory or skin sensitization

Skin sensitization

May cause an allergic skin reaction.

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



POSTERITY XT

| | | | |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 06/21/2023 |
| 2.3 | 12/20/2024 | S00059522236 | Date of first issue: 02/27/2020 |

Respiratory sensitization

Not classified due to lack of data.

Product:

| | | |
|-----------|---|------------------------------------|
| Test Type | : | Local lymph node assay (LLNA) |
| Species | : | Mouse |
| Result | : | Does not cause skin sensitization. |

| | | |
|---------|---|---|
| Species | : | Humans |
| Result | : | Probability or evidence of skin sensitization in humans |

Components:

octan-1-ol:

| | | |
|---------|---|------------------------------------|
| Species | : | Guinea pig |
| Result | : | Does not cause skin sensitization. |

propiconazole:

| | | |
|---------|---|--|
| Species | : | Guinea pig |
| Result | : | The product is a skin sensitizer, sub-category 1B. |

Azoxystrobin:

| | | |
|---------|---|------------------------------------|
| Species | : | Guinea pig |
| Result | : | Does not cause skin sensitization. |

propane-1,2-diol:

| | | |
|--------|---|------------------------------------|
| Result | : | Does not cause skin sensitization. |
|--------|---|------------------------------------|

pydiflumetofen:

| | | |
|-----------|---|------------------------------------|
| Test Type | : | mouse lymphoma cells |
| Species | : | Mouse |
| Result | : | Does not cause skin sensitization. |

5-chloro-2-methyl-1,2-thiazol-3-one; 2-methyl-1,2-thiazol-3-one:

| | | |
|---------|---|--|
| Species | : | Guinea pig |
| Result | : | The product is a skin sensitizer, sub-category 1A. |

Germ cell mutagenicity

Not classified due to lack of data.

Components:

octan-1-ol:

| | | |
|-------------------------------------|---|--|
| Germ cell mutagenicity - Assessment | : | Animal testing did not show any mutagenic effects. |
|-------------------------------------|---|--|

propiconazole:

| | | |
|-------------------------------------|---|--|
| Germ cell mutagenicity - Assessment | : | Animal testing did not show any mutagenic effects. |
|-------------------------------------|---|--|

Azoxystrobin:

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



POSTERITY XT

| | | | |
|----------------|------------------------------|-----------------------------|---|
| Version 2.3 | Revision Date: 12/20/2024 | SDS Number: S00059522236 | Date of last issue: 06/21/2023 Date of first issue: 02/27/2020 |
|----------------|------------------------------|-----------------------------|---|

Germ cell mutagenicity - Assessment : Animal testing did not show any mutagenic effects.

propane-1,2-diol:

Germ cell mutagenicity - Assessment : Animal testing did not show any mutagenic effects.

pydiflumetofen:

Germ cell mutagenicity - Assessment : Animal testing did not show any mutagenic effects.

5-chloro-2-methyl-1,2-thiazol-3-one; 2-methyl-1,2-thiazol-3-one:

Germ cell mutagenicity - Assessment : Animal testing did not show any mutagenic effects.

Carcinogenicity

Not classified due to lack of data.

Components:

octan-1-ol:

Carcinogenicity - Assessment : No evidence of carcinogenicity in animal studies.

propiconazole:

Carcinogenicity - Assessment : Weight of evidence does not support classification as a carcinogen

Azoxystrobin:

Carcinogenicity - Assessment : No evidence of carcinogenicity in animal studies.

propane-1,2-diol:

Carcinogenicity - Assessment : No evidence of carcinogenicity in animal studies.

pydiflumetofen:

Carcinogenicity - Assessment : Weight of evidence does not support classification as a carcinogen

5-chloro-2-methyl-1,2-thiazol-3-one; 2-methyl-1,2-thiazol-3-one:

Carcinogenicity - Assessment : No evidence of carcinogenicity in animal studies.

IARC No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

OSHA No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

NTP No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

Reproductive toxicity

Suspected of damaging the unborn child.

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



POSTERITY XT

| | | | |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: |
| 2.3 | 12/20/2024 | S00059522236 | 06/21/2023 |
| | | | Date of first issue: 02/27/2020 |

Components:

octan-1-ol:

Reproductive toxicity - Assessment : No toxicity to reproduction, No effects on or via lactation

propiconazole:

Reproductive toxicity - Assessment : Some evidence of adverse effects on development, based on animal experiments.

Azoxystrobin:

Reproductive toxicity - Assessment : No toxicity to reproduction, No effects on or via lactation

propane-1,2-diol:

Reproductive toxicity - Assessment : No toxicity to reproduction, No effects on or via lactation
Animal testing did not show any effects on fetal development.

pydiflumetofen:

Reproductive toxicity - Assessment : No toxicity to reproduction, No effects on or via lactation

5-chloro-2-methyl-1,2-thiazol-3-one; 2-methyl-1,2-thiazol-3-one:

Reproductive toxicity - Assessment : Weight of evidence does not support classification for reproductive toxicity, No effects on or via lactation

STOT-single exposure

Not classified due to lack of data.

Components:

octan-1-ol:

Assessment : The substance or mixture is not classified as specific target organ toxicant, single exposure.

propiconazole:

Assessment : The substance or mixture is not classified as specific target organ toxicant, single exposure.

mixture of octanoic acid- decanoic acid- N,N-dimethylamide:

Assessment : The substance or mixture is classified as specific target organ toxicant, single exposure, category 3 with respiratory tract irritation.

propane-1,2-diol:

Assessment : The substance or mixture is not classified as specific target organ toxicant, single exposure.

pydiflumetofen:

Assessment : The substance or mixture is not classified as specific target organ toxicant, single exposure.

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



POSTERITY XT

| | | | |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: |
| 2.3 | 12/20/2024 | S00059522236 | 06/21/2023 |
| | | | Date of first issue: 02/27/2020 |

5-chloro-2-methyl-1,2-thiazol-3-one; 2-methyl-1,2-thiazol-3-one:

Assessment : The substance or mixture is not classified as specific target organ toxicant, single exposure.

STOT-repeated exposure

May cause damage to organs (Bile duct) through prolonged or repeated exposure.

Components:

octan-1-ol:

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

propiconazole:

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Azoxystrobin:

Target Organs : Bile duct
Assessment : The substance or mixture is classified as specific target organ toxicant, repeated exposure, category 2.

propane-1,2-diol:

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

pydiflumetofen:

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

5-chloro-2-methyl-1,2-thiazol-3-one; 2-methyl-1,2-thiazol-3-one:

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Aspiration toxicity

Not classified due to lack of data.

Components:

propane-1,2-diol:

No aspiration toxicity classification

5-chloro-2-methyl-1,2-thiazol-3-one; 2-methyl-1,2-thiazol-3-one:

No aspiration toxicity classification

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



POSTERITY XT

| | | | |
|----------------|------------------------------|-----------------------------|---|
| Version 2.3 | Revision Date: 12/20/2024 | SDS Number: S00059522236 | Date of last issue: 06/21/2023 Date of first issue: 02/27/2020 |
|----------------|------------------------------|-----------------------------|---|

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

octan-1-ol:

| | | |
|--|---|--|
| Toxicity to fish | : | LC50 (Pimephales promelas (fathead minnow)): 13.3 mg/l Exposure time: 96 h |
| Toxicity to daphnia and other aquatic invertebrates | : | EC50 (Daphnia magna (Water flea)): 20 mg/l Exposure time: 48 h |
| Toxicity to algae/aquatic plants | : | ErC50 (Raphidocelis subcapitata (freshwater green alga)): 14 mg/l Exposure time: 96 h |
| Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) | : | NOEC (Daphnia magna (Water flea)): 1 mg/l Exposure time: 21 d |

propiconazole:

| | | |
|--|---|--|
| Toxicity to fish | : | LC50 (Oncorhynchus mykiss (rainbow trout)): 4.3 mg/l Exposure time: 96 h |
| Toxicity to daphnia and other aquatic invertebrates | : | EC50 (Americamysis): 0.51 mg/l Exposure time: 96 h |
| Toxicity to algae/aquatic plants | : | ErC50 (Raphidocelis subcapitata (freshwater green alga)): 8.9 mg/l Exposure time: 96 h EC10 (Raphidocelis subcapitata (freshwater green alga)): 0.96 mg/l End point: Growth rate Exposure time: 72 h |
| Toxicity to fish (Chronic toxicity) | : | NOEC (Cyprinodon variegatus (sheepshead minnow)): 0.068 mg/l Exposure time: 95 d |
| Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) | : | NOEC (Americamysis): 0.11 mg/l Exposure time: 28 d |
| Toxicity to microorganisms | : | EC50 (activated sludge): > 100 mg/l Exposure time: 3 h |

mixture of octanoic acid- decanoic acid- N,N-dimethylamide:

| | | |
|---|---|--|
| Toxicity to fish | : | LC50 (Danio rerio (zebra fish)): 14.8 mg/l Exposure time: 96 h Remarks: Based on data from similar materials |
| Toxicity to daphnia and other aquatic invertebrates | : | EC50 (Daphnia magna (Water flea)): 7.7 mg/l Exposure time: 48 h |

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



POSTERITY XT

| | | | |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 06/21/2023 |
| 2.3 | 12/20/2024 | S00059522236 | Date of first issue: 02/27/2020 |

Remarks: Based on data from similar materials

Toxicity to algae/aquatic plants : ErC50 (Raphidocelis subcapitata (freshwater green alga)): 16.06 mg/l
Exposure time: 72 h
Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : EC10 (Daphnia magna (Water flea)): 1.3 mg/l
Exposure time: 21 d
Remarks: Based on data from similar materials

Azoxystrobin:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 0.47 mg/l
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 0.28 mg/l
Exposure time: 48 h

EC50 (Americamysis): 0.055 mg/l
Exposure time: 96 h

Toxicity to algae/aquatic plants : ErC50 (Raphidocelis subcapitata (freshwater green alga)): 1.109 mg/l
Exposure time: 72 h

EC10 (Raphidocelis subcapitata (freshwater green alga)): 0.0303 mg/l
End point: Growth rate
Exposure time: 72 h

ErC50 (Skeletonema costatum (marine diatom)): 0.250 mg/l
Exposure time: 72 h

NOEC (Skeletonema costatum (marine diatom)): 0.010 mg/l
End point: Growth rate
Exposure time: 72 h

Toxicity to fish (Chronic toxicity) : NOEC (Oncorhynchus mykiss (rainbow trout)): 0.16 mg/l
Exposure time: 28 d

EC10 (Pimephales promelas (fathead minnow)): 0.2197 mg/l
Exposure time: 33 d

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 0.044 mg/l
Exposure time: 21 d

NOEC (Americamysis): 0.00954 mg/l
Exposure time: 28 d

Toxicity to microorganisms : IC50 (Pseudomonas putida): > 3.2 mg/l
Exposure time: 6 h

propane-1,2-diol:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 40,613 mg/l

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



POSTERITY XT

| | | | |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 06/21/2023 |
| 2.3 | 12/20/2024 | S00059522236 | Date of first issue: 02/27/2020 |

Exposure time: 96 h

Test Type: static test

Toxicity to daphnia and other aquatic invertebrates : (Ceriodaphnia dubia (water flea)): 18,340 mg/l
Exposure time: 48 h
Test Type: static test

Toxicity to algae/aquatic plants : ErC50 (Raphidocelis subcapitata (freshwater green alga)): 19,000 mg/l
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Ceriodaphnia dubia (Water flea)): 13,020 mg/l
Exposure time: 7 d
Test Type: semi-static test

pydiflumetofen:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 0.18 mg/l
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 0.42 mg/l
Exposure time: 48 h

LC50 (Hyalella azteca (Amphipod)): 0.12 mg/l
Exposure time: 48 h

Toxicity to algae/aquatic plants : ErC50 (Raphidocelis subcapitata (freshwater green alga)): > 5.9 mg/l
Exposure time: 72 h

EC10 (Raphidocelis subcapitata (freshwater green alga)): 2.3 mg/l
End point: Growth rate
Exposure time: 72 h

ErC50 (Navicula pelliculosa (Freshwater diatom)): 1.6 mg/l
Exposure time: 72 h

EC10 (Navicula pelliculosa (Freshwater diatom)): 0.97 mg/l
End point: Growth rate
Exposure time: 72 h

Toxicity to fish (Chronic toxicity) : EC10 (Pimephales promelas (fathead minnow)): 0.15 mg/l
Exposure time: 32 d

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 0.042 mg/l
Exposure time: 21 d

5-chloro-2-methyl-1,2-thiazol-3-one; 2-methyl-1,2-thiazol-3-one:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 0.22 mg/l
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia): 0.1 mg/l
Exposure time: 48 h

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



POSTERITY XT

| | | | |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 06/21/2023 |
| 2.3 | 12/20/2024 | S00059522236 | Date of first issue: 02/27/2020 |

Toxicity to algae/aquatic plants : ErC50 (Raphidocelis subcapitata (freshwater green alga)): 0.048 mg/l
Exposure time: 72 h

NOEC (Raphidocelis subcapitata (freshwater green alga)): 0.0012 mg/l
End point: Growth rate
Exposure time: 72 h

ErC50 (Skeletonema costatum (marine diatom)): 0.0052 mg/l
Exposure time: 48 h

NOEC (Skeletonema costatum (marine diatom)): 0.00064 mg/l
End point: Growth rate
Exposure time: 48 h

Toxicity to fish (Chronic toxicity) : NOEC (Oncorhynchus mykiss (rainbow trout)): 0.098 mg/l
Exposure time: 28 d

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia): 0.004 mg/l
Exposure time: 21 d

Persistence and degradability

Components:

octan-1-ol:

Biodegradability : Result: Readily biodegradable.

propiconazole:

Biodegradability : Result: Not readily biodegradable.

mixture of octanoic acid- decanoic acid- N,N-dimethylamide:

Biodegradability : Result: Readily biodegradable.
Remarks: Based on data from similar materials

Azoxystrobin:

Biodegradability : Result: Not readily biodegradable.

Stability in water : Degradation half life: 224 d
Remarks: Persistent in water.

propane-1,2-diol:

Biodegradability : Result: Readily biodegradable.

pydiflumetofen:

Biodegradability : Result: Not readily biodegradable.

Stability in water : Degradation half life: 236 d
Remarks: Persistent in water.

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



POSTERITY XT

| | | | |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 06/21/2023 |
| 2.3 | 12/20/2024 | S00059522236 | Date of first issue: 02/27/2020 |

5-chloro-2-methyl-1,2-thiazol-3-one; 2-methyl-1,2-thiazol-3-one:

Biodegradability : Result: Readily biodegradable.

Bioaccumulative potential

Components:

propiconazole:

Bioaccumulation : Remarks: Medium bioaccumulation potential.

Partition coefficient: n-octanol/water : log Pow: 3.72 (77 °F / 25 °C)

Azoxystrobin:

Bioaccumulation : Remarks: Does not bioaccumulate.

pydiflumetofen:

Bioaccumulation : Remarks: Does not bioaccumulate.

Partition coefficient: n-octanol/water : log Pow: 3.8 (77 °F / 25 °C)

Mobility in soil

Components:

propiconazole:

Distribution among environmental compartments : Remarks: Low mobility in soil.

Stability in soil : Dissipation time: 66 - 170 d
Percentage dissipation: 50 % (DT50)
Remarks: Product is not persistent.

Azoxystrobin:

Distribution among environmental compartments : Remarks: Low mobility in soil.

Stability in soil : Dissipation time: 81.3 d
Percentage dissipation: 50 % (DT50)
Remarks: Product is not persistent.

pydiflumetofen:

Distribution among environmental compartments : Remarks: Low mobility in soil.

Stability in soil : Dissipation time: 674 d
Percentage dissipation: 50 % (DT50)
Remarks: Persistent in soil.

Other adverse effects

Components:

octan-1-ol:

Results of PBT and vPvB assessment : Substance is not persistent, bioaccumulative, and toxic (PBT).
Substance is not very persistent and very bioaccumulative (vPvB).

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



POSTERITY XT

| | | | |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 06/21/2023 |
| 2.3 | 12/20/2024 | S00059522236 | Date of first issue: 02/27/2020 |

propiconazole:

Results of PBT and vPvB assessment : Substance is not persistent, bioaccumulative, and toxic (PBT). Substance is not very persistent and very bioaccumulative (vPvB).

Azoxystrobin:

Results of PBT and vPvB assessment : Substance is not persistent, bioaccumulative, and toxic (PBT). Substance is not very persistent and very bioaccumulative (vPvB).

pydiflumetofen:

Results of PBT and vPvB assessment : Substance is not persistent, bioaccumulative, and toxic (PBT). Substance is not very persistent and very bioaccumulative (vPvB).

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Do not contaminate ponds, waterways or ditches with chemical or used container.
Do not dispose of waste into sewer.
Where possible recycling is preferred to disposal or incineration.
If recycling is not practicable, dispose of in compliance with local regulations.
This product will not be classified as a RCRA characteristic hazardous waste when discarded.

Contaminated packaging : Empty remaining contents.
Triple rinse containers.
Empty containers should be taken to an approved waste handling site for recycling or disposal.
Do not re-use empty containers.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number : UN 3082
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (AZOXYSTROBIN, PROPICONAZOLE)
Class : 9
Packing group : III
Labels : 9
Environmentally hazardous : yes
Remarks : This product can be subject to exemptions when packaged in single or combination packagings containing a net quantity per single or inner packaging of 5 L or less for liquids, or having a net mass of 5 kg or less for solids.

IATA-DGR

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



POSTERITY XT

| | | | |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 06/21/2023 |
| 2.3 | 12/20/2024 | S00059522236 | Date of first issue: 02/27/2020 |

UN/ID No. : UN 3082
Proper shipping name : Environmentally hazardous substance, liquid, n.o.s.
(AZOXYSTROBIN, PROPICONAZOLE)
Class : 9
Packing group : III
Labels : Miscellaneous
Packing instruction (cargo aircraft) : 964
Packing instruction (passenger aircraft) : 964
Environmentally hazardous : yes
Remarks : This product can be subject to exemptions when packaged in single or combination packagings containing a net quantity per single or inner packaging of 5 L or less for liquids, or having a net mass of 5 kg or less for solids.

IMDG-Code

UN number : UN 3082
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
(AZOXYSTROBIN, PROPICONAZOLE)
Class : 9
Packing group : III
Labels : 9
EmS Code : F-A, S-F
Marine pollutant : yes
Remarks : This product can be subject to exemptions when packaged in single or combination packagings containing a net quantity per single or inner packaging of 5 L or less for liquids, or having a net mass of 5 kg or less for solids.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

49 CFR

Not regulated as a dangerous good

Remarks : Shipment by ground under DOT is non-regulated; however it may be shipped per the applicable hazard classification to facilitate multi-modal transport involving ICAO (IATA) or IMO.

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:

Warning

Causes substantial but temporary eye injury.

Do not get in eyes or on clothing.

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



POSTERITY XT

| | | | |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 06/21/2023 |
| 2.3 | 12/20/2024 | S00059522236 | Date of first issue: 02/27/2020 |

Wear appropriate protective eyewear such as goggles
Wear appropriate protective eyewear such as face shield.
Wear appropriate protective eyewear such as safety glasses.
Harmful if absorbed through skin.
Harmful if swallowed.
Harmful if inhaled.
Avoid contact with skin.
Avoid breathing spray mist.
Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet.
Remove and wash contaminated clothing before re-use.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards : Acute toxicity (any route of exposure)
Respiratory or skin sensitization
Reproductive toxicity
Specific target organ toxicity (single or repeated exposure)
Serious eye damage or eye irritation

SARA 313 : The following components are subject to reporting levels established by SARA Title III, Section 313:

| | | |
|---------------|------------|----------------|
| propiconazole | 60207-90-1 | >= 10 - < 20 % |
|---------------|------------|----------------|

SECTION 16. OTHER INFORMATION

Further information

SAFETY DATA SHEET


according to the OSHA Hazard Communication Standard



POSTERITY XT

Version 2.3 Revision Date: 12/20/2024 SDS Number: S00059522236 Date of last issue: 06/21/2023
Date of first issue: 02/27/2020

NFPA 704:



HMIS® IV:

| | | |
|-----------------|---|---|
| HEALTH | * | 2 |
| FLAMMABILITY | | 0 |
| PHYSICAL HAZARD | | 0 |

HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

Full text of other abbreviations

Syngenta : Syngenta Occupational Exposure Limits
US WEEL : USA. Workplace Environmental Exposure Levels (WEEL)
Syngenta / TWA : Time weighted average
US WEEL / TWA : 8-hr TWA

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amend-

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



POSTERITY XT

| | | | |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 06/21/2023 |
| 2.3 | 12/20/2024 | S00059522236 | Date of first issue: 02/27/2020 |

ments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Revision Date : 12/20/2024

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / Z8