


- PRODUCTS
- IRRIGATION PRODUCTS
- ROTORS
- NOZZLES
- NOZZLE OVERVIEW
- MP ROTATOR®
- MP ROTATOR® SR SERIES
- PRECISION DISTRIBUTION CONTROL NOZZLES
- PRO FIXED ARC NOZZLES
- SPECIALTY NOZZLES
- BUBBLERS & BUBBLER NOZZLES
- SPRAY BODIES
- CONTROLLERS
- SENSORS
- REMOTES
- CENTRAL CONTROL
- VALVES
- MICRO IRRIGATION
- ACCESSORIES
- DISCONTINUED MODELS
- GOLF PRODUCTS
- PROFESSIONALS
- RESOURCE GUIDE
- TOOLS AND CALCULATORS
- INNOVATION MEETS CONSERVATION
- NEWSROOM
- GET HUNTER
- HUNTER COMPANY



SPECIALTY NOZZLES

Radius: Variable / Fixed

INNOVATIVE NOZZLE SOLUTIONS FOR NARROW TURF AREAS, PLANTER BOXES, AND SLOPES

LANGUAGE

SHARE

FEATURES

MODELS

SPECS

DOCUMENTS

SHORT RADIUS NOZZLES PERFORMANCE DATA

● Nozzle Lt. Brown						
Arc	Pressure PSI	Positio	Radius ft	Flow GPM	Precip in/hr ■ ▲	
90° ■	20	2Q	2	0.09	8.66	10.00
	25		2	0.10	9.63	11.11
	30		2	0.11	10.59	12.23
	35		2	0.12	11.55	13.34
	40		2	0.14	13.48	15.56
180° ■	20	2H	2	0.12	5.78	6.67
	25		2	0.14	6.74	7.78
	30		2	0.16	7.7	8.89
	35		2	0.18	8.66	10.00
	40		2	0.18	8.66	10.00
● Nozzle Lt. Green						
Arc	Pressure PSI	Position	Radius ft	Flow GPM	Precip in/hr ■ ▲	
90° ■	20	4Q	4	0.20	4.81	5.56
	25		4	0.22	5.29	6.11
	30		4	0.22	5.29	6.11
	35		4	0.24	5.78	6.67
	40		4	0.24	5.78	6.67
180° ■	20	4H	4	0.41	4.93	5.70
	25		4	0.43	5.17	5.97
	30		4	0.44	5.29	6.11

RELATED PRODUCTS



PRO-SPRAY®

	35	4	0.46	5.53	6.39
	40	4	0.46	5.53	6.39

Nozzle Lt. Blue

Arc	Pressure PSI	Position	Radius ft	Flow GPM	Precip in/hr  	
90° 	20	6Q	6	0.47	5.03	5.80
	25		6	0.49	5.24	6.05
	30		6	0.51	5.45	6.30
	35		6	0.52	5.56	6.42
	40		6	0.52	5.56	6.42
180° 	20	6H	6	0.95	5.08	5.87
	25		6	0.97	5.19	5.99
	30		6	0.98	5.24	6.05
	35		6	0.99	5.29	6.11
	40		6	1.00	5.35	6.17

STRIP PATTERN NOZZLES PERFORMANCE DATA

Arc	Pressure PSI	Width x Length	Flow GPM
LCS-515  Left Corner Strip	20	4 X 14	0.55
	25	5 X 15	0.60
	30	5 X 15	0.65
	35	5 X 15	0.70
	40	5 X 15	0.75
RCS-515  Right Corner Strip	20	4 X 14	0.55
	25	5 X 15	0.60
	30	5 X 15	0.65
	35	5 X 15	0.70
	40	5 X 15	0.75
SS-530  Side Strip	20	4 X 28	1.10
	25	5 X 30	1.20
	30	5 X 30	1.30
	35	5 X 30	1.40
	40	5 X 30	1.50
ES-515  End Strip	20	4 X 14	0.55
	25	5 X 15	0.60
	30	5 X 15	0.65
	35	5 X 15	0.70
	40	5 X 15	0.75
CS-530  Center Strip	20	4 X 28	1.10
	25	5 X 30	1.20
	30	5 X 30	1.30
	35	5 X 30	1.40
	40	5 X 30	1.50
SS-918  Side Strip	20	8 X 17	1.45
	25	9 X 18	1.58
	30	9 X 18	1.72
	35	9 X 18	1.88
	40	9 X 18	2.08

Bold = Recommended pressure

MODEL S-8A STREAM SPRAY NOZZLES PERFORMANCE CHART

Arc	Pressure PSI	Radius ft	Flow GPM	Precip in/hr  	
90°	20	7	0.29	2.28	2.63
	25	8	0.32	1.92	2.22

	20	30	0.38	1.95	2.22
	30	8	0.38	2.11	2.43
	35	8	0.41	2.29	2.64
	40	9	0.54	1.95	2.25
180°	20	7	0.54	2.12	2.45
	25	8	0.57	1.71	1.98
	30	8	0.60	1.80	2.08
	35	8	0.63	1.89	2.19
	40	9	0.66	1.57	1.81
360°	20	7	1.08	2.12	2.45
	25	8	1.11	1.67	1.93
	30	8	1.15	1.73	2.00
	35	8	1.18	1.77	2.05
	40	9	1.22	1.45	1.67

Bold = Recommended pressure

MODEL S-16A STREAM SPRAY NOZZLES PERFORMANCE CHART

Arc	Pressure	Radius	Flow	Precip in/hr	
Blue 	PSI	ft	GPM		
90°	20	15	0.4	0.68	0.79
	25	16	0.46	0.69	0.8
	30	16	0.5	0.75	0.87
	35	17	0.54	0.72	0.83
	40	18	0.57	0.68	0.78
180°	20	15	0.67	0.57	0.66
	25	16	0.80	0.6	0.69
	30	16	0.88	0.66	0.76
	35	17	0.97	0.65	0.75
	40	18	1.04	0.62	0.71
360°	20	15	1.19	0.51	0.59
	25	16	1.46	0.55	0.63
	30	16	1.66	0.62	0.72
	35	17	1.82	0.61	0.70
	40	18	1.99	0.59	0.68

Bold = Recommended pressure

Adjustable: 25° to 360° • Recommend use of the PRS30 for optimal pressure of 30 PSI

RESOURCE GUIDE

PRODUCT CATALOG AND PARTS LIST

VIDEO LIBRARY

DOCUMENT LIBRARY

SITE STUDY LIBRARY

ONLINE TRAINING

HUNTER PROMO STORE

TOOLS STORE

SUPPORT LIBRARY

INTERNATIONAL SHIPPING

WARRANTY

CONTACT US

CORPORATE

GREAT IDEAS OPEN INNOVATION

CAREERS

CONSERVATION

SOCIAL RESPONSIBILITY REPORT

NEWSROOM

FXL LIGHTING

HUNTER CUSTOM MANUFACTURING

CALIFORNIA SUPPLY CHAINS ACT