# SAFETY DATA SHEET



#### 1. Identification

Product identifier HYDREXX® Nitrogen Stabilizer

Other means of identification

SDS Number KAS\_Hydrexx\_US\_EN

Synonyms HYDREXX®

Recommended use Fertilizer additive.

Recommended restrictions None known.

Manufacturer / Importer / Supplier / Distributor information

Manufacturer/Supplier Koch Agronomic Services, LLC

4111 E 37th St N Wichita, KS 67220 US kochmsds@kochind.com

1.866.863.5550

**Emergency** For Chemical Emergency

Call CHEMTREC day or night USA/Canada - 1.800.424.9300 Mexico - 1.800.681.9531

Outside USA/Canada - 1.703.527.3887

(collect calls accepted)

## 2. Hazard(s) identification

Physical hazards Not classified.

**Health hazards** Serious eye damage/eye irritation Category 1

Reproductive toxicity Category 1B

OSHA defined hazards Not classified.

Label elements



Signal word Danger

Hazard statement Causes serious eye damage. May damage fertility or the unborn child.

**Precautionary statement** 

**Prevention** Obtain special instructions before use. Do not handle until all safety precautions have been read

and understood. Wear protective gloves/protective clothing/eye protection/face protection.

**Response**If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and

easy to do. Continue rinsing. Immediately call a poison center/doctor. If exposed or concerned:

Get medical advice/attention.

Storage Store locked up.

**Disposal** Dispose of contents/container in accordance with local/regional/national/international regulations.

Hazard(s) not otherwise classified (HNOC)

Not classified.

#### **Supplemental information**

Not applicable.

## 3. Composition/information on ingredients

#### **Mixtures**

| Chemical name                       | CAS number  | %        |
|-------------------------------------|-------------|----------|
| Dicyandiamide                       | 461-58-5    | 60 - 100 |
| Non hazardous component             | Proprietary | 5 - 10   |
| N-(n-butyl)-thiophosphoric triamide | 94317-64-3  | 1 - 5    |

HYDREXX® Nitrogen Stabilizer SDS US

915973 Version #: 01 Revision date: - Issue date: 08-January-2014

N-methyl-2-pyrrolidone 872-50-4 1 - 5

Non hazardous dye Proprietary < 1

#### **Composition comments**

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in

percent by volume.

This Safety Data Sheet is not a guarantee of product specification or NPK value(s). NPK content is on specified sales orders, customer invoices, or product specification sheets obtained from supplier.

#### 4. First-aid measures

**Inhalation** Move person to fresh air. If the affected person is not breathing, apply artificial respiration. Get

medical attention immediately.

**Skin contact** Immediately flush skin with plenty of water. Get medical attention if irritation develops and persists.

Eye contact Immediately flush eyes with plenty of water for at least 15 minutes. Get medical attention

immediately.

**Ingestion** Rinse mouth thoroughly. Drink 1 or 2 glasses of water. Do not induce vomiting without advice from

poison control center. If vomiting occurs, keep head low so that stomach content doesn't get into

the lungs. Get medical attention.

Most important symptoms/effects, acute and

symptoms/effects, acute and delayed

Risk of serious damage to eyes. Skin irritation. Respiratory tract irritation.

Indication of immediate medical attention and special treatment needed

Treat symptomatically. The effects might be delayed.

General information

Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

## 5. Fire-fighting measures

Suitable extinguishing media

Unsuitable extinguishing media

Water fog. Water spray. Carbon dioxide (CO2). Foam.

Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from the chemical

Fire may produce irritating, corrosive and/or toxic gases.

Special protective equipment and precautions for firefighters

Selection of respiratory protection for firefighting: follow the general fire precautions indicated in the workplace. Self-contained breathing apparatus and full protective clothing should be worn

when fighting chemical fires.

Fire-fighting equipment/instructions

Use standard firefighting procedures and consider the hazards of other involved materials. Cool material exposed to heat with water spray and remove it if no risk is involved.

### 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures Avoid inhalation of dust and contact with skin and eyes. Ensure adequate ventilation. Wear suitable protective clothing. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up

Stop the flow of material, if this is without risk. Prevent entry into waterways, sewer, basements or confined areas. Avoid dust formation. Sweep up or vacuum up spillage and collect in suitable container for disposal. If sweeping of a contaminated area is necessary use a dust suppressant agent which does not react with the product. After removal flush contaminated area thoroughly with water.

Never return spills to original containers for re-use.

**Environmental precautions** 

Prevent further leakage or spillage if safe to do so. Do not contaminate water. Do not allow to enter drains, sewers or watercourses.

## 7. Handling and storage

Precautions for safe handling

Avoid generation and spreading of dust. Avoid inhalation of dust and contact with skin and eyes. Use with adequate ventilation. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities

Keep container tightly closed. Store in a cool, dry, well-ventilated place. Long term storage at temperatures above 100°F (36°C) can adversely affect the efficacy of products containing N-(n-butyl)-thiophosphoric triamide. Store away from incompatible materials.

## 8. Exposure controls/personal protection

#### Occupational exposure limits

#### US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

| Components                               | Туре                       | Value          | Form                  |
|--|----------------------------|----------------|-----------------------|
| Dust (CAS -)                             | PEL                        | 5 mg/m3        | Respirable fraction.  |
|  |                            | 15 mg/m3       | Total dust.           |
| US. OSHA Table Z-3 (29 CFR 191           | 0.1000)                    |                |                       |
| Components                               | Туре                       | Value          | Form                  |
| Dust (CAS -)                             | TWA                        | 5 mg/m3        | Respirable fraction.  |
|  |                            | 15 mg/m3       | Total dust.           |
|  |                            | 50 millions of | Total dust.           |
|  |                            | particle       |                       |
|  |                            | 15 millions of | Respirable fraction.  |
|  |                            | particle       |                       |
| US. ACGIH Threshold Limit Value          | es                         |                |                       |
| Components                               | Туре                       | Value          | Form                  |
| Dust (CAS -)                             | TWA                        | 3 mg/m3        | Respirable particles. |
|  |                            | 10 mg/m3       | Inhalable particles.  |
| US. Workplace Environmental Ex           | posure Level (WEEL) Guides |                |                       |
| Components                               | Туре                       | Value          |                       |
| N-methyl-2-pyrrolidone<br>(CAS 872-50-4) | TWA                        | 40 mg/m3       |                       |
|  |                            |                |                       |

#### **Biological limit values**

#### **ACGIH Biological Exposure Indices**

| Components                               | Value    | Determinant                    | Specimen | Sampling Time |  |
|--|----------|--------------------------------|----------|---------------|--|
| N-methyl-2-pyrrolidone<br>(CAS 872-50-4) | 100 mg/l | 5-Hydroxy-N-m<br>et hyl-2-pyrr | Urine    | *             |  |
|  |          | olidone                        |          |               |  |

<sup>\* -</sup> For sampling details, please see the source document.

#### **Exposure guidelines**

## **US WEEL Guides: Skin designation**

N-methyl-2-pyrrolidone (CAS 872-50-4)

Can be absorbed through the skin.

Appropriate engineering

controls

Provide adequate general and local exhaust ventilation. Observe occupational exposure limits and

minimize the risk of inhalation of dust and fumes. Provide eyewash station.

## Individual protection measures, such as personal protective equipment

**Eye/face protection** Chemical goggles are recommended.

Skin protection

considerations

**Hand protection** Risk of contact: Wear protective gloves. Suitable gloves can be recommended by the glove

supplier.

Other Chemical resistant clothing is recommended.

**Respiratory protection** If engineering controls do not maintain airborne concentrations below recommended exposure

limits (where applicable) or to an acceptable level (in countries where exposure limits have not been established), an approved respirator must be worn. Wear air supplied respiratory protection if exposure concentrations are unknown. In case of inadequate ventilation or risk of inhalation of dust, use suitable respiratory equipment with particle filter. In the United States of America, if respirators are used, a program should be instituted to assure compliance with OSHA 29 CFR

1910.134 and ANSI Z88.2.

**Thermal hazards** Wear appropriate thermal protective clothing, when necessary.

General hygiene Always observe good personal hygiene measures, such as washing after handling the material

and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Handle in accordance with good industrial hygiene and safety

practice.

## 9. Physical and chemical properties

**Appearance** Powder or granules.

Physical state Solid.

**Form** Powder or granules.

Color Blue.

Odor Slight ammonia. **Odor threshold** Not available.

рΗ 7.5 - 8.2

Initial boiling point and boiling

Melting point/freezing point

range

Not available. Not available.

Not available. Flash point Not available. **Evaporation rate** Flammability (solid, gas) Not applicable. Upper/lower flammability or explosive limits

Flammability limit - lower

Not Applicable.

Not Applicable.

Flammability limit - upper (%)

Vapor pressure Not available. Vapor density Not available. Not available. Relative density Solubility(ies) Soluble.

Partition coefficient (n-octanol/water)

Not available.

Not available. **Auto-ignition temperature Decomposition temperature** Not available. **Viscosity** Not available.

Other information

29.00 - 34.00 lb/ft3 (20°C) Density

## 10. Stability and reactivity

Reactivity The product is stable and non reactive under normal conditions of use, storage and transport.

**Chemical stability** Stable under normal temperature conditions. Possibility of hazardous Hazardous polymerization does not occur.

reactions

Conditions to avoid Extreme temperatures.

Incompatible materials Acids. Strong reducing agents. Strong oxidizing agents.

Hazardous decomposition

products

Ammonia. Butyl amide. Phosphoric acid. During combustion: Carbon oxides. Nitrogen oxides.

Sulfur oxides.

## 11. Toxicological information

## Information on likely routes of exposure

May cause discomfort if swallowed. Ingestion

Inhalation Dust may irritate respiratory system or lungs. Skin contact May cause irritation through mechanical abrasion.

Eye contact Causes serious eye damage.

Symptoms related to the physical, chemical and toxicological characteristics Symptoms include itching, burning, redness, and tearing of eyes. Dust may irritate skin. Dust may

irritate respiratory system.

Information on toxicological effects

May cause discomfort if swallowed. Acute toxicity

Components **Species Test Results** 

N-(n-butyl)-thiophosphoric triamide (CAS 94317-64-3)

Acute

Dermal

LD50 Rat > 2000 mg/kg

Components Species Test Results

Oral

LD50 Rat > 2823 mg/kg

N-methyl-2-pyrrolidone (CAS 872-50-4)

Acute Dermal

LD50 Rabbit 8000 mg/kg

Inhalation

LC50 Rat > 5.1 mg/l

Oral

LD50 Rat 3914 mg/kg

**Skin corrosion/irritation** May cause irritation through mechanical abrasion.

Serious eye damage/eye

irritation

Causes serious eye damage.

Respiratory sensitizationNo data available.Skin sensitizationNo data available.Germ cell mutagenicityNo data available.

Carcinogenicity This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.

Reproductive toxicity May damage fertility or the unborn child.

Specific target organ toxicity -

single exposure

No data available.

Specific target organ toxicity -

repeated exposure

No data available.

**Aspiration hazard** Not available.

**Chronic effects** Frequent inhalation of dust over a long period of time increases the risk of developing lung

diseases.

**Further information** No other specific acute or chronic health impact noted.

## 12. Ecological information

**Ecotoxicity** The product is not classified as environmentally hazardous. However, this does not exclude the

possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Components Species Test Results

N-(n-butyl)-thiophosphoric triamide (CAS 94317-64-3)

**Aquatic** 

 Crustacea
 EC50
 Daphnia
 290 mg/l, 48 hours

 Fish
 LC50
 Fish
 1140 mg/l, 96 hours

N-methyl-2-pyrrolidone (CAS 872-50-4)

Aquatic

Crustacea EC50 Daphnia magna > 1000 mg/l, 24 hours

Persistence and degradability No data available.

Bioaccumulative potential No data available.

Partition coefficient n-octanol / water (log Kow)

N-methyl-2-pyrrolidone (CAS 872-50-4) -0.54

**Mobility in soil** This product is water soluble and may disperse in soil.

Other adverse effects No data available.

13. Disposal considerations

**Disposal instructions**Do not allow this material to drain into sewers/water supplies. Dispose in accordance with all

applicable regulations.

Hazardous waste code The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused

products

Disposal recommendations are based on material as supplied. Disposal must be in accordance with current applicable laws and regulations, and material characteristics at time of disposal.

Contaminated packaging Since emptied containers may retain product residue, follow label warnings even after container is

emptied.

## 14. Transport information

DOT

Not regulated as a hazardous material by DOT.

**IATA** 

Not regulated as a dangerous good.

**IMDG** 

Not regulated as a dangerous good.

Transport in bulk according to Annex II of MARPOL 73/78 and Not applicable.

the IBC Code

## 15. Regulatory information

**US federal regulations** This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication

Standard, 29 CFR 1910.1200.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

N-(n-butyl)-thiophosphoric triamide (CAS 94317-64-3) 1.0 % One-Time Export Notification only.

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

**CERCLA Hazardous Substance List (40 CFR 302.4)** 

Not listed.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

**Hazard categories** Immediate Hazard - Yes

> Delayed Hazard - Yes Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

**SARA 302 Extremely** 

hazardous substance

SARA 311/312 Hazardous

Yes

chemical

SARA 313 (TRI reporting)

| Chemical name          | CAS number | % by wt. |  |
|------------------------|------------|----------|--|
| N-methyl-2-pyrrolidone | 872-50-4   | 1 - 5    |  |

#### Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

(SDWA)

Not regulated.

Not regulated.

**Food and Drug** 

**US** state regulations

Administration (FDA)

WARNING: This product contains chemical(s) known to the State of California to cause birth

defects or other reproductive harm.

US. Massachusetts RTK - Substance List

N-methyl-2-pyrrolidone (CAS 872-50-4)

US. New Jersey Worker and Community Right-to-Know Act

N-methyl-2-pyrrolidone (CAS 872-50-4) 500 lbs

US. Pennsylvania RTK - Hazardous Substances

N-methyl-2-pyrrolidone (CAS 872-50-4)

**US. Rhode Island RTK** 

N-methyl-2-pyrrolidone (CAS 872-50-4)

**US. California Proposition 65** 

US - California Proposition 65 - Carcinogens & Reproductive Toxicity (CRT): Listed substance

N-methyl-2-pyrrolidone (CAS 872-50-4)

Country(s) or region Inventory name On inventory (yes/no)\*

United States & Puerto Rico Toxic Substances Control Act (TSCA) Inventory

\*A "Yes" indicates this product complies with the inventory requirements administered by the governing country(s).

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s)

## 16. Other information, including date of preparation or last revision

**Issue date** 08-January-2014

Revision date - 01

**NFPA Ratings** 



**List of abbreviations** EC50: Effective concentration, 50%.

LC50: Lethal Concentration, 50%.

**References** EPA: Acquire database

HSDB® - Hazardous Substances Data Bank

Disclaimer

NOTICE: The information presented herein is based on data considered to be accurate as of the date of preparation of this Safety Data Sheet (SDS) and was prepared pursuant to Government regulation(s) that identify specific types of information to be provided. This SDS may not be used as a commercial specification sheet of manufacturer or seller, and no warranty or representation, expressed or implied, is made as to the accuracy or comprehensiveness of the foregoing data and safety information, nor is any authorization given or implied to practice any patented invention without a license. Additional information may be needed to evaluate other uses of the product, including use of the product in combination with any materials or in any processes other than those specifically referenced. Information provided herein with respect to any hazards that may be associated with the product is not meant to suggest that use of the product in a given application will necessarily result in any exposure or risk to workers or the general public. No responsibility can be assumed by vendor for any damage or injury resulting from abnormal use, from any failure to adhere to recommended practices, or from any hazards inherent in the nature of the product. Purchasers and users assume all risk of use, storage and handling of the product in compliance with applicable federal, state and local laws and regulations. Purchasers and users of the product specifically should advise all of their employees, agents, contractors and customers who will use the product of this (M)SDS.