




- ① STANDARD VALVE BOX
- ② FINISH GRADE
- REMOTE CONTROL VALVE MODEL
- ③ ICV-XXXG ACCU-SYNC-ADJ
WITH FILTER SENTRY ('FS')
- ④ WATERPROOF CONNECTORS (2)
- ⑤ 18-24" COILED WIRE
- ⑥ SCH 80 T.O.E. NIPPLE
- ⑦ MAIN LINE PIPE & FITTINGS
- ⑧ BRICK SUPPORTS (4)
- ⑨ 3/4" MINUS WASHED GRAVEL
- ⑩ PVC SLIP UNIONS



ICV GLOBE VALVE

SCALE: 1" = 1'-0"



Dunter IRRIGATION DETAIL



ICV GLOBE VALVE

SCALE: 1" = 1'-0"



Dunker IRRIGATION DETAIL



ICV GLOBE VALVE

SCALE: 1" = 1'-0"


Dunter IRRIGATION DETAIL




ICV GLOBE VALVE

SCALE: 1" = 1'-0"

Dunker IRRIGATION DETAIL



- ① STANDARD VALVE BOX
- ② FINISH GRADE
- REMOTE CONTROL VALVE MODEL
- ③ ICV-XXXG ACCU-SYNC-XX WITH FILTER SENTRY ('FS')
- ④ WATERPROOF CONNECTORS (2)
- ⑤ 18-24" COILED WIRE
- ⑥ SCH 80 T.O.E. NIPPLE
- ⑦ MAIN LINE PIPE & FITTINGS
- ⑧ BRICK SUPPORTS (4)
- ⑨ 3/4" MINUS WASHED GRAVEL
- ⑩ PVC SLIP UNIONS





ICV GLOBE VALVE

SCALE: 1" = 1'-0"

Dunker IRRIGATION DETAIL

NOTE; ACCU-SYNC-XX IS AVAILABLE IN PRESSURE
REGULATION SETTINGS OF 20, 30, 40, 50 AND 70 PSI.




ICV GLOBE VALVE


SCALE: 1" = 1'-0"

Dunter IRRIGATION DETAIL

NOTE; ACCU-SYNC-XX IS AVAILABLE IN PRESSURE
REGULATION SETTINGS OF 20, 30, 40, 50 AND 70 PSI.





- ① STANDARD VALVE BOX
- ② FINISH GRADE
- REMOTE CONTROL VALVE
- ③ MODEL ICV-XXXG
- ④ WATERPROOF CONNECTORS (2)
- ⑤ 18-24" COILED WIRE
- ⑥ SCH 80 T.O.E. NIPPLE
- ⑦ SCH 80 NIPPLE
- ⑧ MAIN LINE PIPE & FITTINGS
- ⑨ BRICK SUPPORTS (4)
- ⑩ 3/4" MINUS WASHED GRAVEL
- ⑪ GATE VALVE LINE SIZED



ICV GLOBE VALVE WITH ISOLATION VALVE

SCALE: 1" = 1'-0"


Dunter IRRIGATION DETAIL




ICV GLOBE VALVE WITH ISOLATION VALVE

SCALE: 1" = 1'-0"

Dunker IRRIGATION DETAIL




- ① STANDARD VALVE BOX
- ② FINISH GRADE
- REMOTE CONTROL VALVE MODEL
- ③ ICV-XXXG ACCU-SYNC-ADJ
WITH FILTER SENTRY ('FS')
- ④ WATERPROOF CONNECTORS (2)
- ⑤ 18-24" COILED WIRE
- ⑥ SCH 80 T.O.E. NIPPLE
- ⑦ MAIN LINE PIPE & FITTINGS
- ⑧ BRICK SUPPORTS (4)
- ⑨ 3/4" MINUS WASHED GRAVEL
- ⑩ PVC SLIP UNIONS
- ⑪ GATE VALVE LINE SIZED



ICV GLOBE VALVE WITH ISOLATION VALVE

SCALE: 1" = 1'-0"

Dunter IRRIGATION DETAIL




ICV GLOBE VALVE WITH ISOLATION VALVE


XX

SCALE: 1" = 1'-0"

Dunker IRRIGATION DETAIL





- ① STANDARD VALVE BOX
- ② FINISH GRADE
- REMOTE CONTROL VALVE
- ③ MODEL ICV-XXXG
- ④ WATERPROOF CONNECTORS (2)
- ⑤ 18-24" COILED WIRE
- ⑥ SCH 80 T.O.E. NIPPLE
- ⑦ SCH 80 NIPPLE
- ⑧ MAIN LINE PIPE & FITTINGS
- ⑨ BRICK SUPPORTS (4)
- ⑩ 3/4" MINUS WASHED GRAVEL
- ⑪ GATE VALVE LINE SIZED



ICV GLOBE VALVE WITH ISOLATION VALVE

SCALE: 1" = 1'-0"


Dunter IRRIGATION DETAIL



ICV GLOBE VALVE WITH ISOLATION VALVE

SCALE: 1" = 1'-0"

Dunker IRRIGATION DETAIL



① STANDARD VALVE BOX

② FINISH GRADE

REMOTE CONTROL VALVE MODEL

③ ICV-XXXG ACCU-SYNC-XX
WITH FILTER SENTRY ('FS')

④ WATERPROOF CONNECTORS (2)

⑤ 18-24" COILED WIRE

⑥ SCH 80 T.O.E. NIPPLE


⑦ MAIN LINE PIPE & FITTINGS

⑧ BRICK SUPPORTS (4)

⑨ 3/4" MINUS WASHED GRAVEL

⑩ PVC SLIP UNIONS

⑪ GATE VALVE LINE SIZED





ICV GLOBE VALVE WITH ISOLATION VALVE

SCALE: 1" = 1'-0"

Hunter IRRIGATION DETAIL

NOTE; ACCU-SYNC-XX IS AVAILABLE IN PRESSURE
REGULATION SETTINGS OF 20, 30, 40, 50 AND 70 PSI.





ICV GLOBE VALVE WITH ISOLATION VALVE

SCALE: 1" = 1'-0"

Hunter IRRIGATION DETAIL



NOTE: ACCU-SYNC-XX IS AVAILABLE IN PRESSURE
REGULATION SETTINGS OF 20, 30, 40, 50 AND 70 PSI.



ICV GLOBE VALVE

SCALE: 1" = 1'-0"

Dunter IRRIGATION DETAIL



ICV GLOBE VALVE

SCALE: 1" = 1'-0"

Dunker IRRIGATION DETAIL

Hunter Industries has provided all construction details in an Adobe PDF format for users who do not have cad. A PDF reader can be downloaded to view and print these files. All these details are drawn to scale with the scale of the detail listed at the bottom of the detail.

There are PDF Files for each type of construction technique. In order to supply the end user a detail that fits most common construction practices in their region; we have supplied 2 different details for 2 different construction practices for the ICV-151/200 Valve.

The following is a legend for each ICV-151/200 Valve. Filter Sentry option shown.
A and B denote a bubble and leader callout respectively.

ICV-151/200-1A = ICV-151/200 With Sch 80 Slip Unions
ICV-151/200-1B
ICV-151/200-2A = ICV-151/200 With Sch 80 TOE Nipples
ICV-151/200-2B

There are also details with IS in the file name that use an Isolation valve upstream of the ICV.