



SDS

GHS Safety Data Sheet

PROFILE Products, LLC

ProLine™ Athletic Field Marker

MSDS Number: BLM046

Revision Date: 12/10/2015

Page 1 of 9

1 PRODUCT AND COMPANY IDENTIFICATION

Manufacturer

PROFILE Products, LLC
750 LAKE COOK ROAD
SUITE 440
BUFFALO GROVE, IL 60089

Phone: (847) 215-1144
Fax: (847) 215-0577
Email: profileproducts.com
Web: www.profileproducts.com


Product Name: ProLine™ Athletic Field Marker
Revision Date: 12/10/2015
MSDS Number: BLM046
Common Name: Calcium Carbonate
CAS Number: Not applicable
Product Use: Line Marker for Athletic Fields

2 HAZARDS IDENTIFICATION

Inhalation: Inhalation of dust containing silica may cause silicosis. Inhalation of crystalline silica from occupational sources is carcinogenic to humans.

Eye Contact: Dust is irritating to eyes and respiratory tract.

NFPA: Health = 1, Fire = 0, Reactivity = 0



MSDS Number: BLM046

ProLine™ Athletic Field Marker

Revision Date: 12/10/2015

Page 2 of 9

GHS Signal Word:
DANGER

GHS Hazard Pictograms:



GHS Classifications:

- Health, Carcinogenicity, 1
- Health, Specific target organ toxicity - Repeated exposure, 2

GHS Phrases:

- H350 - May cause cancer
- H373 - May cause damage to organs through prolonged or repeated exposure

GHS Precautionary Statements:

- P201 - Obtain special instructions before use.
- P202 - Do not handle until all safety precautions have been read and understood.
- P260 - Do not breathe dust.
- P280 - Wear protective gloves/protective clothing/eye protection/face protection.
- P308+313 - IF exposed or concerned: Get medical advice/attention.
- P405 - Store locked up.
- P501 - Dispose of contents/container to in accordance with local/regional/national/international regulations.

Limestone is not listed on the NTP, IARC, or OSHA lists of carcinogens. Crystalline silica, a component of this product, is listed by IARC and NTP but not OSHA. In 1997, IARC determined that "crystalline silica inhaled in the form of quartz or cristobalite from occupational sources is carcinogenic to humans (Group 1.) OSHA requires that products containing 0.1% of a known carcinogen must be labeled. NTP states that "silica, crystalline (respirable)" may reasonably be anticipated to be a carcinogen (1991).

3	COMPOSITION/INFORMATION ON INGREDIENTS
----------	---

Ingredients:

Cas #	Perc.	Chemical Name
1317653	n/a	Limestone
14808607	>/= 0.1%	silica, crystalline quartz



SDS

GHS Safety Data Sheet

PROFILE Products, LLC

ProLine™ Athletic Field Marker

MSDS Number: BLM046

Revision Date: 12/10/2015

Page 3 of 9

4

FIRST AID MEASURES

- Inhalation:** If breathing is difficult, remove to fresh air and keep at rest in a position comfortable for breathing. Call a physician if symptoms develop or persist.
- Skin Contact:** Wash off with soap and water. Get medical attention if irritation develops and persists.
- Eye Contact:** Do not rub eyes. Rinse with water. Get medical attention if irritation develops and persists.
- Ingestion:** Rinse mouth. Get medical attention if symptoms occur.

5

FIRE FIGHTING MEASURES

Suitable extinguishing media:
Water fog. Foam. Dry chemical powder. Carbon dioxide (CO₂).

Unsuitable extinguishing media:
None known.

Specific hazards arising from the chemical:
None known.

Special protective equipment and precautions for firefighters:
Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Fire-fighting equipment/instructions:
In case of fire and/or explosion do not breathe fumes.

6

ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures:
Keep unnecessary personnel away. Wear appropriate protective equipment and clothing during clean-up. Avoid generation and spreading of dust. Ensure adequate ventilation.

Methods and materials for containment and cleaning up:

Large Spills: If sweeping of a contaminated area is necessary use a dust suppressant agent which does not react with the product. Sweep up or vacuum up spillage and collect in suitable container for disposal.

Small Spills: Collect dust using a vacuum cleaner equipped with HEPA filter. For waste disposal, see section 13 of the MSDS.

Environmental precautions:
Avoid discharge into drains, water courses or onto the ground.



SDS

GHS Safety Data Sheet

PROFILE Products, LLC

ProLine™ Athletic Field Marker

MSDS Number: BLM046

Revision Date: 12/10/2015

Page 4 of 9

7

HANDLING AND STORAGE

Handling Precautions:

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Avoid breathing dust. Provide adequate ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.

Storage Requirements:

Store in tightly closed original container. Store in a well-ventilated place. Store away from incompatible materials (see Section 10 of the MSDS)



SDS

GHS Safety Data Sheet

PROFILE Products, LLC

ProLine™ Athletic Field Marker

MSDS Number: BLM046

Revision Date: 12/10/2015

Page 5 of 9

8

EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering Controls: Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

Personal Protective Equip:

Eye/face protection:
Wear safety glasses with side shields. Wear a full-face respirator, if needed.

Skin protection:
Hand protection - For prolonged or repeated skin contact use suitable protective gloves.
Other - Wear suitable protective clothing.

Respiratory protection:
If engineering controls do not maintain airborne concentrations below recommended exposure limits (where applicable) or to an acceptable level (in countries where exposure limits have not been established), an approved respirator must be worn.

Thermal hazards:
Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations:
Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

Occupational exposure limits

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Components	Type	Value	Form
Limestone (CAS 1317-65-3)	PEL	5 mg/m3	Respirable fraction.
		15 mg/m3	Total dust.

US. OSHA Table Z-3 (29 CFR 1910.1000)

Impurities	Type	Value	Form
Crystalline silica (CAS 14808-60-7)	TWA	0.3 mg/m3	Total dust.
		0.1 mg/m3	Respirable.
		2.4 millions of particles	Respirable.

US. ACGIH Threshold Limit Values

Impurities	Type	Value	Form
Crystalline silica (CAS 14808-60-7)	TWA	0.025 mg/m3	Respirable fraction.

US. NIOSH: Pocket Guide to Chemical Hazards

Components	Type	Value	Form
TWA	Respirable.	5 mg/m3	Form Limestone (CAS 1317-65-3)
		10 mg/m3	Total
Impurities	Type	Value	Form
Crystalline silica (CAS 14808-60-7)	TWA	0.05 mg/m3	Respirable dust.

Biological limit values:

No biological exposure limits noted for the ingredient(s).



SDS

GHS Safety Data Sheet

PROFILE Products, LLC

ProLine™ Athletic Field Marker

MSDS Number: BLM046

Revision Date: 12/10/2015

Page 6 of 9

9

PHYSICAL AND CHEMICAL PROPERTIES

Appearance:	White Powder	Odor:	Odorless
Physical State:	Solid	Solubility:	1.3 g/l (20°C)
pH:	8.4 - 10.2 (5% suspension in water)	Vapor Density:	N/A
Decomp Temp:	1292 - 1652 °F (700 - 900 °C)	Bulk Density:	2.7 g/cm ³

10

STABILITY AND REACTIVITY

Stability:	The product is stable and non-reactive under normal conditions of use, storage and transport. Material is stable under normal conditions.
Conditions to Avoid:	Contact with incompatible materials.
Materials to Avoid:	Strong acids.
Hazardous Decomposition:	No hazardous decomposition products are known.

11

TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Ingestion - Expected to be a low ingestion hazard.

Inhalation - Dust may irritate respiratory system. Prolonged inhalation may be harmful.

Skin contact - Dust or powder may irritate the skin.

Eye contact - Dust may irritate the eyes.

Symptoms related to the physical, chemical and toxicological characteristics:

Irritant effects. Coughing. Discomfort in the chest. Shortness of breath.

Information on toxicological effects

Acute toxicity - Occupational exposure to the substance or mixture may cause adverse effects.

Skin corrosion/irritation - Prolonged skin contact may cause temporary irritation.

Serious eye damage/eye irritation - Direct contact with eyes may cause temporary irritation.

Respiratory sensitization - Not a respiratory sensitizer.

Skin sensitization - This product is not expected to cause skin sensitization.

Germ cell mutagenicity - No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.

Carcinogenicity - May cause cancer.

IARC Monographs. Overall Evaluation of Carcinogenicity

Crystalline silica (CAS 14808-60-7) 1 Carcinogenic to humans.

US. National Toxicology Program (NTP) Report on Carcinogens

Crystalline silica (CAS 14808-60-7) Known To Be Human Carcinogen.

Reproductive toxicity - This product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity single exposure - Not classified.

Specific target organ toxicity repeated exposure - May cause damage to organs (lung) through prolonged or repeated exposure by inhalation.

Aspiration hazard - Not likely, due to the form of the product.

Chronic effects - Crystalline silica: Overexposure to the respirable dust of crystalline silica (quartz or cristobalite, less than or equal to 5 microns in size) may lead to silicosis in humans, which is a progressive and irreversible lung disease.



SDS

GHS Safety Data Sheet

PROFILE Products, LLC

ProLine™ Athletic Field Marker

MSDS Number: BLM046

Revision Date: 12/10/2015

Page 7 of 9

12

ECOLOGICAL INFORMATION

Ecotoxicity - Not expected to be harmful to aquatic organisms.

Persistence and degradability - Not readily degradable.

Bioaccumulative potential - None.

Mobility in soil - None.

Other adverse effects - No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

13

DISPOSAL CONSIDERATIONS

Disposal instructions - Dispose of in accordance with local regulations.

Local disposal regulations - Dispose in accordance with all applicable regulations.

Hazardous waste code - The waste code should be assigned in discussion between the user, the producer and the waste disposal company.

Waste from residues / unused products - Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).

Contaminated packaging - Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.

14

TRANSPORT INFORMATION

DOT Class: Not regulated #



SDS

GHS Safety Data Sheet

PROFILE Products, LLC

ProLine™ Athletic Field Marker

MSDS Number: BLM046

Revision Date: 12/10/2015

Page 8 of 9

15	REGULATORY INFORMATION
----	-------------------------------

US federal regulations
This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)
Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)
Not listed.

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)
Not listed.

SARA 304 Emergency release notification
Not regulated.

Superfund Amendments and Reauthorization Act of 1986 (SARA)
Hazard categories
Immediate Hazard - Yes
Delayed Hazard - Yes
Fire Hazard - No
Pressure Hazard - No
Reactivity Hazard - No
SARA 302 Extremely hazardous substance - No
SARA 311/312 Hazardous chemical - Yes

Other federal regulations
Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List
Not regulated.
Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)
Not regulated.

Safe Drinking Water Act (SDWA)
Not regulated.

US state regulations
US. Massachusetts RTK - Substance List
Crystalline silica (CAS 14808-60-7)
Limestone (CAS 1317-65-3)

US. New Jersey Worker and Community Right-to-Know Act
Not regulated.

US. Pennsylvania RTK - Hazardous Substances
Crystalline silica (CAS 14808-60-7)
Limestone (CAS 1317-65-3)

US. Rhode Island RTK
Not regulated.

US. California Proposition 65
WARNING: This product contains a chemical known to the State of California to cause cancer.

US - California Proposition 65 - CRT: Listed date/Carcinogenic substance
Crystalline silica (CAS 14808-60-7) Listed: October 1, 1988

CANADA
WHMIS:

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the SDS contains all the information required by the Controlled Products Regulations.

Chemical Inventories

Country(s) or region	Inventory name	On inventory or exempt
United States & Puerto Rico	Toxic Substances Control Act (TSCA)	Yes
Canada	Canada Domestic Substance List	Yes
Canada	Canada Non-Domestic Substance List	Yes
Mexico	National Inventory of Chemical Substances (INSQ)	Yes



SDS

GHS Safety Data Sheet

PROFILE Products, LLC

ProLine™ Athletic Field Marker

MSDS Number: BLM046

Revision Date: 12/10/2015

Page 9 of 9

International Inventories

Component(s) of the product are on the following Inventory lists:

Chemical Name/CAS	EC / REACH	Australia (AICS)	Canada (DSL)	China (IEC SC)	Japan (ENC S)	Korea (KECL)	Mexico (INSQ)	New Zealand (NZIoC)	Philippines (PICCS)	Taiwan (ECN)	USA (TSCA)
Limestone 1317-65-3	215-279-8 *	Y	Y(NDSL)*	Y	(1)-122	KE-21996	Y	Y	Y	Y	Y
Crystalline Silica, quartz (impurity) 14808-60-7	238-878-4 *	Y	Y(DSL)	Y	Y	Y	Y	Y	Y	Y	Y

Legend

Y/PRESENT : Listed

- : Not Listed

*: Exempt

Nominated

Component

Limestone

1317-65-3 (100)

Crystalline Silica, quartz (impurity)

14808-60-7 (0.1 - 0.5)

Regulatory Information

Regulation (EC) 1907/2006: *Exempt as a naturally occurring substance.

Regulation (EC) 1907/2006: *Exempt. An impurity.

16

OTHER INFORMATION

Disclaimer The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.