

RAIN BIRD®

Introducing
a pressure
regulating filter
that simplifies
control zones.

Save
20%
Details inside.

Comes
Assembled

Fewer Parts. Quicker Installs.

Install Confidence®. Install Rain Bird®
All-in-One Pressure Regulating Filters.

- **Simplifies installation** — All-in-one compact, two-piece control zone kit comes fully assembled in a space-saving bag.
- **Increases reliability** — Fewer parts, fewer threaded connections mean less chance of leaking.*
- **Reduces material and labor costs** — Compact size requires fewer and smaller valve boxes for each job.

VBSTD SERIES

3

es
bled

*Simple to install!
Pre-assembled
Control Zone Kits.*

*Pressure regulator and filter now
combined in one compact unit!*

Rain Bird combines a filter and pressure regulator into one unit for fast and simple installation.

Rain Bird's new Pressure Regulating (PR) Filter Control Zone Kits come assembled and measure at least 24% shorter than the competition. Now you can fit up to four control zone kits in one standard valve box and dig fewer holes, or place one control zone kit in a 10-inch, round valve box and dig smaller ones.

Works with all valves to create an efficient control zone.

Available with either the static RBY Filter or the self-cleaning Back Flush Filter.

Patent-pending compact unit combines filtration and pressure regulation to protect downstream drip components.

30- or 40-psi pressure regulator integrated in filter body.



Glass-filled polypropylene body and cap provide 150-psi pressure rating.

* Based on vigorous cycle surge reliability testing, the Rain Bird PR Filter was proven to be ten times stronger than competitive units. Extensive thermal testing confirms these kits will not leak after being subjected to extreme temperature fluctuations.

Save 20% when you buy a new Rain Bird Pressure Regulating Filter or Pressure Regulating Filter Control Zone Kit!

Distributor:

Please complete the following information and return this coupon attached to the appropriate invoice to address listed above.

Distributor
Company Name: _____

Contact Name
and Title: _____

Branch
Street Address: _____

City: _____ State/Province: _____ Zip/Postal Code: _____

Original coupon must accompany invoice for reimbursement. Copies of the coupon will not be accepted.

For credit, deduct your actual cost for the redeemed product from your monthly check to Rain Bird and attach the original coupons and invoices with your remittance. All purchases must be made during one single transaction. Certificate void where prohibited, restricted or taxed by law. Offer valid only at authorized Rain Bird distributor branches. Promotions cannot be combined with any other Rain Bird offer. Distributors must mail original coupons together with invoices with payment remittance to Rain Bird by 12/31/2005 to receive credit.

Customer:

Please complete this coupon and take it to your Rain Bird distributor to receive 20% off the purchase price of one (1) PR Filter OR (1) PR Filter Control Zone Kit.

Name: _____ Invoice No. _____

Company
Name: _____

Company
Address: _____

City: _____ State/Province: _____ Zip/Postal Code: _____

Phone: _____ Fax: _____

Rain Bird Rewards Member ID: _____

Offer good on specified models only. Limit one coupon per company. Good only for product specified. Valid only at participating authorized Rain Bird distribution branches. Offer valid 9/1/2005 to 10/31/2005. Offer not valid with any other discounts or promotions. Coupon must be presented at time of purchase. PR123=promo code



Save 20% on Rain Bird's new Pressure Regulating Filters and Pressure Regulating Filter Control Zone Kits! *Details inside.*

Ask your distributor for these PR Filter Control Zone Kit Models, part of the complete Rain Bird® Xerigation® System — simple to use, reliable and durable low volume irrigation products.

	Flow	Regulated Pressure	Filtration	Filter Features	Available with BSP Threads
PR FILTER MODELS					
PRF-075-RBY	0.2-5.0 gpm (45,4-1136 l/h)	30 psi (2,0 bars)	200 mesh (75 micron)	Sealing O-ring unthreads for cleaning	
PRF-100-RBY	3.0-15.0 gpm (681-3407 l/h)	40 psi (2,8 bars)	200 mesh (75 micron) self-cleaning backflush	Sealing O-ring unthreads for cleaning	✓
PRF-075-BFF	0.2-5.0 gpm (45,4-1136 l/h)	30 psi (2,0 bars)	200 mesh (75 micron)	Self-cleaning action flushes debris automatically	
PRF-100-BFF	3.0-15.0 gpm (681-3407 l/h)	40 psi (2,8 bars)	200 mesh (75 micron) self-cleaning backflush	Self-cleaning action flushes debris automatically	✓
PR FILTER CONTROL ZONE KIT MODELS					
XCZ-075-PRF 3/4" low-flow valve + 3/4" pressure regulating RBY filter	0.2-5.0 gpm (45,4-1136 l/h)	30 psi (2,0 bars)	200 mesh (75 micron)		
XCZ-100-PRF 1" DV valve + 1" pressure regulating RBY filter	3.0-15.0 gpm (681-3407 l/h)	40 psi (2,8 bars)	200 mesh (75 micron)		✓



Rain Bird Corporation
970 W. Sierra Madre, Azusa, CA 91702
Phone: (626) 812-3400 Fax: (626) 812-3411

Rain Bird Corporation
6991 E. Southpoint Rd., Tucson, AZ 85706
Phone: (520) 741-6100 Fax: (520) 741-6146

© Registered trademark of Rain Bird Corporation
© 2005 Rain Bird Corporation 7/05

Rain Bird International, Inc.
145 North Grand Avenue, Glendora, CA 91741
Phone: (626) 963-9311 Fax: (626) 963-4287

Rain Bird Technical Service
(800) 247-3782 (U.S. and Canada only)

www.rainbird.com

D39675