



Revolver®

Active Ingredient: foramsulfuron

Formulation: oil dispersion

WSSA Group: 2

Signal Word: caution

Best Uses

- Revolver® is a post-emergent sulfonylurea herbicide for application as a foliar spray to control cool-season grasses in warm-season turf
- Post-emergent control of goosegrass
- Excellent control of *Poa annua*
- Transition aid in spring for overseeded rye

Attributes Of Revolver

- Absorbed by foliage, where it stops production of three key amino acids; cell division and weed growth stop within hours after application
- Can be used on bermudagrass greens

How To Apply

- For best results to control mature weeds, apply in spring or through fall when the daily average temperature is above 70°F
- Symptoms progress from yellowing to brown, generally resulting in complete weed control within 1- 4 weeks after application
- The speed of symptom development varies with temperature, and will be faster at warmer temperatures than cooler temperatures

Broadcast Applications

- Revolver can be applied as a broadcast treatment in a minimum of 25 gallons of water per acre
- For weed control in dense weed populations, or under adverse growing conditions, use higher spray volumes up to 60 gallons per acre

Key Strengths

- Control of *Poa annua* and goosegrass on bermudagrass greens, tees, fairways and roughs
- Tolerance on bermudagrass and zoysiagrass
- Effective control on labeled grassy weeds



goosegrass



Poa annua



Revolver®

How To Apply (continued)

Spot Treatments

- For hand-held, pump-type sprayers, mix 0.5 to 2.0 fl. oz. of Revolver herbicide per gallon of water, depending on the weed and stage of growth
- Use the higher rate for more difficult-to-control or larger weeds; spray to wet



Poa annua



goosegrass



annual ryegrass