Safety Data Sheet

Section 1 Product Information

Product Name: 13-0-0 STD, .10 DIMENSION, 25% REGAIN, 50 LB. Product Code: 2014754

Spring Valley 800-635-2123

1891 Spring Valley Rd. Jackson, WI 53037

Product Use: Granular blended fertilizer for general horticulture use.

Not recommended for: Not recommended for use in or around bodies of water.

Section 2 Hazards

GHS Ratings:

Eye corrosive 2B Mild eye irritant: Subcategory 2B, Reversible in 7 days

Carcinogen 1B Presumed Human Carcinogen, Based on demonstrated animal

carcinogenicity

GHS Hazards

H320 Causes eye irritation H350 May cause cancer

GHS Precautions

P201 Obtain special instructions before use

P202 Do not handle until all safety precautions have been read and understood

P264 Wash ... thoroughly after handling

P281 Use personal protective equipment as required

P305+P351+P338 IF IN EYES: Rinse continuously with water for several minutes. Remove contact

lenses if present and easy to do – continue rinsing

P308+P313 IF exposed or concerned: Get medical advice/attention P337+P313 If eye irritation persists, get medical advice/attention

P405 Store locked up

P501 Dispose of contents/container in accordance with local, state, and federal laws.

Signal Word: Danger



Section 3 Composition

Exact percentages of components are withheld as a trade secret.

Chemical Name	CAS number	Weight Concentration %
Dolomite granules	16389-88-1	
Urea Granular	57-13-6	

SDS for: 2014754 Page 1 of 8

Section 4 First Aid

Inhalation: Remove to fresh air, if irritation of lungs persists contact physician.

Eye Contact: Flush eyes thoroughly with water for several minutes. Remove contact lenses after the initial 1-2 minutes and continue flushing for several additional minutes. If effects occur, consult a physician, preferably an opthalmologist.

Skin Contact: Wash with soap and water. Contact physician if irritation persists.

Ingestion: No emergency medical treatment necessary.

General Advice: If potential for exposure exists refer to Section 8 for specfic personal protective equipment.

Most important symptoms and affects, both acute and delayed: Aside from the information found under Section 4 First Aid and Indication of immediate medical attention and specail treatment needed (below), any additional important symptoms and effects are described in Section 11: Toxicology Information.

Indication of any immediate medical attention and special treatment needed

Notes to Physician: No specific antidote. Treatment of exposure should be directed at the control of symptoms and the clinical condition of the patient. Have the Safety Data Sheet, and if available, the product container or label with you when calling a poison control center or doctor, or going for treatment.

UEL:

Section 5 Fire Fighting

Flash Point: N/A

LEL:

Suitable extinguishing media: Water fog of fine spray. Dry Chemical fire extinguishers. Carbon dioxide fire extinguishers. Foam.

Unsuitable extinguishing media: None.

Special hazards arising from the substance or mixture

Hazardous combustion products: During a fire, smoke may contain the original material in addition to combustion products of varying composition which may be toxic and/or irritating. Combustion products may include and are not limited to: Nitrogen oxides, Hydrogen fluoride, Hydrogen chloride, Carbon monoxide, Carbon dioxide.

Unusual Fire and Explosion Hazards: Container may melt from gas generation in a fire situation Pneumatic conveying and other mechanical handling operations can generate combustible dust. To reduce the potential for dust explosions, do not permit dust to accumulate. Dense smoke is produced when product burns.

Advice for firefighters

Fire Fighting Procedures: Keep people away. Isolate fire and deny unnecessary entry. Soak thoroughly with water to cool and prevent re-ignition. If material is molten, do not apply direct waterstream. Use fine water spray or foam. Use water spray to cool fire exposed containers and fire affected zone until fire is out and danger of reignition has passed. Fight fire from protected location or safe distance. Consider the use of unmanned hose holders or monitor nozzles. immediately withdraw all personnel from the area in case of rising sound from venting safety device or discoloration of the container. Hand held dry chemical or carbon dioxide extinguishers may be used on small fires. Move container from fire area if this is possible without hazard. Contain fire water run-off if possible. Fire water run-off, if not contained, may cause environmental damage. Review the "Accidental Release Measures" and the "Ecological Information" sections fo this SDS.

Special protective equippment for firefighters: Wear positive-pressure self-contained breathing apparatus (SCBA) and protective fire fighting clothing (includes fire fighting helmet, coat, trousers, boots, and gloves) If protective equipment isnot available or not used, fight fire from a protected location or safe distance.

Section 6 Accidental Release Measures

Personal precautions, protective equipment and emergency procedures: Use appropriate safety equipment. For additional information, refer to Section 8, Exposure Controls and Personal Protection.

Environmental precautions; prevent from entering into soil, ditches, sewers, waterways and/or groundwater. See Section 12 Ecological information.

SDS for: 2014754 Page 2 of 8

Small spills: Sweep up, collect in suitable and properly labeled containers.

Large spills: Contact Dow AgroSciences for clean-up assistance. See Section 13 Disposal Considerations, for additional information.

Section 7 Handling and Storage

Precautions for safe handling: Keep out of reach of children. Do not swallow. Avoid breathing dust or mist. Avoid contact with eyes, skin, and clothing. Keep away from heat, sparks, and flame. Good housekeeping and controlling of dusts are necessary for safe handling of product. Wash thoroughly after handling. Use with adequate ventilation.

Conditions for safe storage: Store in a dry place. Store in original container. Do not store near food, foodstuffs, drugs or potable water supplies.

Section 8 Exposure Control and Personal Protection

Chemical Name / CAS No.	OSHA Exposure Limits	ACGIH Exposure Limits	Other Exposure Limits
Dolomite granules 16389-88-1	Not Established	Not Established	Not Established
Urea Granular 57-13-6	15mg/m^3	Not Established	Not Established

Applicators and handlers should see the product label for proper personal protective equipment and clothing.

Section 9 Physical Properties

Appearance Tan	Odor Sulfur like	
Physical State Solid	Specific Gravity (SG) 1.397	
Lbs VOC/Gallon Less Water 0.00		

Section 10 Stability and Reactivity

STABLE

Incompatibilities: None known.

Not Applicable

Hazardous Decomposition: Not established.

Not Applicable

Hazardous polymerization will not occur.

Section 11 Toxicological Information

Mixture Toxicity

Component Toxicity

Skin Contact Eye Contact Ingestion

Not Applicable

Effects of Overexposure

SDS for: 2014754 Page 3 of 8

CAS Number 16389-88-1 <u>Description</u> Dolomite granules % Weight

Carcinogen Rating

Dolomite granules: Limestone (Dolomite granules) is not listed on the NTP, IARC or OSHA lists of carcinogens. Crystalline silica, a naturally occurring component of limestone, is listed by IARC but not by NTP or OSHA. IARC has determined that there is sufficient evidence for carcinogenicity to experimental animals exposed to crystalline silica and limited evidence for carcinogenicity to humans. "Limited evidence" means that a causal relationship is possible; however, other explanations such as chance, bias or confounding factors cannot adequately be excluded. NTP has proposed (1989) to list crystalline silica based on the IARC determination. The quantity of crystalline silica in limestone, being part of a naturally occurring mined material, vary based on where and when the material is mined. As such the exact percentage of crystalline silica in this product cannot be accurately calculated between individual batches of this product. In order to provide our end users with the most relevant safety information and err on the side of caution and in accordance with the GHS standards set forth for crystalline silica stating that any product containing more than 0.1% crystalline silica must be marked with a Carcinogen hazard classification this product bears this mark even in cases where it may not be strictly required.

Section 12 Ecological Information

Toxicity

Acute toxicity to fish

Material is highly toxic to aquatic organisms on an acute basis (LC50/EC50 between 0.1 and 1 mg/L in the most sensitive species tested)

LC50, Oncorhynchus mykiss (rainbow trout), 96 hour, 0.48 mg/L.

Acute Toxicity to aquatic invertabrates

LC50, saltwater mysid Mysidopsis bahia, 0.586 mg/L

SDS for: 2014754 Page 4 of 8

EC50, eastern oyster (Crassostrea virginica), 0.168 mg/L

Toxicity to Above Ground Organisms

Material is practically non-toxic to birds on a dietary basis (LC50>5,000 ppm). Material is practically non-toxic to birds on an acute basis (LD50>2000 mg/kg).

dietary LC 50, Colinus virginianus (Bobwhite quail), > 5,620 ppm

oral LD50, Colinus virginianus (Bobwhite quail), > 2,250 mg/kg

contact LD50, Apis mellifera (bees), 48 hour, 81 ug/bee

Persistance and degradability

Ditihopyr

Biodegradability: Biodegradation may occur under aerobic conditions (in the presence of oxygen)

Toluene

Biodegradability: Material is readily biodegradable. Passes OECD test(s) for rady biodegradability.

10 day window: not applicable Biodegradation: 100% Exposure time: 14 d

Method OECD Test Guideline 301c or Equivalent

Theoretical Oxygen Demand: 3.13 mg/mg calculated.

Photodegradation

Test Type: Halfe-life (inderect photolysis)

Sensitizer: OH radicals Atmospheric half-life 2 d Method: estimated.

Balance

Biodegradability: No relevant data found.

Bioaccumalative potential

Bioaccumalation: No data available.

Mobility in soil

Dithiopyr

Expected to be relatively immobile in soil (Koc > 5000).

Given its very low Henry's constant, volatilization from natural bodies of water or moist soil is not expected to be an important fate process. Partition coefficient (Koc): 20500

Toluene

Potential for mobility in soil is very high (Koc between 0 and 50).

Partition coefficient (Koc): 37-178 Estimated

Balance

No releveant data found.

Component Ecotoxicity

Urea Granular 96 Hr LC50 Poecilia reticulata: 16200 - 18300 mg/L

48 Hr EC50 Daphnia magna: 3910 mg/L [Static]

Section 13 Disposal Considerations

Disposal Methods: If wastes and/or containers cannot be disposed of according to the product label directions, disposal of this material bust be in accordance with your local or area regulatory authorities. This information presented below only applies to the material as supplied. The identification based on characteristic(s) or listing may not apply if the material has been used or otherwise contaminated. It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste identification and disposal methods in compliance with applicable regulations. If the material as supplied becomase a waste, follow all applicable regional, national, and local laws

Section 14 Transportation

DOT

SDS for: 2014754 Page 5 of 8

Not regulated for transport

Classification for SEA transport (IMO-IMDG):

Proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE,

SOLID.

N.O.S. (Dithiopyr)

UN number: UN 3077

Class: 9
Packing group: III
Maxima pollutant: Dith

Marine pollutant: Dithiopyr

Transport in bulk: Consult IMO regulations before transporting ocean bulk

according to Annex I or II of MARPOL 73/78 and the

IBC or IGC Code

Classification for AIR transport (IATA/ICAO):

Proper shipping name Environmentally hazardous substance, solid, n.o.s

(Dithiopyr)

UN number UN 3077

Class 9
Packing group III

This information is not intended to convey all specific regulatory or operational requirements/information relating to this product. Transportation classifications may vary by container volume and may be influenced by regional or country variations in regulations. Additional transportation system information can be obtained through an authorized sales or customer service representative. It is the responsibility of the transporting organization to follow all applicable laws, regulations and rules relating to the transportation of the material.

Agency Proper Shipping Name
Not Applicable

UN Number

Packing Group

Hazard Class

Section 15 Regulations

Superfund Amendments and Reauthorization Act of 1986 Title III (Emergency Planning and Community Right-to-Know Act of 1986) Sections 311 and 312

Chronic Health Hazard

Superfund Amendments and Reauthorization Act of 1986 Title III (Emergency Planning and Community Right-to-Know Act of 1986) Section 313

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

California Proposition 65 (Safe Drinking Water and Toxic Enforcement Act of 1986)

WARNING: This product contains a chemical(s) known to the State of California to cause birth defects or other reproductive harm.

Pennsylvania (Worker and Community Right-To-KnowAct): Pennsylvania Hazardous Substances List and/or Pennsylvania Environmental Hazardous Substance List:

To the best of our knowledge, this product does not contain chemicals at levels which require reporting under this statute.

Pennsylvania (Worker and Community Right-To-KnowAct): Pennsylvania Special Hazardous Substances List:

To the best of our knowledge, this product does not contain chemicals at levels which require reporting under this statute.

United States TSCA Inventory (TSCA)

SDS for: 2014754 Page 6 of 8

This product contains chemical substance(s) exempt from U.S. EPA TSCA Inventory requirements. It is regulated as a pesticide subject to Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA) requirements.

Federal Insecticide, Fungicide and Rodenticide Act

EPA Registration Number: 62719-486

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:

CAUTION

WARNING: This product cotains a chemical(s) know to the state of California to cause birth defects or other reproductive harm.

16389-88-1 Dolomite granules

Country Regulation All Components Listed

Section 16 Other Information

Hazard Rating System NFPA

Health: 0 Fire: 0 Reactivity: 0

Revision

Identification Number: 101193800 / A211 / Issue Date: 04/27/2015 / Version: 4.0

Most recent revision(s) are noted by the bold, double bars in left-hand margin throughout this document.

Legend

ACGIH USA. ACGIH Threshold Limit Values (TLV)

BEI Biological Exposure Indices

CEIL Acceptable ceiling concentration

Dow IHG Dow Industrial Hygiene Guideline

OSHA Z-1 USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants

OSHA Z-2 USA. Occupational Exposure Limits (OSHA) - Table Z-2


Peak Acceptable maximum peak above the acceptable ceiling concentration for an 8-hr shift

TWA 8-hour, time-weighted average

Hazardous Material Information System (HMIS)

HEALTH 0 FLAMMABILITY 0 PHYSICAL HAZARD 0 PERSONAL PROTECTION 0 HMIS & NFPA Hazard Rating Legend * = Chronic Health Hazard 0 = INSIGNIFICANT 1 = SLIGHT 2 = MODERATE 3 = HIGH

National Fire Protection Association (NFPA)



The information herein is provided in good faith and believed to be accurate as of the effective date shown above . However, no warranty, express or implied, is given. Regulatory requirements are subject to change and may differ between various locations. It is the buyer's/user's responsibility to ensure that his activities comply with all federal, state, provincial or local laws. The information presented here pertains only to the product as shipped. Since conditions for use of the product are not under the control of the manufacturer, it is the buyer's/user's duty to determine the conditions necessary for the safe use of this product. Due to the proliferation of sources for information such as manufacturer-specific (M)SDSs, we are not and cannot be responsible for (M)SDSs obtained

from any source other than ourselves. If you have obtained an (M)SDS from another source or if you are not sure that the (M)SDS you have is current, please contact us for the most current version.

Reviewer Revision

Date Prepared: 4/26/2018

SDS for: 2014754 Page 8 of 8

Printed: 4/26/2018 at 4:02:19PM