

SAFETY DATA SHEET
Reinders Professional Fertilizer 22-0-3 50%
RXN 2% Fe

Page: 1

Revision: 12/29/2014

1. PRODUCT AND COMPANY IDENTIFICATION

Product Code: 370-8100
Product Name: Reinders Professional Fertilizer 22-0-3 50% RXN 2% Fe
Company Name: Reinders Inc
W227 N6225 Sussex Road
Sussex, WI 53089

Emergency Contact: Chemtrec (800)424-9300
Information: Product Related (715)876-6422

Part Number: 370-8100pp, 370-8105, 370-8107

2. HAZARDS IDENTIFICATION

Serious Eye Damage/Eye Irritation, Category 2A

Acute Toxicity: Inhalation, Category 4

Acute Toxicity: Oral, Category 4

Skin Corrosion/Irritation, Category 2



GHS Signal Word: **Warning**

GHS Hazard Phrases: Causes serious eye irritation.
Harmful if inhaled.
Harmful if swallowed.
Causes skin irritation.


GHS Precaution Phrases: Wash hands thoroughly after handling.
Wear protective gloves/protective clothing/eye protection/face protection.
Use only outdoors or in a well-ventilated area.
Avoid breathing dust/fume/gas/mist/vapours/spray.
Do not eat, drink or smoke when using this product.
Take off contaminated clothing and wash it before reuse.
Keep out of reach of children.

GHS Response Phrases: IF IN EYES: Rinse cautiously with water for 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
If eye irritation persists, get medical advice/attention.
IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
Call a POISON CENTER or doctor/physician if you feel unwell.
IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.
Rinse mouth.
IF ON SKIN: Wash with plenty of soap and water. If skin irritation persists, get medical advice/attention.

GHS Storage and Disposal Phrases: Dispose of contents/container in accordance with local/regional/national/international regulations.

SAFETY DATA SHEET
Reinders Professional Fertilizer 22-0-3 50%
RXN 2% Fe

Hazard Rating System:



Potential Health Effects (Acute and Chronic):

Acute: May cause respiratory tract irritation.
Chronic: Not expected to be a chronic hazard.

Inhalation:

May be harmful if inhaled. Inhalation of dust may cause respiratory tract irritation.

Skin Contact:

May cause skin irritation. May be harmful if absorbed through the skin.

Eye Contact:

Dust may cause mechanical irritation. May cause eye irritation.

Ingestion:

May cause gastrointestinal irritation with nausea, vomiting and diarrhea. May be harmful if swallowed.

3. COMPOSITION/INFORMATION ON INGREDIENTS

CAS #	Hazardous Components (Chemical Name)	Concentration
NA	Other Non-Hazardous Ingredients	2.0 -85.0 %
57-13-6	Urea	11.0 -92.0 %
7447-40-7	Potassium chloride	4.0 -70.0 %
16389-88-1	Dolomitic limestone	2.0 -85.0 %
1309-37-1	Iron oxide	1.0 -7.0 %

4. FIRST AID MEASURES

Emergency and First Aid

Procedures:

Remove from exposure and move to fresh air immediately. If not breathing, give artificial respiration. Get medical aid.

In Case of Inhalation:

In Case of Skin Contact:

Flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Get medical aid if irritation develops and persists. Wash clothing before reuse.

In Case of Eye Contact:

Flush eyes with plenty of water for at least 15 minutes, occasionally lifting the upper and lower eyelids. Get medical aid if irritation develops and persists.

In Case of Ingestion:

If swallowed, do not induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. For further assistance, contact your local Poison Control Center 1-800-222-1222.

Note to Physician:

Treat symptomatically and supportively.

5. FIRE FIGHTING MEASURES

Flash Pt:

No data.

Explosive Limits:

LEL: No data.

UEL: No data.

Autoignition Pt:

No data.

Suitable Extinguishing Media: Substance is noncombustible; use agent most appropriate to extinguish surrounding fire. Use water spray, dry chemical, carbon dioxide, or appropriate foam.

Fire Fighting Instructions:

As in any fire, wear a self-contained breathing apparatus in pressure-demand, MSHA/NIOSH (approved or equivalent), and full protective gear. During a fire, irritating and highly toxic gases may be generated by thermal decomposition or combustion. Use extinguishing media appropriate to surrounding fire conditions. Substance is noncombustible. Decomposes at high temperatures, resulting in toxic and corrosive products. Water runoff can cause environmental damage. Dike and collect water used to fight fire.

Flammable Properties and

No data available.

SAFETY DATA SHEET
Reinders Professional Fertilizer 22-0-3 50%
RXN 2% Fe

Hazards:

6. ACCIDENTAL RELEASE MEASURES

Steps To Be Taken In Case Material Is Released Or Spilled: Use proper personal protective equipment as indicated in Section 8.
Spills/Leaks: Vacuum or sweep up material and place into a suitable disposal container.
Clean up spills immediately, observing precautions in the Protective Equipment section.
Avoid generating dusty conditions. Provide ventilation.

7. HANDLING AND STORAGE

Precautions To Be Taken in Handling: Wash hands thoroughly after handling. Minimize dust generation and accumulation.
Avoid contact with eyes, skin, and clothing. Keep container tightly closed. Avoid ingestion and inhalation. Use with adequate ventilation. Wash clothing before reuse.
Avoid breathing dust, mist, or vapor.

Precautions To Be Taken in Storing: Keep container closed when not in use. Store in a cool, dry, well-ventilated area away from incompatible substances, inaccessible to children and domestic animals.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

CAS #	Partial Chemical Name	OSHA TWA	ACGIH TWA	Other Limits
NA	Other Non-Hazardous Ingredients	No data.	No data.	No data.
57-13-6	Urea	PEL: PNOR 15 Total 5 Resp. mg/m3	TLV: PNOS 10 Inhalable 3 Resp. mg/m3	No data.
7447-40-7	Potassium chloride	PEL: PNOR 15 Total 5 Resp. mg/m3	TLV: PNOS 10 Inhalable 3 Resp. mg/m3	No data.
16389-88-1	Dolomitic limestone	PEL: 15 Total 5 Respirable mg/m3	TLV: 10 total 5 Respirable mg/m3	No data.
1309-37-1	Iron oxide	PEL: 10 mg/m3	TLV: 5 mg/m3	No data.

Respiratory Equipment (Specify Type): A respiratory protection program that meets OSHA's 29 CFR 1910.134.

Eye Protection: Safety glasses with side-shields conforming to ANSI Z-87.

Protective Gloves: Wear appropriate protective gloves to prevent skin exposure.

Other Protective Clothing: Wear appropriate protective clothing to prevent skin exposure.

Engineering Controls (Ventilation etc.): Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower. Use adequate ventilation to keep airborne concentrations low.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical States: [] Gas [] Liquid [X] Solid

Appearance and Odor: Various Colors.

Melting Point: No data.

Boiling Point: No data.

Autoignition Pt: No data.

Flash Pt: No data.

Explosive Limits: LEL: No data. UEL: No data.

Specific Gravity (Water = 1): No data.

SAFETY DATA SHEET
Reinders Professional Fertilizer 22-0-3 50%
RXN 2% Fe

Vapor Pressure (vs. Air or mm Hg): No data.
Vapor Density (vs. Air = 1): No data.
Evaporation Rate: No data.
Solubility in Water: No data.
Percent Volatile: No data.

10. STABILITY AND REACTIVITY

Stability: Unstable [] Stable [X]
Conditions To Avoid - Instability: dust generation, Incompatible materials.
Incompatibility - Materials To Avoid: Strong bases, Strong oxidizing agents, DICHROMATES, liquid chlorine, nitrates, permanganates, chromyl chloride.
Hazardous Decomposition Or Byproducts: oxides of phosphorus, nitrogen oxides (NOx) and ammonia (NH3). oxides of sulfur, Oxides of potassium, Carbon monoxide, oxides of nitrogen, Carbon dioxide.
Possibility of Hazardous Reactions: Will occur [] Will not occur [X]
Conditions To Avoid - Hazardous Reactions: No data available.

11. TOXICOLOGICAL INFORMATION

Toxicological Information: No data available.
Carcinogenicity/Other Information: OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA. Additional studies are needed to to determine whether the cell transforming activity of quartz is related to its carcinogenic potential.

CAS #	Hazardous Components (Chemical Name)	NTP	IARC	ACGIH	OSHA
NA	Other Non-Hazardous Ingredients	n.a.	n.a.	n.a.	n.a.
57-13-6	Urea	n.a.	n.a.	n.a.	n.a.
7447-40-7	Potassium chloride	n.a.	n.a.	n.a.	n.a.
16389-88-1	Dolomitic limestone	n.a.	n.a.	n.a.	n.a.
1309-37-1	Iron oxide	n.a.	3	A4	n.a.

12. ECOLOGICAL INFORMATION

General Ecological Information: Environmental: No information available.
Physical: No information available.

13. DISPOSAL CONSIDERATIONS

Waste Disposal Method: Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. US EPA guidelines for the classification determination are listed in 40 CFR Parts 261. Additionally, waste generators must consult state and local hazardous waste regulations to ensure complete and accurate classification.

RCRA P-Series: None listed.
RCRA U-Series: None listed.

Reinders Professional Fertilizer 22-0-3 50%

Revision: 12/29/2014

RXN 2% Fe

14. TRANSPORT INFORMATION

GHS Classification: Serious Eye Damage/Eye Irritation, Category 2A - Warning! Causes serious eye irritation
 Acute Toxicity: Inhalation, Category 4 - Warning! Harmful if inhaled
 Acute Toxicity: Oral, Category 4 - Warning! Harmful if swallowed
 Skin Corrosion/Irritation, Category 2 - Warning! Causes skin irritation

LAND TRANSPORT (US DOT):

DOT Proper Shipping Name: Not Regulated.

DOT Hazard Class:

UN/NA Number:

LAND TRANSPORT (Canadian TDG):

TDG Shipping Name: Not Regulated.

15. REGULATORY INFORMATION

CAS #	Hazardous Components (Chemical Name)	Other US EPA or State Lists
NA	Other Non-Hazardous Ingredients	CAA HAP,ODC: No; CWA NPDES: No; TSCA: No; CA PROP.65: No; CA TAC, Title 8: No; WI Air: No
57-13-6	Urea	CAA HAP,ODC: No; CWA NPDES: No; TSCA: Inventory, 8A CAIR; CA PROP.65: No; CA TAC, Title 8: No; WI Air: No
7447-40-7	Potassium chloride	CAA HAP,ODC: No; CWA NPDES: No; TSCA: Inventory; CA PROP.65: No; CA TAC, Title 8: No; WI Air: No
16389-88-1	Dolomitic limestone	CAA HAP,ODC: No; CWA NPDES: No; TSCA: Inventory; CA PROP.65: No; CA TAC, Title 8: No; WI Air: No
1309-37-1	Iron oxide	CAA HAP,ODC: No; CWA NPDES: No; TSCA: Inventory; CA PROP.65: No; CA TAC, Title 8: Title 8; WI Air: Yes

16. OTHER INFORMATION

Revision Date: 12/29/2014

Additional Information About No data available.

This Product:**Company Policy or****Disclaimer:**

This Safety Data Sheet (SDS) is to be used as a reference to address the safe handling of the product. All statements, technical information and recommendations contained herein are to the best of our knowledge, reliable and accurate. This SDS is not intended to make any representation as to how the product will perform when used as intended. Nothing in this SDS is intended to be a representation or warranty by the manufacturer with regard to accuracy, safety, usefulness, technical information, materials, techniques, or practices. This product is sold "AS IS" and nothing in this SDS should be deemed to be a representation or warranty of any injury, loss, or damage of any kind sustained by, or arise from, the use of this product.