The Andersons Turf Products

Fertilizer 32-0-8

- Contains Fortify-
- Fortify-N features dual nitrogen stabilizer technology minimizing risk from environmental losses such as volatilization, leaching and denitrification.

Guaranteed Analysis

Total Nitrogen (N)	32.00%
32.00% Urea Nitrogen*	
Soluble Potash (K ₂ O)	8.00%
Iron (Fe)	2.00%
Derived from urea, notaesium oblarida and farria avida	

Derived from urea, polassium chloride and lerne oxide.	
Chlorine (Cl) Max	6.78%

*16.00% nitrogen stabilized with N-[n-butyl] thiophosphoric triamide and dicyandiamide

FLORIDA APPLICATIONS:

We recommend that you follow the Florida Green Industries BMP's at: http://www.flrules.org/Gateway/reference.asp?No=Ref-04706 We recommend that you follow the Florida Golf Course BMP's at: http://www.flrules.org/Gateway/reference.asp?No=Ref-04702

Nitrogen Notice: For those states with nitrogen application restrictions, including but not limited to, MD, NH, NJ and VA, do not apply more than 0.9 lbs. of nitrogen per 1,000 sq.ft.



WARNING MAY CAUSE SKIN AND EYE IRRITATION MAY CAUSE RESPIRATORY IRRITATION

Precautionary Statements

- Call a poison center/physician if unwell
- Wash hands after handling
- Use only outdoors or in well ventilated areas
- Avoid breathing dust
- Store container tightly closed
- Dispose of contents/container in accordance with national/regional/local regulations

First Aid Measures

If inhaled:	Move victim to fresh air. Seek medical attention if irritation persists.
If on skin:	Wash affected areas with soap and water. Seek medical attention if irritation
	persists. Wash contaminated clothing before re-use.
If in the eyes:	Immediately flush with water for at least 20 minutes. Seek medical attention
	if irritation persists.
If swallowed:	If victim is alert and not convulsing, give one glass of water to
	dilute material, but DO NOT induce vomiting. Seek immediated medical
	attention.

DIRECTIONS FOR USE

Apply only to actively growing turf. Do not apply near water, storm drains or drainage ditches. Do not apply if heavy rain is expected. Apply this product only to your lawn, and sweep any product that lands in the driveway, sidewalk, or street, back onto your lawn. Check with your local Cooperative Extension Agency to obtain specific information on local turf best management practices. Check with your county or city government to determine if there are local regulations for fertilizer use.

Application Rates:

LIGHT:	1.6 lbs/1,000 sq. ft.
LOW:	2.3 lbs/1,000 sq. ft.
MEDIUM:	3.1 lbs/1,000 sq. ft.
HIGH:	3.9 lbs/1,000 sq. ft.

For all applications:

- Apply to dry foliage.
- Water in after application with a minimum of 0.2 inches to help move particles into the turf canopy.
- Do not collect clippings for at least one mowing following application to avoid particle pick-up.

Cool Season Grasses:

- Apply at the LOW or MEDIUM RATE. •
- Apply at the LIGHT RATE when temperatures exceed 85°F.

Warm Season Grasses:

• Apply at the LOW to HIGH RATE every 4-6 weeks during the period of active growth.

STORAGE AND USE

F002091

Store in a clean, dry place. Reseal opened bag by folding top down and securing. Use only in clean, dry spreaders. Do not leave unused product in spreaders.

Notice: This product contains the micronutrient iron for extra greening and to help prevent iron deficiency. Iron may stain concrete and other surfaces. Misapplied product to these surfaces should be removed promptly by sweeping or blowing. Do not wash off with water.

IMPORTANT: READ BEFORE USE:

Read the entire Directions for Use and the Warranty Disclaimer and Limitation of Liability before using this product. If terms are not acceptable, return the unopened product container at once. By using this product, user or Buyer accepts the following Warranty Disclaimer and Limitation of Liability:

WARRANTY DISCLAIMER and LIMITATION of LIABILITY:

Manufacturer warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated on the label when used in strict accordance with the directions. Manufacturer makes NO OTHER EXPRESS OR IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. To the extent consistent with applicable law, it is Manufacturer's intent to LIMIT ANY LIABILITY FOR SPECIAL, CONSEQUENTIAL OR INCIDENTAL ECONOMIC DAMAGES to refund of purchase price or replacement of product, at Buyer's choice. To the extent consistent with applicable law, Manufacturer DISCLAIMS ANY LIABILITY FOR COMPENSATORY OR OTHER DAMAGES ARISING OUT OF ANY USE CONTRARY TO LABEL DIRECTIONS.

LEGAL RIGHTS:

THIS LIMITED WARRANTY GIVES YOU SPECIFIC LEGAL RIGHTS: YOU MAY HAVE OTHER RIGHTS THAT VARY FROM STATE/JURISDICTION TO STATE/JURISDICTION.


Product of U.S.A.

Manufactured by: The Andersons, Inc. P.O. Box 119 Maumee, OH 43537 AndersonsPro.com

The Andersons logo and Fortify are registered trademarks of The Andersons, Inc.

Suggested Spreader Settings These suggested spreader settings are not intended to replace calibration. Please calibrate your spreader before applying product. 50 lbs. feeds 31,200 sq. ft. (0.72 acre) with 0.51 lbs. N/1,000 sq. ft. at the LIGHT RATE 50 lbs. feeds 21,700 sq. ft. (0.50 acre) with 0.74 lbs. N/1,000 sq. ft. at the LOW RATE 50 lbs. feeds 16,100 sq. ft. (0.37 acre) with .99 lbs. N/1,000 sq. ft. at the MEDIUM RATE 50 lbs. feeds 12,800 sq. ft. (0.29 acre) with 1.25 lbs. N/1,000 sq. ft. at the HIGH RATE									
			SPREADER SETTINGS						
SPREADER	GROUND SPEED	WIDTH OF COVERAGE	LIGHT RATE 1.6 lbs/1,000 sq. ft.	LOW RATE 2.3 lbs/1,000 sq. ft.	MEDIUM RATE 3.1 lbs/1,000 sq. ft.	HIGH RATE 3.9 lbs/1,000 sq. ft.			
Andersons 2000 series (cone 4); Andersons LCO-1000	3 mph	11 feet	J 1/2	K 1/4	L	М			
Scotts R-8, R-8A (cone 4)	3 mph	11 feet	l 1/4	J	К	L			
Lesco 020093 (pattern 0.25)	3 mph	10 feet	D 1/4	E	F	G			
Lesco 7059698 (pattern 0.25)	3 mph	10 feet	10 1/2	12	14	16			
Lely Models WTR, WFR, HR, 1250 (PTO at 450 rpm) Pattern II-A	4.5 mph	40 feet	4 1/2	5	5 1/2	6			
Vicon (03 Series)	4.5 mph	36 feet	19	23	27	31			

SGN Standard Net Wt. 50 Lbs. (22.68 kg)



D25