

Safety Data Sheet

Section 1 Product Information

Product Name: 32-0-8 STD, 2% Fe, 50% REGAIN, UREA, MOP, (REINDERS) 50 LB. Product Code: 2058785
Spring Valley 800-635-2123
1891 Spring Valley Rd.
Jackson, WI 53037

Product Use: Granular blended fertilizer for general horticulture use.
Not recommended for: Not recommended for use in or around bodies of water.

Section 2 Hazards

GHS Ratings:

| | | |
|---------------|----|---|
| Eye corrosive | 2A | Eye irritant: Subcategory 2A, Reversible in 21 days |
| Carcinogen | 1B | Presumed Human Carcinogen, Based on demonstrated animal carcinogenicity |

GHS Hazards

| | |
|------|-------------------------------|
| H319 | Causes serious eye irritation |
| H350 | May cause cancer |

GHS Precautions

| | |
|----------------|---|
| P201 | Obtain special instructions before use |
| P202 | Do not handle until all safety precautions have been read and understood |
| P264 | Wash ... thoroughly after handling |
| P280 | Wear protective gloves/protective clothing/eye protection/face protection |
| P281 | Use personal protective equipment as required |
| P305+P351+P338 | IF IN EYES: Rinse continuously with water for several minutes. Remove contact lenses if present and easy to do – continue rinsing |
| P308+P313 | IF exposed or concerned: Get medical advice/attention |
| P337+P313 | If eye irritation persists, get medical advice/attention |
| P405 | Store locked up |
| P501 | Dispose of contents/container in accordance with local, state, and federal laws. |

Signal Word: Danger



Section 3 Composition

Exact percentages of components are withheld as a trade secret.

| Chemical Name | CAS number | Weight Concentration % |
|--------------------|------------|------------------------|
| Urea Granular | 57-13-6 | 70.00% - 80.00% |
| Potassium Chloride | 7447-40-7 | 10.00% - 20.00% |

| | | |
|------------------------------------|------------|-----------------|
| Dolomite granules | 16389-88-1 | 10.00% - 20.00% |
| Iron Oxide | 1309-37-1 | 1.00% - 5.00% |
| N-(n-Butyl)thiophosphoric triamide | 94317-64-3 | 0.00% - 0.10% |

Section 4 First Aid

Inhalation: Remove to fresh air, if irritation of lungs persists contact physician.

Eye Contact: Flush eyes with plenty of water for 15 minutes. Contact physician if irritation persists.

Skin Contact: Wash with soap and water. Contact physician if irritation persists.

Drink plenty of water and contact physician.

General Advice: If potential for exposure exists refer to Section 8 for specific personal protective equipment.

Most important symptoms and affects, both acute and delayed: Aside from the information found under Section 4 First Aid and Indication of immediate medical attention and special treatment needed (below), any additional important symptoms and effects are described in Section 11: Toxicology Information.

Indication of any immediate medical attention and special treatment needed

Notes to Physician: No specific antidote. Treatment of exposure should be directed at the control of symptoms and the clinical condition of the patient. Have the Safety Data Sheet, and if available, the product container or label with you when calling a poison control center or doctor, or going for treatment.

Section 5 Fire Fighting

Flash Point: N/A

LEL:

UEL:

Suitable extinguishing media: Water fog of fine spray. Dry Chemical fire extinguishers. Carbon dioxide fire extinguishers. Foam.

Unsuitable extinguishing media: None.

Special hazards arising from the substance or mixture

Hazardous combustion products: During a fire, smoke may contain the original material in addition to combustion products of varying composition which may be toxic and/or irritating.

Unusual Fire and Explosion Hazards: Container may melt from gas generation in a fire situation Pneumatic conveying and other mechanical handling operations can generate combustible dust. To reduce the potential for dust explosions, do not permit dust to accumulate. Dense smoke is produced when product burns.

Special Fire Fighting Procedures: Protect eyes and skin from contact with smoke. Wear self contained breathing apparatus when fighting fires. Keep all nonessential personnel upwind from smoke. Contain runoff waters and consult with your local environmental agencies before disposal.

Section 6 Accidental Release Measures

Cleanup procedures: Sweep spill, repackage in labeled container and reuse.

Section 7 Handling and Storage

Precautions for safe handling: Keep out of reach of children. Do not swallow. Avoid breathing dust or mist. Avoid contact with eyes, skin, and clothing. Keep away from heat, sparks, and flame. Good housekeeping and controlling of dusts are necessary for safe handling of product. Wash thoroughly after handling. Use with adequate ventilation.

Storage: Store in a cool, dry place and in such a manner as to prevent cross contamination with other fertilizers, food, or feed. Store in original containers and out of the reach of children, preferably in a locked storage area.

Section 8 Exposure Control and Personal Protection

| Chemical Name / CAS No. | OSHA Exposure Limits | ACGIH Exposure Limits | Other Exposure Limits |
|-------------------------|----------------------|-----------------------|-----------------------|
|-------------------------|----------------------|-----------------------|-----------------------|

| | | | |
|---|-----------------------------|-----------------|-----------------|
| Urea Granular 57-13-6 | 15mg/m ³ | Not Established | Not Established |
| Potassium Chloride 7447-40-7 | Not Established | Not Established | Not Established |
| Dolomite granules 16389-88-1 | Not Established | Not Established | Not Established |
| Iron Oxide 1309-37-1 | 10 mg/m ³ | Not Established | Not Established |
| N-(n-Butyl)thiophosphoric triamide 94317-64-3 | 5 mg/m ³ as dust | Not Established | Not Established |

Personal Protective Equipment (PPE):

Eye and face protection: Wear protective eyewear (goggles or faceshield)

Skin Protection: Wear chemical-resistant gloves, long sleeved shirt and pants, and shoes plus socks when using this product. Take off any contaminated clothing after applications and wash before reuse.

Respiratory Protection: In places with poor circulation and ventilation where the risk of inhalation of dust particles may present itself use suitable respiratory equipment such as MSHA/NIOSH approved respirator with approved filter. Additional information on the selection of respirators can be found in the NIOSH Respirator Selection Logic (DHHS [NIOSH] Publication No. 2005-100) and the NIOSH Guide to Industrial Respiratory Protection (DHHS [NIOSH] Publication No. 87-116) available at <http://www.cdc.gov/niosh/docs/87-116/>

Section 9 Physical Properties

| | |
|---|---|
| <p>Appearance Blend of granular pellets.</p> <p>Physical State Solid Granular</p> <p>Specific Gravity (SG) 4.619</p> | <p>Odor Slightly earthy</p> <p>Boiling Range 1420 to 1500 °C</p> <p>Lbs VOC/Gallon Less Water 0.00</p> |
|---|---|

Section 10 Stability and Reactivity

STABLE

Incompatibilities: None known.

Not Applicable

Hazardous Decomposition: Not established.

Not Applicable

Hazardous polymerization will not occur.

Section 11 Toxicological Information

Mixture Toxicity

Component Toxicity

| | |
|------------|---|
| 7447-40-7 | Potassium Chloride Oral LD50: 1,500 mg/kg (rat) |
| 94317-64-3 | N-(n-Butyl)thiophosphoric triamide Oral LD50: 2,823 mg/kg (rat) Dermal LD50: 2,000 mg/kg (rat) |

Routes of Entry: Skin and eye. May irritate open sores and wounds. May cause temporary eye irritation.

Skin Contact Eye Contact Ingestion

Not Applicable

Effects of Overexposure

| <u>CAS Number</u> | <u>Description</u> | <u>% Weight</u> | <u>Carcinogen Rating</u> |
|-------------------|--------------------|-----------------|---|
| 16389-88-1 | Dolomite granules | 10 to 20% | Dolomite granules: Limestone (Dolomite granules) is not listed on the NTP, IARC or OSHA lists of carcinogens. Crystalline silica, a naturally occurring component of limestone, is listed by IARC but not by NTP or OSHA. IARC has determined that there is sufficient evidence for carcinogenicity to experimental animals exposed to crystalline silica and limited evidence for carcinogenicity to humans. "Limited evidence" means that a causal relationship is possible; however, other explanations such as chance, bias or confounding factors cannot adequately be excluded. NTP has proposed (1989) to list crystalline silica based on the IARC determination. The quantity of crystalline silica in limestone, being part of a naturally occurring mined material, vary based on where and when the material is mined. As such the exact percentage of crystalline silica in this product cannot be accurately calculated between individual batches of this product. In order to provide our end users with the most relevant safety information and err on the side of caution and in accordance with the GHS standards set forth for crystalline silica stating that any product containing more than 0.1% crystalline silica must be marked with a Carcinogen hazard classification this product bears this mark even in cases where it may not be strictly required. |

Section 12 Ecological Information

Component Ecotoxicity

Urea Granular 96 Hr LC50 Poecilia reticulata: 16200 - 18300 mg/L
48 Hr EC50 Daphnia magna: 3910 mg/L [Static]

Section 13 Disposal Considerations

Product Disposal: Reuse product if possible. May be placed in household waste.

Container Disposal: Nonrefillable container. DO NOT reuse or refill this container. Offer for recycling if available.

Section 14 Transportation

In accordance with DOT/TDG/ADR/RID/ADNR/IMDG/ICAO/IATA

Technical shipping name:..... Not regulated.
 Proper shipping name:..... Not regulated.
 Hazard Class or Division:..... Not regulated.

Overland transport
 Not regulated as dangerous goods

Transport by sea
 Not regulated as dangerous goods

Air transport
 Not regulated as dangerous goods

| <u>Agency</u> | <u>Proper Shipping Name</u> | <u>UN Number</u> | <u>Packing Group</u> | <u>Hazard Class</u> |
|---------------|-----------------------------|------------------|----------------------|---------------------|
| | Not Applicable | | | |

Section 15 Regulations

| <u>Country</u> | <u>Regulation</u> | <u>All Components Listed</u> |
|----------------|-------------------|------------------------------|
| | | |


Section 16 Other Information

Hazardous Material Information System (HMIS)

| | |
|----------------------------|--------------------------------|
| HEALTH | <input type="text" value="0"/> |
| FLAMMABILITY | <input type="text" value="0"/> |
| PHYSICAL HAZARD | <input type="text" value="0"/> |
| PERSONAL PROTECTION | <input type="text"/> |

HMIS & NFPA Hazard Rating Legend
 * = Chronic Health Hazard
 0 = INSIGNIFICANT
 1 = SLIGHT
 2 = MODERATE
 3 = HIGH

National Fire Protection Association (NFPA)



The information herein is provided in good faith and believed to be accurate as of the effective date shown above. However, no warranty, express or implied, is given. Regulatory requirements are subject to change and may differ between various locations. It is the buyer's/user's responsibility to ensure that his activities comply with all federal, state, provincial or local laws. The information presented here pertains only to the product as shipped. Since conditions for use of the product are not under the control of the manufacturer, it is the buyer's/user's duty to determine the conditions necessary for the safe use of this product. Due to the proliferation of sources for information such as manufacturer-specific (M)SDSs, we are not and cannot be responsible for (M)SDSs obtained from any source other than ourselves. If you have obtained an (M)SDS from another source or if you are not sure

that the (M)SDS you have is current, please contact us for the most current version.

Reviewer Revision

Date Prepared: 5/31/2022