

[Home](#) ▶ [Equipment](#) ▶ [Turf Renovation Equipment](#) ▶ [Sod Cutters](#) ▶ [SC18H](#)

SC18H

Sod Cutter



Legendary performance meets new transmission technology for easier-to-control, smoother, and more stable sod cutting.

- Hydrostatic, variable-speed transmission
- Ultra-low vibration technology
- Easy steer technology
- User friendly operation
- Simple depth and blade-angle adjustment

Starting at
\$6,999 USD**

Special Offers
As low as 0% for 24 months* and rebates up to \$250 USD* / \$300 CAD* in lieu of financing on Bobcat SC18H sod cutters. Offers end February 28, 2025.

[Contact Dealer for Pricing](#)

[Find a Dealer](#)

[Buy Online Now](#)

[View Current Offers](#)

[Request a Demo](#)

[Download Brochure](#)

SC18H Overview

The Bobcat® SC18H sod cutter’s innovative, hydrostatic, variable-speed transmission lets you power through the cut while its heavy-duty, long-lasting, cast-iron gear case and hydraulic cooling system stand up to the toughest demands – season after season.

- A user-friendly, color-coded interface makes it easy to adjust blade depth and angle for precise cutting – no matter the soil condition.
- Unlock the pneumatic rear caster wheel to easily and tightly maneuver around landscaping, then lock it for unmatched precision on straightaways.
- Featuring ultra-low vibration technology, the rubber isolation mount absorbs shock and machine vibration before they ever reach your hands, saving your arms from fatigue.

SC18H Specs & Compare

SC18H Key Specifications
SC18H Sod Cutter
Engine Model
Honda GX160
Engine Displacement
9.9 in³
Width

25 in
Cutting Width
18 in
Max Cutting Depth
2.5 in
Max Blade Speed
1,225 rpm
Drive System
A-section belt from engine to hydrostat that transfers power through enclosed lubricated gearcase; Wheels: gears and chain reduction to drive wheels; Blade: gears to blade eccentric shaft
Transmission
Hydro-Gear #BDU-10S-127; 10cc pump
Gearbox
0.25" thick cast iron housing

Engine
SC18H Sod Cutter
Engine Model
Honda GX160
Engine Displacement
9.9 in³
Horsepower
4.8 hp
Fuel Capacity
0.82 gal

Performance
SC18H Sod Cutter
Weight
380 lb

Dimensions
SC18H Sod Cutter
Length
52.5 in
Width
25 in
Height
35.5 in

Wheels
SC18H Sod Cutter
Front Tire(s)
(2) 8 in vulcanized knob tread cast iron drive wheels
Rear Tire(s)
(1) 9 in x 3.5 in - 4 in caster wheel

Blade
SC18H Sod Cutter
Blade Material
Heat-treated 10B38 boron steel
Cutting Width
18 in
Max Cutting Depth
2.5 in
Max Blade Speed
1,225 rpm
Depth Adjustment
Locking lever releases to desired depth

Drive
SC18H Sod Cutter

Drive System
A-section belt from engine to hydrostat that transfers power through enclosed lubricated gearcase; Wheels: gears and chain reduction to drive wheels; Blade: gears to blade eccentric shaft
Transmission
Hydro-Gear #BDU-10S-127; 10cc pump
Gearbox
0.25" thick cast iron housing
Hydraulic Oil Capacity
2.1 qt
Max Forward Speed
4 mph
Max Reverse Speed
2 mph

SC18H Features & Benefits

Expand all ▾

- ▾ Performance5
- ▾ Durability & Uptime Protection3
- ▾ Comfort & Ease of Operation6

Related Models



SC12 Sod Cutter

[View Model >](#)

SC18H Sod Cutter

[View Model >](#)

SC18 Sod Cutter (Honda)

[View Model >](#)



[View All Sod Cutters >](#)

*Offer ends 2/28/2025. Available at participating and eligible dealers only. Offer may vary by product type, series, model and select units in dealer’s current inventory. Must take delivery from dealer stock by 2/28/2025. Offers available on new equipment in US and Canada only. Some restrictions apply. Length of contract and rate may vary. Monthly payment subject to change. Prior purchases not eligible. See dealer for details. Financing provided on approval of credit by authorized Bobcat finance providers to well-qualified buyers. All finance programs and rates are subject to final approval by the applicable Bobcat finance provider and are subject to change at any time without notice. Administrative fees may apply. Offer not available to government accounts, national accounts and municipal/utility bid customers. Bobcat Company reserves the right to extend or discontinue any of these programs at any time without prior notice.

**Suggested List Price is the manufacturer’s suggested pricing for base models. It does not include freight, pre-delivery inspection, tax, options, accessories, or attachments. Only for products sold in the U.S. Final sale price is determined independently by the local dealer. Product configuration may differ from image(s) provided. See dealer for full product details. Bobcat Company reserves the right to change suggested resale prices, product specifications, and options at any time.



WARNING: This product can expose you to chemicals including engine exhaust (including diesel engine exhaust when equipped), lead and lead compounds, mineral oils, soots, phthalates, and carbon monoxide which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to [www.P65Warnings.ca.gov](#).

Certain specification(s) are based on engineering calculations and are not actual measurements. Specification(s) are provided for comparison purposes only and are subject to change without notice. Specification(s) for your individual equipment will vary based on normal variations in design, manufacturing, operating conditions, and other factors.